Sub: Approved for exelis amount-of
Rs. 12162/- expended towards

procurement-of easipment-for
SCS under Copiece in Tespect

of Parskura Municipality.

placed lector is the communication
of the chatrmon, familiar Municipality
Learning ro. PM | PHC | 259 | Past-ii | 2008 | 6623
Learning ro. PM | PHC | 259 | Past-ii | 2008 | 6623
At. 8.1.08, which speaks for itself.

The ULB has aboutly procured economists for 803 per Pos 1,12,162/economists for 803 per Pos 1,12,162/Which exceeds the approved amount

The excess amount of his 12162] The excess amount of his 12162] The excess amount of his 12162] (Repair & Theire one hundred straty
(Repair & Theire one hundred straty
his) only may be approved on a
Special case.

the expenditure can le accommodade the expenditure hunget pronvion.

Submit-20.

803272 mm

Director, SUDA

UNICIPALLIP PANSKURA STD: 03228 Phone: 252312 Fax : 252005 PANSKURA A MEDINIPUR Pin-721139 का श्रुव (याप्रतीपुत

Memo No: PM/PHC/259/ Part-ii/2008/6623

The Director of SUDA, ILGUS Bhawan,

HC- Block, Sector-III, Saltlake, Kolkata-91.

Sub:: Seeking of Permission for payment against purchase of

Equipments over the prescribed limit of Rupees 1,00,000=00 (25000/- X 4 Sub-

Dated: 08/1/08

Centre) under Community Based Primary Health Care Services.

Ref :: Your memo no. SUDA/Health 63 ULBS / 07/192/dt. 29.6.07.

Dear sir,

This Municipality has purchased several various as per list items of Equipments (enclosed) in compliance with necessary rules and orders at a total cost of Rs. 1,12,162=00 (Rupees One lakh twelve thousand one hundred sixty two) only .It may kindly be seen from the statement that the total cost of equipments has exceeded the limit of Rs, 1,00,000,=00 (25,000/- x 4 Sub-centre) by Rupees 12,162/- only. It is now requested to kindly approve the excess amount of Rs.12,162=00 for the purchase of Equipments as per statement given and to accord sanction of the same for the payment out of the fund already allotted to this Municipality vide your memo no. SUDA-Health/63/ULBs-07/192 dt. 29.6.07. The expenditure has been booked under the Account Head "Equipments".- Community Based Primary Health Care Services.

Encl :: One statement as stated.

MEMO NO. PM/PHC/259/Part-ii/2008/

Copy forwarded to Shri Salil Kr. Lahiri, MIES Officer, Health, State Urban Development Agency, ILGUS Bhawan, HC Block, Sector-III, Kol-91 for kind information and necessary action.

Panskura Municipality

State Urban Development Agency, Health Wing, West Bengal

Sub.: Renovation of the Sub-Centres (five nos.) at Bongaon Municipality under Community Based Primary Health Care Services.

Enclosed the copy of communication of the Chairman, Bongaon Municipality bearing memo no. BM 273 dt. 09.03.2009 on the above mentioned subject.

The Municipality has submitted proposal as per PWD schedule for renovation of Sub-centre (SC) no. 1, 2, 5, 6 & 7, namely Jibani Colony Primary School, Dukhiram Primary School, Vikshu Primary School, Nanda Dulal Primary School and Motiganj GSFP School respectively. The estimated cost for five SCs is Rs. 1,03,550/- (Rupees One lakh three thousand five hundred fifty) only.

It is to mention here that fund provision has been kept for renovation works for Rs. 42.30 lakhs, out of which Rs. 21.15 lakhs in 1st year and Rs. 21.15 lakhs in 2nd year.

AA & FS for Renovation Works already sanctioned is as under:

(Amount in Rs.)

Budget for Renovation Works for 1 st Year	AA&FS already accorded	Balance
21,15,000.00	12,50,655.00	8,64,345.00

As functioning of Sub-Centre is very essential to implement service activities of CBPHCS i.e. ANC Clinic, Immunisation Clinic, Growth Monitoring Clinic and General Treatment Clinic, necessary repair & renovation of Sub-Centre may be granted after scrutiny by the Engineer of SUDA.

Submitted.

Director SUDA

24.03.09

OFFICE OF THE COUNCILLORS

Chakdaha Municipality

P.O-CHAKDAHA, Dist-NADIA (WEST BENGAL)

Memo No: 1308 /C.M.

From: Dr. Kanak Moitra

Chairman

To: The Director,

State Urban Development Agency, Health Wing, ILGUS Bhawan, HC-Block, Sec-III, Bidhan Nagar City, Kol-106.

Received -4 NOV 2008

Date: 03-11-2008

6861

Sub: Prayer for required fund for the constructions of 4 toilets in the 4 Sub-Centres amounting Rs.399380.00.

Madam.

I like to inform you that, 4 Sub-Centres under CBPHCS had already been started in 4 community centres in ward no. 18, 6, 10&13 of Chakdaha Municipality at least 7 months back. Theose are running well. Average 80 to 85 patients are attending each clinic day at the centres for treatement. Mostly are women & children. But I regret to state that there is no toilet in the centres. But it is very much urgent for the Sub-Centres. The Municipality has no such fund to construct toilets from its own resources. It requires financial assistance from the health programme.

I enclose herewith plans & estimates of toilet in each Sub-Centre for your kind perusal.

Considering the acute need of toilet in each Sub-Centre, we have already started the construction of Toilets keeping in view the fund will be released from this Health Programme.

Under the above circumstances, I fervently request you to take immediate action so that proposed amount is released forth with.

AMOUNT REQUIRED FOR: Rs399380.00.

Construction Cost of each Sub - Centre Toilet: Rs. 99845.00

No. of Sub-Centre Toilet: 4(Four)

Total Amount: Rs.99845.00*4 = Rs.399380.00

Thanking you.

Withregards,

Enclo.: Plan Estimate of each Toilet. (2 5 ch).

Chakdaha Municipality

Date: 03-11-2008

Memo No:(1)/C.M.

Copy forwarded for kind information & necessary action to:

1. The Project Officer, CBPHCS, SUDA, ILGUS Bhawan, Salt Lake City, Kol-106.

Chairman Chakdaha MUnicipality



Original / Repair

1. Nature of work

5. Name of Authority

providing Fund

Name of work

: Construction of Toilet Block for 6. Sanctioned by

3. Estimate No.

Community Centre at. : Gorepara ChalitaDate of Sanction

(a) Order No.

tala, Narkel Bagan, * I shannagar, Thakur

8. Classification of

expenditure

Colony Picnic Garden in Ward No. 18,6,13,10 (Where Capital or

Name of the scheme under which the work

of Chakdaha Municipality.

Revenue)

is proposed to be

executed

Amount of the Estimate: Rs. 99,845.00 Rost three subcentions Same

Chakdaha, Nadia

SPECIFICA

Sl. No.	Item of work	Quantity	Rs. Rate	Rs. AMOUNT
1.	Earth work in excavation of foundation trenches or drains in all sorts of soil. Page - 68, Item - 1(a)	3.74m ³	41.87 /m ³	Rs. 156.59
	1x8.85m.x0.625m.x0.675m.			
2.	Earth work in filling in foundation trenches with good earth.	0.75m ³	26.00 /m3	Rs. 19.50
	Page- 68, Item - 2(a)		7 113	
3.	Filling in plinth by Silver Sand by through saturation.	0.97m ³	204,66 /m3	Rs. 198.52
	Page- 70, Item- 3		/ 111	1
4.	Single brick flat soling of picked jhama bricks i/c. ramming and dressing bed to proper level.	11.47m ²	126.00 /m ²	Rs. 1445.22
	Page- 84, Item - 1. (Rate: Rs.90.00+ 40%)		/ III	
5.	Ordinary cement concrete M15(4:2:1) with graded stone chips excluding shuttering and reinforcement.	1.00m ³	3915.00	Rs. 3915.00
	Page - 84, Item - 5(a) (Rate: Rs. 2900.00+35%)		/ 111	
6.	Brick work with 1st. class bricks in cement morter (4:1)			
	a) In foundation & Plinth()Page- b), In super structure (104 (Rs. 1985.00+40%) (Item-25 (a)+(b)	4.05m ³	2,779.00 /m ³	Rs. 11,254.95
7.	125mm.th. brick-work with 1st. Class bricks in cement morter (4:1) Page - 108, Item - 33. (Rate: Rs. 246.00+40%).	32 .79 m ²	344.40 /m²,	Rs. 11,292.87

Contd. . . P/2.

dana Municipality Chakdaha, Nadla

Assistant Engineer

Vice Chairman / Chairman

Original / Repair

1. Natura of work

(2)

5. Name of Authority

providing Fund

2. Name of work

6. Sanctioned by

3. Estimate No.

:

7. Date of Sanction

(a) Order No.

.

8. Classification of expenditure

Revenue)

(Where Capital or

Name of the scheme :

under which the work

is proposed to be

executed

9. Amount of the Estimate:

Chairman

SPECIFICATION

Sl, No.	Item of work	Quantity	Rate	AMOUNT
8.	Hire and labour charges for shuttering with centering and necessary staging. Page - 98, Item - 16 (Rate: Rs. 137.00+Rs. 10%)	10.78m ²	150.70	Rs. 1,624.54
9.	Reinforcement for reinforced concrete work in the all sorts of structures i/c. distt. bars, stirupps, binders etc. Page 100, Item - 19(a)(i)	102.68Kg	56.82 /Kg.	Rs. 5,834.27
10.	(Rate: Rs. 40,585.00 + 40%) = Rs. 56,819.00). Ordinary cement concrete M20(3:1.5:1) with grated stone chips. Page - 86, Item - 7(a)	1.09m ³	4507.65 /m3	Rs. 4,913.33
11.	(Rate: Rs.3339.00 + 35%) Plaster to wall, floor, ceiling with Sand and Cement morter 20mm. th. (4:1) Page - 342, Item - 1(ii)(a) (Rate: Rs.89.00 + 35%)	60.06m ²	120.15 /m ²	Rs. 7,216.20
12.	1.5mm.th.Neat Cement punning. Page - 346, Item - 7.	7.96m ²	15.00/m ²	Rs. 119.40
13。	M.S. Ornamental Grill with M.S. bors. Page - 190, Item - 10(a) (Rate: 35.09 + 40%).	10 1 . 20 K g	. 49.12/ Kg.	Rs. 4,970.94

Contd...P/3.

Sub-Assistantantingineer

Chakdaha Municipal Chakdaha, Nadia 149108

Assistant Engineer

Vice Chairman / Chairman

Original / Repair

1. Nature of work

(3)

5. Name of Authority

providing Fund

2. Name of work

6. Sanctioned by

3. Estimate No.

7. Date of Sanction

(a) Order No.

8. Classification of

expenditure

(Where Capital or

Revenue)

9, Amount of the Estimate:

4. Name of the scheme :

under which the work

is proposed to be

executed

.

Chairman

WD

CHANCAHA.

SPECIFICATION

Sl, No.	Item of work	Quantity	Rate	AMOUNT
14。	Supplying 1.5mm.th. M.S. sheet fitted and fixed on one faces M.S. Grill Gate etc. Page - 192, Item - 12	4.40m2	814.80/m ²	Rs. 3,585.12
	(Rate: Rs. 582.00 + 40%)			
15.	Construction of Inspection pit of 600mm.x600mm.x600mm. with brick-work (6:1)	2 Nos.	2700.00/ each.	Rs. 5,400.00
	Page - 174, Item - 1.			
16.	Construction of circular sook well 2.5m. deep in all types of sandy soil with dry brick work upto 1.60	m. 2 Nos.	7195.00/ each.	Rs. 14,390.00
	page - 178, Item - 4.			
17。	Cast Iron Soil pipe only conforming to 1.S. 3989/1970 and I.S. 1729/1964.	4.00m.	458.85/ Rm.	Rs. 1,935.40
	Page - 128, Item - 1.			
	(ii) 100mm. dia. (Rs. 399.00 + 15%)			1
18.	Orissa pattern Water closet in			
	white glazed Vitreous China ware of approved make. (i) 580mm. x 440mm.	1 No.	1439.00/ each.	Rs. 1,439.00
				8 7
19.	Flat back Urinal in white Vitreous China ware of approved make.	1 No.	2412.00/ each.	Rs. 2,412.00
	(a) 610mm.x400mm.x380. Page - 160, Item - 6.		ed oil.	<i>y</i>

Contd...P/4.

12/9108 Assistant Engineer

Vice Chairman / Chairman

Sub-Assistant Englineer

Chakdaha Municipality Chakdaha, Nadia

Original / Repair

1. Nature of work

(4)

5, Name of Authority

providing Fund

2. Name of work

4. Name of the scheme :

is proposed to be

executed

under which the work

.

6. Sanctioned by

3. Estimate No.

:

7. Date of Sanction

(a) Order No.

2

8. Classification of expenditure

(Where Capital or

Revenue)

9. Amount of the Estimate:

Estd Ist May 1888

.

Chairman

SPECIFICATION

SI, No.	Item of work	Quantity	Rate	AMOUNT
20.	Supplying, fitting and fixing 1st. class procelain tiles of any size in walls & floors. Page - 138, Item - 16(iii) 1x8.85m.x1.50m.+ 1x8.85m.x1.95m.	17.95m ²	736,00/m	Rs. 13,211.20
21.	Protective and decorative textured exterior high class matt finish. Page - 362, Item - 19(i)	60.60m ² .	54.00/m ²	Rs. 3,272.40
22.	Painting w ith best quality synth- etic enamel paint of approved make. Page - 366, Item - 8(b)	6.24m ²	29.00/m ²	Rs. 180.96
23.	Supplying, fitting and fixing cast iron 'P' or 'S' Trap conform-ing to IS: 3989/1970 and 1729/1964 Page - 1/38, -Item - 14(B) 'S' Trap a/(iii) 100mm.	. 1 No.	481.00	Rs. 481.00
24.	size 275mm.x125mm. with (C) porcelain of approved make.	2 Pair	150.00/ pair.	Rs. 30°0.00
25.	Supplying, fitting and fixing bevelled edged mirror 5.5mm. the. Silver red as per IS: 3438/1965. (ii) 600mm.x450mm. Page - 166, Item - 17(ii).	1 No.	377.00/ each.	Rs. 377.00
	Total =	-	Shares	Rs. 99,845.00


Sub-Assistant Engineer

RCDakdaha, Nadia

Assistant Engineer

Vice Chairman Chairman

Chakdaha, Nadia



Original / Repair

1. Nature of work

5. Name of Authority

providing Fund

Name of work

: Construction of Toilet Block for 6. Sanctioned by

3. Estimate No.

Community Centre at. Gorepara Chalita- 8.

Date of Sanction

tala, Narkel Bagan,

8. Classification of

(a) Order No.

* I shannagar, Thakur Colony Picnic Garden in Ward No. 18,6, 13, 10 (Where Capital or

expenditure

Name of the scheme

of Chakdaha Municipality.

Revenue)

under which the work

is proposed to be

executed

* Rest 3 Subsentions have trilus of the identical

Chakdaha, Nadia

Amount of the Estimate: Rs. 99,845.00

W D.

CHAKDAHA, NADIA.

he Muni

SPECIFICATION

Sl, No.	Item of work	Quantity	Rs. Rate	Rs	AMOUNT
1.	Earth work in excavation of foundation trenches or drains in all sorts of soil. Page - 68, Item - 1(a) 1x8.85m.x0.625m.x0.675m.	3.74m ³	41.87 /m3	Rs.	156,59
2.	Earth work in filling in foundation trenches with good earth. Page- 68, Item - 2(a)	0.75m ³	26.00 /m3	Rs.	19.50
3.	Filling in plinth by Silver Sand by through saturation. Page- 70, Item- 3	0.97m ³	204,66 /m ³	Rs.	198.52
4.	Single brick flat soling of picked jhama bricks i/c. ramming and dresing bed to proper level. Page- 84, Item - 1. (Rate: Rs.90.00+ 40%)	11.47m ²	126.00 /m ²	Rs.	1445.22
5.	Ordinary cement concrete M15(4:2:1) with graded stone chips excluding shuttering and reinforcement. Page - 84, Item - 5(a) (Rate: Rs. 2900.00+35%)	1.00m ³	3915.00 /m3	Rs.	39 15.00
6.	Brick work with 1st. class bricks in cement morter (4:1) a) In foundation & Plinth()Page- b), In super structure (104 (Rs.1985.00+40%) (Item-25 (a)+(b)	4.05m ³	2,779.00 /m ³	Rso	11,254.95
7.	125mm.th. brick-work with 1st. Class bricks in cement morter (4:1) Page - 108, Item - 33. (Rate: Rs. 246.00+ 40%).	32.79m ²	344.40 /m²,	Rsa	11,292.87

Contd...P/2.

Sub-Sub-stant Engineer Chakdaha Municipality Chakdaha.

1219108 Assistant Engineer

Vice Chairman / Chairman

Original / Repair

1. Nature of work

(2)

5. Name of Authority providing Fund

Date of Sanction

2. Name of work

Name of the scheme :

under which the work

is proposed to be

executed

2

6. Sanctioned by

3. Estimate No. (a) Order No.

8. Classification of expenditure

(Where Capital or

Revenue)

9, Amount of the Estimate:

Estd Ist May 1880 P. W. D. CHAKDAHA, NADIA. num er

Chairman

SPECIFICATION

Sl, No.	Item of work	Quantity	Rate	AMOUNT
8.	Hire and labour charges for shuttering with centering and necessary staging. Page - 98, Item - 16 (Rate: Rs. 137.00+Rs. 10%)	10.78m ²	150.70	Rs. 1,624.54
9.	Reinforcement for reinforced concrete work in the all sorts of structures i/c. distt. bars, stirupps, binders etc. Page 100, Item - 19(a)(i) (Rate: Rs. 40, 585.00 + 40%)	102.68Kg	56.82 /Kg.	Rs. 5,834.27
10.	= Rs.56,819.00). Ordinary cement concrete M20(3:1.5:1) with grated stone chips. Page - 86, Item - 7(a) (Rate: Rs.3339.00 + 35%)	1.09m ³	4507.65 /m3	Rs. 4,913.33
11.	Plaster to wall, floor, ceiling with Sand and Cement morter 20mm. th. (4:1) Page - 342, Item - 1(ii)(a) (Rate: Rs.89.00 + 35%)	60.06m ²	120.15 /m ²	Rs. 7,216.20
12.	1.5mm.th.Neat Cement punning. Page - 346, Item - 7.	7.96m ²	15.00/m ²	Rs. 119.40
13.	M.S. Ornamental Grill with M.S. bors. Page - 190, Item - 10(a) (Rate: 35.09 + 40%).	10 1 20 Kg	49.12/ Kg.	Rs. 4,970.94
	The same was a second to the second s			

Contd...P/3.

B, Kundw 12/9108

Assistant Engineer

Vice Chairman / Chairman

Sub-Substanta Engineer Chakdaha Municipality Chakdaha, Nadia

Original / Repair

1. Nature of work

(3)

5. Name of Authority

providing Fund

2. Name of work

6. Sanctioned by

3. Estimate No.

(a) Order No.

7. Date of Sanction

8. Classification of

expenditure

(Where Capital or

Revenue)

2001021010

9, Amount of the Estimate:

4. Name of the scheme :

under which the work

is proposed to be

executed

:

8

Chairman

Estd Ist May 1380 P. W. D.

CHAKDAHA,

SPECIFICATION

SI, No.	Item of work	Quantity	Rate	AMOUNT
14.	Supplying 1.5mm.th. M.S. sheet fitted and fixed on one faces M.S. Grill Gate etc. Page - 192, Item - 12 (Rate: Rs.582.00 + 40%)	4.40m2	814.80/m ²	Rs. 3,585.12
15.	Construction of Inspection pit of 600mm.x600mm.x600mm. with brick-work (6:1) Page - 174, Item - 1.	2 Nos.	2700.00/ each.	Rs. 5,400.00
16.	Construction of circular sook well 2.5m. deep in all types of sandy soil with dry brick work upto 1.60 page - 178, Item - 4.		7195.00/ each.	Rs. 14,390.00
17.	Cast Iron Soil pipe only conforming to 1.S. 3989/1970 and I.S. 1729/1964.	4.00m.	458.85/ Rm.	Rs. 1,935.40
	Page - 128, Item - 1. (ii) 100mm. dia. (Rs. 399.00 + 15%)			*
18.	Orissa pattern Water closet in white glazed Vibreous China ware of approved make. (i) 580mm. x 440mm.	1 No.	1439.00/ each.	Rs. 1,439.00
19.	Flat back Urinal in white Vitreous China ware of approved make. (a) 610mm.x400mm.x380. Page - 160, Item - 6.	1 No.	2412.00/ each.	Rs. 2,412.00

Contd...P/4.

Sar 2. 12.9.08

Assistant Engineer

Vice Chairman / Chairman

Sub-Assistant Ragineer Chakdaha Municipality Chakdaha, Nadia

Original / Repair

1. Nature of work

(4)

5, Name of Authority

providing Fund

Name of work

6. Sanctioned by

3. Estimate No.

7. Date of Sanction

(a) Order No.

8. Classification of expenditure

(Where Capital or Revenue)

Name of the scheme :

under which the work

is proposed to be

executed

9, Amount of the Estimate:

Chairman

Estd Ist May 188

F. W. D. CHAKDAHA,

NADIA.

SPECIFICATION

SI, No.	Item of work	Quantity	Rate	AMOUNT
20.	Supplying, fitting and fixing 1st. class procelain tiles of any size in walls & floors. Page - 138, Item - 16(iii) 1x8.85m.x1.50m.+ 1x8.85m.x1.95m.	17.95m ²	736,00/2	Rs. 13,211.20
21.	Protective and decorative textured exterior high class matt finish. Page - 362, Item - 19(i)	60.60m ² .	54.00/m ²	Rs. 3,272.40
22.	Painting w ith best quality synth- etic enamel paint of approved make. Page - 366, Item - 8(b)	6.24m ²	29.00/m ²	Rs. 180.96
23.	Supplying, fitting and fixing cast iron 'P' or 'S' Trap conform-ing to IS: 3989/1970 and 1729/1964 Page - 1/38, -Item - 14(B) 'S' Trap a/(iii) 100mm.	. 1 No.	481.00	Rs. 481.00
24.	Foot rest for water closet of size 275mm.x125mm. with (C) porcelain of approved make.	2 Pair	150.00/ pair.	Rs. 300.00
25.	Supplying, fitting and fixing bevelled edged mirror 5.5mm. the. Silver red as per IS: 3438/1965. (ii) 600mm.x450mm. Page - 166, Item - 17(ii).	1 No.	377.00/ each.	Rs. 377.00
	Total =	nesk.	_	Rs. 99,845.00

Assistant Engineer

B. Kundu

Vice Chairman & Chairmanity

Assistation Bigineer Chakdaha Municipality RCLChakdaha, Nadia

State Urban Development Agency, Health Wing, West Bengal

Sub. : Construction of 4 nos. of toilets for each of the 4 Sub-Centres under CBPHC - Chakdah Municipality.

Enclosed the copy of communication of the Chairman, Chakdah Municipality bearing memo no. 1308(1)/CM dt. 03.11.2008 on the above mentioned subject along with estimated cost as per PWD schedule towards constructions of toilet for each Sub-Centre for total amount of Rs. 3,99,380/- (Rupees Three lakhs ninety nine thousand three hundred eighty) only @ Rs. 99,845/- per toilet. All the SCs are functioning from the existing community centre in ward no. 18, 6, 10 & 13 of Chakdah Municipality.

This is to mention here that the SC must have toilet as basic facility otherwise examination of pregnant women & children often faces difficulty. As we have fund for renovation, the toilet facility may be considered as renovation work of the existing SC located in the community hall.

It is to mention here that provision has been kept for renovation works for Rs. 42.30 lakhs, out of which Rs. 21.15 lakhs in 1st year and Rs. 21.15 lakhs in 2nd year.

AA & FS for Renovation Works already sanctioned is as under:


(Amount in Rs.)

8000

Budget for Renovation Works for 1st Year	AA & FS already accorded	Balance
21,15,000.00	8,27,832.00	12,94,768.00

The proposal submitted by the ULB may be considered and scrutinized by the Engineer, SUDA.

Submitted.



OFFICE OF THE COUNCILLORS

Chakdaha Municipality P.O-CHAKDAHA, Dist-NADIA

(WEST BENGAL)

Memo No:/C.M.

From: Dr. Kanak Moitra

Chairman

To: The Director.

State Urban Development Agency, Health Wing, ILGUS Bhawan, HC-Block, Sec-III, Bidhan Nagar City, Kol-106.





Date: 03-11-2008

Sub: Prayer for required fund for the constructions of 4 toilets in the 4 Sub-Centres amounting Rs.399380.00.

Madam.

I like to inform you that, 4 Sub-Centres under CBPHCS had already been started in 4 community centres in ward no. 18, 6, 10&13 of Chakdaha Municipality at least 7 months back. Theose are running well. Average 80 to 85 patients are attending each clinic day at the centres for treatement. Mostly are women & children. But I regret to state that there is no toilet in the centres. But it is very much urgent for the Sub-Centres. The Municipality has no such fund to construct toilets from its own resources. It requires financial assistance from the health programme.

I enclose herewith plans & estimates of toilet in each Sub-Centre for your kind perusal.

Considering the acute need of toilet in each Sub-Centre, we have already started the construction of Toilets keeping in view the fund will be released from this Health Programme.

Under the above circumstances, I fervently request you to take immediate action so that proposed amount is released forth with.

AMOUNT REQUIRED FOR: Rs399380.00.

Construction Cost of each Sub - Centre Toilet: Rs.99845.00

No. of Sub-Centre Toilet: 4(Four)

Total Amount: Rs.99845.00*4 = Rs.399380.00

Thanking you.

Withregards,

Enclo.: Plan Estimate of each Toilet.

Chairman Chakdaha Municipality

Date: 03-11-2008


Memo No: 1308 (1)/C.M.

Copy forwarded for kind information & necessary action to:

1. The Project Officer, CBPHCS, SUDA, ILGUS Bhawan, Salt Lake City, Kol-106.

Enclo. as stated above (1set.)

Chakdaha MUnicipality



State Urban Development Agency, Health Wing, West Bengal

Sub.: Renovation works in respect of Health Sub-Centre under CBPHC - Dhupguri Municipality.

Enclosed the copy of communication of the Chairman, Dhupguri Municipality bearing memo no. 491/DPGM/08 dt. 24.10.2008 on the above mentioned subject along with estimated cost as per PWD schedule towards minor renovation work for Health Sub-Centre for an amount of Rs. 6,16,684/- (Rupees Six lakhs sixteen thousand six hundred eighty four) only.

It is to mention here that provision has been kept for renovation works for Rs. 42.30 lakhs, out of which Rs. 21.15 lakhs in 1st year and Rs. 21.15 lakhs in 2nd year.

AA & FS for Renovation Works already sanctioned is as under:

(Amount in Rs.)

31. 10. 08 3020 mm.

Budget for Renovation Works for 1st Year	AA & FS already accorded	Balance
21,15,000.00	8,27,832.00	12,94,768.00

The proposal submitted by the ULB may be scrutinized by the Engineer, SUDA.

Setting up of Sub-Centre is very essential to implement service activities of CBPHC i.e. ANC Clinic, Immunisation Clinic, Growth Monitoring Clinic and General Treatment Clinic.

Submitted.

SUDA-63 ULIST 08/20/66 84-31-10 08.

P.O. DHUPGURI, DIST-JALPAIGURI

ESTD-2002

To

The Director of SUDA,

Health Wing, Ilgus Bhavan,

H-C Block, Sec-III, Bidhannagar, Kol-91,



Sub:- Plan with estimate for renovation work of Health Sub-center under CBPHC Dhupguri Municipality.

Sir,

With reference to the above the desired report is enclosed herewith for favour of your kind information and necessary action please.

Enclo:- As stated.

Yours faithfully

Chairman

Dhupguri Municipality

State Urban Development Agency, Health Wing, West Bengal

Sub. : Renovation of the Sub-Centres (three nos.) at Tamluk Municipality under Community Based Primary Health Care Services.

Enclosed the copy of communication of the Chairman, Tamluk Municipality bearing memo no. 21/Health/TM dt. 17.07.2008 on the above mentioned subject.

It is to mention here that provision has been kept for renovation works for Rs. 42.30 lakhs, out of which Rs. 21.15 lakhs in 1st year and Rs. 21.15 lakhs in 2nd year.

AA & FS for Renovation Works already sanctioned is as under:

(Amount in Rs.)

Budget for Renovation Works for 1 st Year	AA & FS already accorded	Balance
21,15,000.00	8,20,232.00	12,94,768.00

Submitted for favour of scrutiny of the proposal by the Engineer, SUDA.

108 14.08 bg. 08

Dignector, SVDA

তমলুক পৌরসভা

FICE OF THE COUNCILLORS OF TAMLUK MUNICIPALITY

স্থাপিত - ১৮৬৪ ★ Estd.- 1864


তমলুক, পূর্ব মেদিনীপুর - ৭২১৬৩৬ ★ TAMLUK, PURBA MEDINIPUR - 721636

Phone: (03228) 266007 / 267370 / 269537, Fax - (03228) 267370

প্রেরক From : পৌরপ্রধান Chairman তমলুক পৌরসভা Tamluk Municipality প্রতি To :



স্মারক / পত্রাঙ্ক নং Memo No. 2 | | Health | 7 · M তারিখ, তমলুক, Dated, Tamluk, The.....



To
The Director
State Urban Development Agency
(Health Wings)
ILGUS Bhavan
HC-Block, Sector -III, Bidhannagar
Kolkata - 700 091



Sub: Prayer for approval of the repairing work of 3 Sub

Center under Community Based Primary Health
Care Services.

Madam.

I would like to draw your kind attention that we have already opened 5 sub centers under Community Based Primary Health Care Services, out of the above 5 Sub Centers in 3 sub centers we have already done some repairing work before opening the sub centers. In this regard we are to send herewith the estimate cost for your approval.

Enclosure: As stated above.

PAL COUNCILLO PROPERTIES OF THE PROPERTY OF TH

Yours truly,

(P.NA) Chaire municipality
Tamluk Milabbality

TAMLUK MUNICIPALITY TAMLUK * PURBA MEDINIPUR

DETAIL MEASUREMENTS AND CALCULATIONS

	of work. Repaireing of Stor	ext.	2 sh	Min	121		*** *** ***		
			*** *** *** ***			Mainh!			
	DESCRIPTION OF WORK	No.	Length	Total Length	Breadth	Height or Depth	Content or Area	Total	TOT
N	1. S. Orena mental grill								
	a have 16 kg/m2 and		N. P.			0 0	00.4	- 0	.0
19	bone.	1×	1.10 × 2	.10×3	22: kg/1	m= 30	182 kg	2 36/24	18.4
E	Extra for work in grill gate.			3 3 2 2		Yang.	State of the state		
100	157. c	D 4	Lenno-	-0			ALBOT THE A	R	2
,	,								
_	about charegos for remons	A						1 0	7
4	old door & regioning.	1	L: S.	. L	+			17	7
0)(an-e.		42.81	VAL.			116		
P	ynthetic pount. michading count. 20/1. 428/2		in it		1		1		1 ,
S	ynthetic paint. michaly	1.2	1.10 K	2.10	= 20:	31 m	e 580	可好	1.
P	reining cont. 20/2 +38/2		(9)				1		
	a hand coel of filing							R	23
1	Matorial Cost of finis		Ls.						131
The state of the s	THE STREET OF THE STREET OF THE STREET OF THE STREET	县 经验	e manage	to specify	K See 1	the second	E STATE OF	R	20
		4 32	1 2 42 5				4		5
-	The second secon	Series	Medical Co. Co. Appl	27 公司	Ad	d 34.	contra	外子	1000
	8		100				1		_
									33
							5	wil.	3
								1	1
1									F
1			4.5	1 1			50	B ASSIST	THA

TAMLUK MUNICIPALITY

DETAIL MEASUREMENTS AND CALCULATIONS

etailed Estimate No. for the year 200 - 200 ame of work Making partition wall of Room at Chakkaming C.D.S. Hall in wardro :-22.

DESCRIPTION OF WORK	No.	Length	Total Length	Bres	dth	Height er Depth	Content or Area	Total	GRAND TOTAL
wood work in posts, plates, reafters, batters truss members, burli	4								
to Pitted and fixed	ציי								e
(ii) Local	1	1386		2	4	15 =	2.65cf	-	
							0.0750		100
Parlition of Commercia ply as per design fitte and fixed complete.	2					(a)	K 18,60	41-46 	1395.3
(i) 4 mm thick	1	18124	- 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1			7-10	142.3		
			74	-			13,28	1 or	
Priming one coat on	i	1244	0.46			OK.	2224	T.R.	2937.1
Priming one coat on timber, plastered swefa with synthetic endme	ce							1	
of afsproved quality including smootherin	10000					4 4 4 5 15		i kale d	e de la comp
surfaces by sand bapus	ing	13:23	કુ	EK (اره	201-		200	264.6
Pollo	ngar							R.	596.
to chest	F. 1	p*.					Ì		

TAMLUK MUNICIPALITY TAMLUK * PURBA MEDINIPUR DETAIL MEASUREMENTS AND CALCULATIONS

Detailed Estimate No. for the year 200 - 200

Name of work Repairing works of a room and verantah in the Mosque

premises = at mown: - Padumbasar, in wardnown

Un fee Tambuh Humin mality.

No	DESCRIPTION OF WORK	No.	Length	Total Length	Breadth	Height or Dopth	eontent or Area	Total	GRAND TOTAL
	Arofificial Stone in Floor, dado, staircase etc. we cement concrete (4:2:1) asith stone chips laid in panels as directed we toloping made with condinary or while ceme and marble dust in proportion (2:1) including	出							
	smooth firmshing.						,		
3	smm. thick topping with ordinary cement.							4	
("	i) 25 mm thick. Viranon		28/ 5"		5:04				
							188.01		
	Room	1	1618,	(126.7 40	-	206.08	ч.	
						12	334.00	sst-	
						@£	126/-	J.,	
1]	Planter (to wall, floors,								5922.2
0	eiling etc.) -with sound and coment mortar off or including rounding off or chamfering corners.								
	f					h u			
1	@ 25 mm thick inside	1	13/2"			640	19.96	Rift-	
	(i) With 4.1. Cement most	1	12.2			-			
- K	*			1		=	16.635	900	
The state of the s				i		0	178.92	ER	064.5
Santanada and	Le den	Da						01	86.91
	Tem Sulp-Raett	1	041,					Jr. 71	יליוסח
	Tamlukunic								

C/o...

State Urban Development Agency, Health Wing, West Bengal

Sul: Reseration of 8hb-centres by chardah Municipality under CBPHC.

Enclosed The copy of N.S dt.

19.3.08 along Light ersonated

cost towards removation of

A Nos. of Scs. for an amount

A Nos. of Scs. for an amount

The salt proprise Has sent the

sconday by Engineer, SUDA, and

respond not yet received.

Hence, further a copy of the

Same is enclosed here won your

early or possal.

Simmitted.

63 NO. SVOR-HUT

Director, suns

State Urban Development Agency, Health Wing, West Bengal

Sub.: Renovation of the Sub-Centres (Four nos.) by Chakdah Municipality under Community Based Primary Health Care Services - Post facto approval thereof.

Enclosed the copy of communication of the Chairman, Chakdah Municipality bearing memo no. 378/CM dt. 17.03.2008 on the above mentioned subject.

The Municipality has identified the premises for Sub-Centres in community centre located at four different wards. White washing, electrical wiring, arrangement of fan, tube light etc. have already been done by the Municipality to start Health activities from the Sub-Centres. The expenditure incurred for the purpose is as under:

SI. No.	Sub- Centre No.	Located at	Expenditure incurred (In Rs.)
1	SC - 1	Community Centre at Ward No. – 6	11,082.00
2	SC - 2	Deshbandhu Primary School at Ward No 10	8,938.00
3	SC - 3	Community Centre at Ward No. – 13	11,082.00
4	SC - 4	Community Centre at Ward No. – 17	11,082.00
		Total	42,184.00

The ULB has submitted the expenditure in PWD Schedule. It is to mention here that provision has been kept for renovation works for Rs. 42.30 lakhs, out of which Rs. 21.15 lakhs in 1st year and Rs. 21.15 lakhs in 2nd year.

AA & FS for Renovation Works already sanctioned is as under:

(Amount in Rs.)

\$10.3.08

Budget for Renovation Works for 1 st Year	AA & FS already accorded	Balance
21,15,000.00	8,20,232.00	12,94,768.00

The proposal submitted by the ULB may be scrutinized by the Engineer, SUDA. As setting up of Sub-Centre is very essential to implement service activities of CBPHC i.e. ANC clinic, Immunisation clinic, Growth Monitoring clinic & General Treatment clinic, post facto approval may kindly be accorded in this regard.

Submitted.

whicefor, Sund.

CHARDAHA MUNICIPALITY

RATE ANNALYSIS POINT WIRING

Frajule of SVDY

[2 x 1.5 sq. mm. + 1 x 1.00 sq mm . incl . circuit 2 x 2.5 sq mm + 1x1.50 sq.mm.)

1.a) Cost of 20mm pvc casing				
18.00(Lp) - 2.70 (Dis 15%) = 15.30 x 5 mtr.	=			76.50
b)Cost of 2 x 1.5 sq mm cu. Wire				
15.61 (Lp) - 2.34 (dis -15%) = 13.26 x 6 mtr x2L	=			159.12
c)Cost of 1 x 1.00 sq mm cu wire				
10.55 (Lp) - 1.58(Dis - 15%) = 8.97 x6mtr x 1L	=			53,83
d)Cost of 2 x 2.5 sq mm cu wire (circuit)			,	
25.11 (Lp) - 3.76(Dis - 15%)= 21.34 x 2mtr x2L	=			85.37
e)Cost of 1 x 1.5 sq mm cu wire (circuit)				
15.61 (Lp) - 2.34 (Dis 15%) =13.26 x2mtr x 1L	=			26,52
d)Cost of caring Accessories 5% on (a)	=			3.82
g) Cost of 6 A. piano switch Anchor PENTA				
14.00 (Lp) - 1.87(Dis - 15%)	=	10.62	=	11.90
h) Cost of selling rose				
12.50 (Lp) - 1.87 (Dis -15%)	=	10.62	=	10.62
i)Cost of junction Box(6x4) with back light	=			11.00
j)Cost of M.S Board with hylem cover	=			20.00
x)Cost of sundry materials 2%	=			9.17
VAT 4%	=			16.05
Transport 2%	=			9.68
Labor charges	=			42.00
				535,58
OH & P 10%	=			53.58
				589.16
SAY Rs.				590.00

Chakdaha, Nadia

Chakdaha, Nadia

CHARDAHA MUNICIPALITY

RATE ANALYSIS

16 A Sheet body main switch (FLORA , BENTEC)

a)Cost of 16A Main switch	Rs.	160.00
Dis 10%		16.00
VAT. 4%		144.00
		5.76
	-	149.76
Del .2%		2.99
		152.75
Cost of Iron angle frame		40.00
		192.75
Labor Charge		30.00
		222.75
OH & P		22.27
		245.02
SAY Rs.		245.00

San 25.3.08

Kanak Moitra

Kanak Moitra

Chakdaha Municipality

Chakdaha Municipality

CHAKDAHA MUNICIPALITY

RATE ANA LYSIS

48" Celling Fan(CG)

a) Cost of Fan (C.G)

1385.00

Transport 2%

27.70 1412.70

OH&P

141.27

1553,97

SAY Rs.

1554.00

CHAKDAHA MUNICIPATITY

POWER PIUG BOARD (14 5WG MS)

	P 1 T T D 14 D 14 D 1
a)Cost of 20A switch	
(Cat No 38477/4147) Rs .49/-	49.00
b)Cost of 1/20A Socket	7,3100
(Cat No 38524/4 191) Rs.49/- c)Cost of Indicator	49.00
(Cat No 38273) Rs.19/- d)Cost of 16A Fuse	19.00
(Cat No 38309/50406) Rs. 26/-	26.00
	143.00
Dise . 10%	14.30
	128.70
VAT. 12.5%	16.08
	144.78
e) Cost of MS Box (14swg)	
$8 \times 6 \times 2 = 96 \text{sq.inch} \times 0.65$	6240
f)Cost of hylem Cover	207.18
$9 \times 7 = 63 \text{ sq. inch.} \times 0.98$	61.74
	268.92
Delivery 2%	5.37
	274.33
Labor Charge	30.00
	304.33
OH & P 10%	30.43
	334.77
SAY Rs.	335.00

Sept Sun 25.3.08

tourist

Kanak Moitra Chairman Chairman Chakdaha Municipality Chakdaha, Nadia CHANDAHA MUNICIPALITY

RATE ANALYSIS

TMS 10/140 1X 36W/ TL 40W(Philip's)

a)Cost of fittings	Rs. 246.00
b) Cost of 40w Tube	Rs. 44.50
Dis. 10%	290.50 29.05
VAT. 12.5%	261.45 32.68
Delivery 2%	294.13 5.88
OH 9 B 100	300.01
OH & P 10%	30.01
	330.02
SAY Rs.	330.00

Sub-Assistant Municipality Chakdaha Municipality Chakdaha, Nadia Kanak Moitra

OFFICE OF THE COUNCILLORS CHAKDAHA MUNICIPALITY

CHAKDAHA, NADIA

WESTBENGAL

Memo No.: 378 /C.M

From: Dr. Kanak Moitra

Chairman

To: The Director

SUDA(Health Wing)

ILGUS Bhawan, Kol-106



Date:17.03.08



Sub: 4 Health Sub Centres

Madam,

We have identified 4 health Sub Centres of CBPHCS -Scheme. Those are :

- a) Community Centre at Ward No.6
- b) Community Centre at Ward no. 13
- c) Community Centre at Ward No. 17
- d) Desh bandhu Primary School at Ward no.10

White washing & coloring of those centres have already been done

Electric wiring of those centres and arrangements of fan & tube light have already been done. Payment of all Electrical items including fans & tube lights on the basis of PWD Schedule (electrical) shall be made .Enclosed please find the requirement of fund as per PWD Schedule (electrical) for your kind perusal. All the works have been done without the approval of SUDA Keeping in view the urgency of the matter.

The post facto approval & release fund mentioned below is sought for,

a) Community Centre at Ward No.6 – Rs.11082.00

b) Community Centre at Ward no. 13-

c)Community Centre at Ward No. 17-

d)Desh bandhu Primary School at Ward no.10 - Rs.8938.00 Rs.42184.00

An early action will be appreciated

Thanking you With regards Yours truly

100

Chairman / Chakdaḥa Municipality

Enclo. As stated above.

Memo No.: /C.M

Copy forwarded for kind information & necessary action to:

1. Dr. Sibani Goswami

Project Manager, CBPHCS, SUDA, Health Wing, KOL-106

Chairman

Chakdaha Municipality

Date: 17.03.08

OFFICE OF THE COUNCILLORS Chakdaha municipality Chakdaha, nadia

Estimate No. :

Name of Work : Electrical Installation work of NEW Wiring at Community Hall in Word No 6 CHAKDAHA NADIA.

Item	The state of the s	Unit	Quantity	Rate Per Unit	Amount
1.	Point wiring including circuit wiring with 1100 volt grade insulated single core 2 x 1.5 sq. mm. + 1 x 1.0 sq.mm. copper conductor (Finolex/Havell's) in 20 mm. (3/4") dia rigid PVC Casing(Plaza/Prestoplast) as per IS: 9537 (part III) 1983 or latest revision on wall / surface with screws etc. to light / fan / call bell point included supplying & fixing 6A piano key type switch, ceiling rose (Anchor—Penta) on Wooden switch box with Bakelite hylam cover (3 mm minimum thickness) on wall complete (Individual Neutral to be drawn for each point) with 2 x 2.5 + 1 x 1.0	Pts	8	590.00	4720.00
2. 4	Point wiring -dodo- 6 amps plug point including 5 & F6 amps plug with 6 amps switch on existing light / fan / common & switch board -do- complete	Pts.	1	130.00	130.00
3 æ	Supplying & fixing separate flush type 250V 6 pin, 10/ plug Socket with 20A piano key type (Anchor-Penta) fuses & indicating lamps on suitable Wooden Board with bakelite hylam cover (3 mm thick) on wall with all necessary materials, earthing complete.	Set	. 1	335.00	335.00
	Supply & fiXING of 4'-0", 1 x 40 watt / 2 x 40 watt rail type single/twin fluorescent light fitting complete with holders, starters, chokes, 4'-0" 40 watt fluorescent tube lamp duly interconnection as per following				
•	a) Philips Cat no. TMS 10/140/ Supplying & fixing of 250 volt AC ceiling fan (double ball bearing) complete with fork canopy and down rod etc. of approved make (Make Crompton / Polar / Havells)	No.	3	330.00	990.00
	a) 1200mm sweep (48")	No.	3	1554.00	4662.00

Item	Description of Work	Unit	Quantity	Rate Per Unit	Amount	
6.	Supplying & fixing 16A. Main Switch With M.S. enclosures & Iron Angle Frame With necessary Materials Complete.(MAKE FLORA, BENTEC)		1	245.00	245.00	
				Total Rs	11082.00	

Sub – Assistant Engineer, Chakdaha Municipality Chakdaha, Nadia. Chairman 7.3 Chakdaha Municipality Chakdaha, Nadia

(The Estimate has been prepared as per P.W. D. Schedule and as per P. W. D. Mode of Analysis with current market rate.)

OFFICE OF THE COUNCILLORS Chakdaha municipality Chakdaha, nadia

Estimate No. :

Name of Work : Electrical Installation work of NEW Wiring at Deshbendhu Primary School CHAKDAHA NADIA.

Item	Description of Work	Unit	Quantity	Rate Per Unit	Amount
1.	Point wiring including circuit wiring with 1100 volt grade insulated single core 2 x 1.5 sq. mm. + 1 x 1.0 sq.mm. copper conductor (Finolex/Havell's) in 20 mm. (3/4") dia rigid PVC Casing(Plaza/Prestoplast) as per IS: 9537 (part III) 1983 or latest revision on wall / surface with screws etc. to light / fan / call bell point included supplying & fixing 6A piano key type switch, ceiling rose (Anchor-Penta) on Wooden switch box with Bakelite hylam cover (3 mm minimum thickness) on wall complete (Individual Neutral to be drawn for each point) with 2 x 2.5 + 1 x 1.0 sq.mm. copper FRLS WIRE FOR CIRCUIT.	Pts	7	590.00	4130.00
2.	Point wiring -dodo- 6 amps plug point including S & F6 amps plug with 6 amps switch on existing light / fan / common & switch board -do- complete	Pts.	1	130.00	130.00
3.	Supplying & fixing separate flush type 250V 6 pin, 10/20 plug Socket with 20A piano key type (Anchor-Penta) fuses & indicating lamps on suitable Wooden Board with bakelite hylam cover (3 mm thick) on wall with all necessary materials, earthing complete.	Set	1	335.00	335.00
4.	Supply & fixing of 4'-0", 1 x 40 watt / 2 x 40 watt rail type single/twin fluorescent light fitting complete with holders, starters, chokes, 4'-0" 40 watt fluorescent tube lamp duly interconnection as per following				
	a) Philips Cat no. TMS 10/140/	No.	3	330.00	990.00
5.	Supplying & fixing of 250 volt AC ceiling fan (double ball bearing) complete with fork canopy and down rod etc. of approved make (Make Crompton / Polar / Havells)				200.00
	a) 1200mm sweep (48")	No.	2	1554.00	3108.00

6.	Description of Work Supplying & fixing 16A Main Switch With M.S. enclosures & Iron Angle Frame With necessary Materials Complete. (MAKE FLORA, BENTEC)	Unit	Quantity 1	Rate Per Unit	Amount
				245.00	245.00
				Total Rs	8938.00

Sub – Assistant Engineer, Chakdaha Municipality Chakdaha, Nadia.

Chairman, Chakdaha Municipality Chakdaha, Nadia.

(The Estimate has been prepared as per P.W. D. Schedule and as per P. W. D. Mode of Analysis with

OFFICE OF THE COUNCILLORS Chakdaha municipality Chakdaha, nadia

Estimate No. :

Name of Work : Electrical Installation work of NEW Wiring at Community Hall in Word No 13 CHAKDAHA NADIA.

Item	Description of Work	Unit	Quantity	Rate Per Unit	Amount
1.	Point wiring including circuit wiring with 1100 volt grade insulated single core 2 x 1.5 sq. mm. + 1 x 1.0 sq.mm. copper conductor (Finolex/Havell's) in 20 mm. (3/4") dia rigid PVC Casing(Plaza/Prestoplast) as per IS: 9537 (part III) 1983 or latest revision on wall / surface with screws etc. to light / fan / call bell point included supplying & fixing 6A piano key type switch, ceiling rose (Anchor—Penta) on Wooden switch box with Bakelite hylam cover (3 mm minimum thickness) on wall complete (Individual Neutral to be drawn for each point) with 2 x 2.5 + 1 x 1.0 sq.mm. copper FRLS WIRE FOR CIRCUIT.	Pts	8	590.00	4720.00
2.	Point wiring -dodo- 6 amps plug point including S & F6 amps plug with 6 amps switch to relating light / fan / common & switch board -do- complete	Pts.	1	130.00	130.00
	Supplying & fixing separate flush type 250V 6 pin, 10/2 plug Socket with 20A piano key type (Anchor-Penta) fuses & indicating lamps on suitable Wooden Board with bakelite hylam cover (3 mm thick) on wall with all necessary materials, earthing complete.	Set	1	335.00	335.00
	Supply & fixing of 4'-0", 1 x 40 watt / 2 x 40 watt rail type single/twin fluorescent light fitting complete with holders, starters, chokes, 4'-0" 40 watt fluorescent tube lamp duly interconnection as per following				
	a) Philips Cat no. TMS 10/140/	No.	3	330.00	000 00
	Supplying & fixing of 250 volt AC ceiling fan (double ball bearing) complete with fork canopy and down rod etc. of approved make (Make Crompton / Polar / Havells)	710.		330.00	990.00
	a) 1200mm sweep (48")	No.	3	1554.00	4662.00

Item	Description of Work	Unit	Quantity	Rate Per Unit	Amount
6.	Supplying & fixing 16A. Main Switch With M.S. enclosures & Iron Angle Frame With necessary Materials Complete.(MAKE FLORA, BENTEC)	No	1	245.00	245.00
				Total Rs	11082.00

Sub - Assistant Engineer, Chakdaha Municipality Chakdaha, Nadia.

Chairman, Chakdaha Municipality Chakdaha, Nadia.

(The Estimate has been prepared as per P.W.D Schedule and as per P.W.D. Mode of Analysis with current market rate.)

OFFICE OF THE COUNCILLORS Chakdaha municipality Chakdaha, nadia

Estimate No. :

Name of Work : Electrical Installation work of NEW Wiring at Community Hall in Word No 17, CHAKDAHA NADIA.

Item	The state of the s	Unit			
1.	Point wiring including circuit wiring with 1100 volt grade insulated single core 2 x 1.5 sq. mm. + 1 x 1.0 sq.mm. copper conductor (Finolex/Haveli's) in 20 mm. (3/4") dia rigid PVC Casing(Plaza/Prestoplast) as per IS: 9537 (part III) 1983 or latest revision on wall / surface with screws etc. to light / fan / call bell point included supplying & fixing 6A piano key type switch, ceiling rose (Anchor—Penta) on Wooden switch box with Bakelite hylam cover (3 mm minimum thickness) on wall complete (Individual Neutral to be drawn for each point) with 2 x 2.5 + 1 x 1.0 sq.mm. copper FRLS WIRE FOR CIRCUIT.		8	590.00	4720.00
	Point wiring -dodo- 6 amps plug point including S & F6 amps plug with 6 amps switch on existing light / fan / common & switch board -do- complete	Pts	1	130.00	130.00
A desirable and the second section of the section of the second section of the section of the second section of the section o	Supplying & fixing separate flush type 250V 6 pin, 10/ plug Socket with 20A piano key type (Anchor-Penta) fuses & indicating lamps on suitable Wooden Board with bakelite hylam cover (3 mm thick) on wall with all necessary materials, earthing complete.	Set	1	335.00	335.00
	Supply & fixing of 4'-0", 1 x 40 watt / 2 x 40 watt rail type single/twin fluorescent light fitting complete with holders, starters, chokes, 4'-0" 40 watt fluorescent tube lamp duly interconnection as per following		,		
	a) Philips Cat no. TMS 10/140/	No.	3	330.00	000 00
	Supplying & fixing of 250 volt AC ceiling fan (double ball bearing) complete with fork canopy and down rod etc. of approved make (Make Crompton / Polar / Havelis)		<u> </u>	330.00	990.00
	a) 1200mm sweep (48")	No.	3	1554.00	4662.00

ltem	Description of Work	Unit	Quantity	Rate Per Unit	Amount
6.	Supplying & fixing 16A. Main Switch With M.S. enclosures & Iron Angle Frame With necessary Materials Complete.(MAKE FLORA, BENTEC)	No	1	245.00	245.00
				Total Rs	11082.00

Sub - Assistant Engineer, Chakdaha Municipality Chakdaha, Nadia. Chairman, Chakdaha Municipality Chakdaha, Nadia.

(The Estimate has been prepared as per P .W . D Schedule and as per P . W . D. Mode of Analysis with current market rate.)

Sub: Release of fund to Joynagar Mazilpur Municipality for construction of one portion of the annexed hospital building of the Maternity & Child Welfare Centre

It is learnt that the cheque bearing no.020225 dt. 05.05.2008, UBI, Salt Lake Branch for an amount of Rs.8,13,592/- (Rupees eight lakhs thirteen thousand five hundred ninety two) only drawn in favour of "Director, SUDA" has been collected from DHFW. Copy of NS towards collection of cheque is enclosed for ready reference.

A/C section of SUDA may be instructed for issuance of A/C payee cheque or Demand Draft as deemed appropriate for the said amount in favour of the "Chairman, Joynagar Mazilpur Municipality" for undertaking the construction work as mentioned in the subject matter.

Submitted.

63 UZ 105 | 08 | 29 63 UZ 105 | 06-08 Director, SUDY

30.08.08

Sub.: Release of fund for construction of one portion of the annexed Hospital building of the Maternity and Child Welfare Centre under Joynagar Mazilpur Municipality, South 24 Parganas.

Enclosed the copy of communication of Project Director, HSDI, Commissioner, Family Welfare & Special Secretary, DHFW bearing no. HFW/HSDI/230/HHW-193/06 dt. 24th April, 2008 addressed to the undersigned.

DHFW has released a sum of Rs. 8,13,592/- (Rupees Eight lakhs thirteen thousand five hundred ninety two) only for meeting the non-recurring expenditure towards construction of annexed portion of Hospital building under Joynagar Mazilpur Municipality.

It is learnt from DHFW that the cheque for the above mentioned amount has been drawn in favour of "Director, SUDA" bearing no. 020225 dt. 05.05.2008, UBI, Salt Lake Branch. Necessary action may kindly be taken to collect the said cheque from DHFW by your authorized representative.

Submitted.

Director, SVDOT

\$05.5.08 \$27.5.08 GOVERNMENT OF WEST BENGAL

DEPARTMENT OF HEALTH & FAMILY WELFARE

HEALTH SYSTEM DEVELOPMENT INITIATIVE

SWASTHYA BHAWAN, GN - 29, SECTOR - V

SALT LAKE CITY, KOLKATA - 700 091

TEL: 2357 4455

3335 111

No.HFW/HSDI/230/HHW-193/06

April 24, 2008

From: A. K. Das, IAS

Project Director, HSDI,

Commissioner, Family Welfare & Special Secretary

To: Dr. Shibani Goswami,

Project Officer, Health, SUDA, Ilgus Bhavan Block-HC, Sector-III, Bidhan Nagar,

Salt Lake, Kolkata - 700091.

Sub: Release of fund for construction of one portion of the Annexed Hospital Building of the Maternity and Child Welfare Centre under Joynagar Mazilpur Municipality, South 24

Paroanas

Parganas.

Madam,

In inviting reference to your letter no. SUDA/Health/63/ULBs/07/764 dated 19.03.2008 this is to inform you that a sum of Rs. 8,13.592 (Rupees eight lakh thirteen thousand five hundred ninety two) only is hereby released in your favour for meeting the non-recurring expenditure towards construction of one portion of the Annexed Hospital Huilding of Maternity & Child Welfare Centre under Joynagar Mazilpur Municipality, South 24 Parganas as per plan and estimate prepared by the Sub-Assistant Engineer, Joynagar Mazilpur Municipality and approved by the Executive Engineer, HSDI on behalf of this Department.

The Joint Director (Accounts), HSDI will act as the Drawing and Disbursing Officer for the purpose.

The charge is debitable to the head of Account under "Grants-in-Aid" provision of HSDI Fund from the budgetary allocation for the year 2008-09.

It may be noted that the fund so released should be strictly used for the purpose mentioned above. Copy of the plan and estimate in respect of the work are being returned herewith for execution.

The Utilisation Certificate duly supported by the Statement of Expenditure in respect of the fund should be submitted to the undersigned immediately as soon as the expenditure is incurred and latest by 31st December, 2008.



STATE URBAN DEVELOPMENT AGENCY

HEALTH WING

"ILGUS BHAVAN"

H-C BLOCK, SECTOR-III, BIDHANNAGAR, CALCUTTA-700 091 West Bengal

Ref No SUDA=Health/63 ULBs/07/764

Date19.03:2008

From: Director, SUDA

To : Shri A.K. Das, IAS

Commissioner (FW) & Spl. Secretary, West Bengal

Dept. of Health & Family Welfare

Swasthya Bhawan, 3rd Floor, Wing - "B"

GN-29, Sector - V, Salt Lake City

Kolkata - 700 091.

Sub: Submitting cost estimate along with drawing for construction of part portion of Maternity Home at Joynagar Mazilpur Municipality.

Sir,

I am to refer to the discussion held with you at your office chamber on 16.01.2008 in respect of the above mentioned subject.

As discussed, the plan & estimate prepared by Sub-Assistant Engineer of Joynagar Mazilpur Municipality, counter signed and submitted by the Chairman, Joynagar Mazilpur Municipality for construction of part portion of Maternity Home has been scrutinized by the Engineer of SUDA wherein the cost estimate is derived at Rs. 7,89,955/- (Rupees Seven lakhs eighty nine thousand nine hundred fifty five) only. The said plan & estimate is forwarded to you for your kind consideration and further necessary action.

Thanking you.

Yours faithfully,

Enclo.: As stated.

OC

SUDA-Health/63 ULBs/07/764/1(1)

Copy forwarded for kind information to:
Dr. Nila Mukherjee, Jt. DHS & SFWO, DHFW

Director, SUDA Dt. .. 19.03.2008

N

SUDA-Health/63 ULBs/07/764/2(1)

Copy forwarded for kind information to: Chairman, Joynagar Mazilpur Municipality Director, SUDA

Dt. .. 19.03.2008

Director, SUDA

C:\Dr. Goswami\RCH-63 ULBs\Letter Head Misc..doc

TeVFax No.: 359-3184

Sub. : Clost estimate for construction of part portion of Maternity Home submitted by the Chairman, Joynagar Mazilpur Municipality.

Enclosed the cost estimate for construction of part portion of Maternity Home prepared by the Sub-Asstt. Engineer, Joynagar Mazilpur Municipality and submitted by the Chairman of the said ULB.

In this connection, it may be recalled that DHFW had asked for submission of proposal towards strengthening of services at Maternity Home run by the ULBs. Accordingly consolidated proposal with cost estimate in respect of purchase of furniture & equipment and renovation Maternity Home received from the ULBs had been submitted by us. Following to that, FW Commissioner, in a meeting told to submit the proposal of the ULBs separately for each of the components i.e. furniture, equipment & renovation. With regard to proposal for renovation of Maternity Home it was also decided that the plan and cost estimate submitted by the ULB would be scrutinized by the Engineer of SUDA for onward transmission to DHFW. In the mean time, we had already submitted proposals in respect of furniture & equipment to DHFW.

Hence, the cost estimate under subject may be scrutinized by the Engineer of SUDA for taking further necessary action.

Submitted.

estimate after necessary such

The above noted estimate has been checked. The vates have been varified with the P.C. Schedule

for building of P. N.D and the total amount of the cost estimate comes to R, 7,89,955 only which

includes 3% consingencies.
The estimate may be vetted xtes/3/08

C:\Dr. Goswami\RCH-63 ULBs\Notesheet doc

Health of For Depti - We proposal to the

UO NO SUBATH WATY 8+ 15-2-10. Director Sypta

State Urban Development Agency, Health Wing, West -2-Draft letter is eveloped for signifine, Dineda, sua if approva. 19.3.08

● PROPOSED ESTIMATE FOR CONSTRUCTION OF PART PROTION OF A THREE STORIED HOSPITAL BUILDING ANNEXED TO MATERNITY AND CHILD WELFARE CENTRE, MARKED BY REDCOLOUR, SITUATEO ON PLOT NO. 1300, 1302, 1303, 1304, KHATIAN NO. 867, 1465, MOUZA: JOYNAGAR J. L. NO. 17 AT PREMISES NO. 18, THANA CROSS ROAD. IN WARD NO. IX, UNDER JOYNAGAR MAZILPUR MUNICIPALITY, P. S. JOYNAGAR, DIST: SOUTH 24 PARGANAS.

NO	Description of Items	Quantity	Unit	Rate	Amount
1.	Earth work in excavation of foundation trenches or drains, in all sorts of soilincluding removing, spreadinglevelling, dressing and ramming the bottom as required complete. (a) Depth of excavation not exceeding 1,500mm.		%m³	4187.00	1256.10
2.	Earth work in filling in foundation trenches or plinth with good earth including watering and ramming etc. layer by complete. (a) With earth obtained from excavation of foundation.	a- 25m³	%m³	2600.00 4784.00	650.00 1196.00
3.	Single brick flat soling of picker jhama bricks including ramming and dressing bed to proper level, and filling joints with powdered earth or local sand.	49.5m ²	m²	115.00	5692.50
4.	Cement concrete (with graded jhama khoa (30mm. down size)Excluding shuttering in ground floor. (a) 6:3:1 Proportion.	4·5 8.5m³	m³	2036.00	9162.00 17306.00
5.	Brick work with 1 st class bricks in cement mortar (4:1) (6:1)		ad State		
	(a) In foundation and plinth	21.3m ³	m³	2115.00	45049.50
	(b) In superstructure - 97. floor	101.8m³	m³	2177.00	215510.60
6.	Hire and labour charges for shuttering with centering for concrete slabs, beams, columns,	63·20 m ³	m³	2212.00	139798=40
	including fitting, fixing and striking out after completion of 100 ks. (a) 25mm. to 7.5mm. thick booden	as t	no s	2914/08 44	5800.00
22.70	shuttering as per decision & direc- tion of Engineer - In - Charge.	40.00 207.4m ²	m ²	145.00	30073.00
(4)5	C ISIII-100 IFfor	167.40m2	m²	151·70 CONTDP/2.	25394=58 31,60,83,70 2,65,458:08

NO.	Description of Items	Quantity	Unit	Rate	Amount
				B/F	31,60,83.70
	n. Thick damp proof course				
with	cement concrete with				
stone	chips (1:2:4) and admixture of			94.00	470.00
water	proffing compound.	5m ²	m ²	124.00	-605.00
. Cemer	t concrete (3:1.5:1) with				
	stone chips (20mm. size)	1.5 3		/	
		33.5m ³		(15,156'00
ment.	ing shuttering and reinforce-		m³	3368.00	1,12,828.00
ment.	(b) In 18t floor	20.0 m3	m ³		17914.00
Data C.		20.0 m	m	3398.00	67,960.00
	reerment for reinforced con-				
	ork in all sorts of structures				
	ng distribution bars, stirrups,				
	setchooking				
and bei	iding to correct shape		offense St.		
binding	16 gaguge black wire				
	rawing & direction.				
(a)-Mili	TStee!	5.09 winter		17-13	16.000.00
(ii) Tor		28.4quintal	Quintal	3200.00	16,000.00 90,880.00
	b) In 1st floor	20.6 guinhol	Duite	2710:00	66126.00
	b) 3 x 15: 4100	20.20 9 000000	os aca rac	3210 10	60120
. Artifici	al stone in floor, dado,				
	ase etc. With cement				
	e (4:2:1) with stonechbs laid				
panel	as directed with				
	mode with ordinary / white				
	&marbel oust in proportion				
			ALF B		
(2.1)ille	uding smooth finishing &			1 .0	
roundin	g off cornrs and including	153?	,	104.00	3120.00
applicat	ion of cement glurry before	152m ²	\rightarrow m ² —	131.00	19,912.00
Hooring	works (20mm thick). 69 57. flow	20 11 2	m ²	105.60	11088 .00 .
	(b) In 1977	ou 105 m	m.	105.60	11000 00
Palaster	(to wall, floor, celling etc) with				
sand and	cement mortar including				
	g off or chamfering cones as				
	nosing and drip				
course v	here necessarev.	97.60		68.00	6636.80
-(ii) with -	AT cement morter in 187 floor	765m²	m²	81.00	81,965:00
(a) 19 mm	thick plaster	282.0m	m²	69.60	19627.20
Da - 151	uthick plaster nm ta. plaster i) gr.fluor	54.70 m2	m²	59.00	3227.30
1:1) - 10 m	am 11 11 W W) Ist ploor	261.20m2	m2	54.00	15828 - 72
Wood wo	ork in door and window 1974.	31-70 m2	m 2	55.15	7610 . 30
frame fit	tewd and fixed complete	138.00 m2	m	0 - 13	
	ga priotective autof	-1-9m ⁻¹	3	12010 00	39141 . 21
	at rthe contacts allact of tihe	2	m ³	42918.00	81,544.20
frame.	The surface of the	0.912 m			
(d) Sal:S	ilianci			2	0,38,17.90 5,39,(6)=
(4) (541 :5	1 5 N. Landon C. D.				
	6 . 51			CONTE	173
	12				
	150				
	1144				
		111			

NO.	Description of Items	Quantity	Unit	Rate	Amount
				B/F 7	0,38,17.90
3.	Panel shurtters of door and win-				
	dow aws per design (each panel				
	consisting of single plank without				
	joint),incxludiong fittingt anmd				
	fixinmg the same in position but				
	excluding the cost of hinge and				
	other Cttle			,	
	(ii) 16 mm. thick pannel - 19 mm Th.			1656 00	
	(c) Gamari Pannel	-72m ²	-m²-	1777.00	1,27,944.00
	(c) Gamari Tannel In Gr. floor	9 m ² 50.6 m ²	m ²	1665.00	14904.00
	In 1st floor	50:6.2	2-		
14.	M. S. or W. I. ornamental grill of	oc om	m	1661.00	84046.60
1-6"	approved design, joints continu-				
	ously elded with M.S.,				
	W. I. flats and bar for window,				
	railing etc.complete as directred.				
	(iii)Grill weighing above 14kg/	84.50		1	3 380 .00
	sq.m. ands upto 16kg./sq.m. a) ? - floor	825kg	kg	40.00	33,000.0 0
	sq.m. ands upto 16kg./sq.m. a) fr-flow	r Glove	be	10-40	24644.00
		010.0	.7	40 40	2909900
5.	Painting with best quality synthetic				
	enamel paint of approved make				
	and brand including smoothening				
	surface by sand paperring etc.				
	including using of approved putty			/	
	etc. on the surface if necessary.			/	
	(ii) Two coats (white in shade)	350m ²	m ²	49.00	17,150.00
6.	Colour washing with any shade				
	including cleaning and smoothen-				
	ing surface throughly				
	(ii) + (i) Internal + External Sur-				1/00:00
	tace	765-2	0/2	020.00	1692.80
	(b) Two Coats (External) fr floor	705III-	70M-	920.00	1,038.00
		681.50 m	10 m	970.00	6601.64
7.	M.S. structural works, if roof				
	trusses etc. With simple rolled				
	structural members (i.e. angles,				
	tees, flats etc.) connected to one				
	another as per design or				
	direction, complete including	NISE	Onin tal	(0-1-4-1	NEI
	fabircation, hosting mide exection.	Nil	Quin tal	/Quintal	Nil
					3,88,949.90 6,9/,586
	(4.61				0,11,306
	G 121 -1918			CONTD	P/4
	E 1.S1 1—18.8 ?	35 1 S 1 S 1 S 1 S 1 S 1 S 1 S 1 S 1 S 1		The state of	district of the state of
1900	100			242	建华 加州
	24 rgs	No. of the last	A STATE OF	A Late Control of	The state of the s

8. Iron Butt hinges fitted & fixed Complete	<u>aty</u>	Unit B.F	Rate =	Amount CRS 691586.85
a) 75 mm x 60 mm x 3 15 mm	102 nos	Each	39.00	3978.00
b) 100 mm x 75 mm x 3.5 mm	42 nos	Each	55.00	2310.00
). Annodised Alluminium Socket bolt filled & fined complete				
a) 75 mm long x 10 mm. dia bolt	27 mm	Each	38.00	1026.00
6) 150 mm tong x 10 mm. dia bolt		Each		306 .00
o. Iron Hasp boll -250mmlong with 16 mm dia bolt fitted de fixed complete	6 mos	Each	80.00	480.00
fitted & fined complete 37.5 mm. dia	33 nos .	£ach	7.00	231.00
			Total Control of the	6,97,917 .85



		Quantity	Unit	Rate	Amount
NO.	Description of Items		TO REAL PROPERTY.	B/F	8,88,949.90
18.	Electrical Wiring including drawing of main lines and setting of electri- cal appliance and equipments such as lamp tubes, lampshad fan, main				697917.85
	witch Boards, Statars Cit.				70,000.00
	Fited and fixing complete in position	n		L.S.	89,000.00
	as per design and direction.			Total	Rs. 9,77,949.90 767917 · 85
			Add. 3% Conti		De 29 338.50 22037 53
		1	Add. 5 /6 Conti	119	Rs. 10.07,288.40 7,89,9 55 ·3
					D- 10.07.288.00

Say Rs. 10,07,288.00

(Rupees Ten lakh seven thousand two hundred and eighty eight only)

Rs 7,89,955/=

(Rupees Seven lath Eighty-nine thousand Nine hundred Fifty-five only)

Estimate Prepared by me

Sub. Asstt. Engineer

Joynagar Mozilpur Municipality

Estimate Submitted by

Joynagar Mozilpur Municipality

south 24 paraganas

stimple checked way be vetted

Note 1 1968

T.U.0 | SUDA



Sul: Renovation works in numbed of Monogenut 2 Supervision cell under CBPMC -> clarification funished by Taki Municipality.

Endred The copy of communication of the chairman. Taki Muhicipality bearing to . 453 TM & . 24.7. 2008 submitting no. 453 TM & . 24.7. 2008 submitting clarification of in Tropped of Tenoration clarification facilities.

Also energio privions hoter sheet our Their office lefter issue our reference to. to the ULB week reference to. 5 UDB - HOUTH | 63 ULBs | 08 | 105 Set. 26.06.08.

The radiated proposed | clarification
way be formation to his Bisneyit
Das, Tuo, suda for searting.
Submitted.

ST52 2mi

0.0 NO. SV DA HOUST 63 VULS 08 9.18 Director SV DA



STATE URBAN DEVELOPMENT AGENCY

HEALTH WING "ILGUS BHAVAN"

H-C BLOCK, SECTOR-III, BIDHANNAGAR, CALCUTTA-700 091 West Bengal

Ref NSUDA:-Health/63 ULBs/08/105

Dete: 06:2008

From: Director, SUDA

To: The Chairman

Taki Municipality

Sub. : An Appeal for sanctioning the estimated cost for necessary partition wall in the newly constructed Health Administrative Unit as well as Sub-Centre in this office premises.

Ref.: Your communication bearing no. 157/T.M. dt. 09.05.2008.

Sir,

With reference to above, you are requested to forward the necessary drawing for the work mentioned by you, in absence of which quantity of the different items of the estimate is not possible to check.

You may be aware that corrigendum of PWD schedule of 1st April, 2007 for enhancement of rate has already been published by PWD on 15th May, 2008. Hence, new rate may be incorporated. Moreover, cess @ 1% may be added to each item of works to arrive at complete rate.

You are also requested to detail out item no. 4.

Thanking you.

Yours faithfully,

Director, SUDA

Renovation works in respect of Management & Supervision Cell under CBPHC - Taki Municipality.

Enclosed the copy of communication of the Chairman, Taki Municipality bearing memo no. 157/TM dt. 09.05.2008 on the above mentioned subject along with estimated cost as per PWD schedule towards minor renovation work for Management & Supervision Cell for an amount of Rs. 21,223/- (Rupees Twenty one thousand two hundred twenty three) only.

It is to mention here that provision has been kept for renovation works for Rs. 42.30 lakhs, out of which Rs. 21.15 lakhs in 1st year and Rs. 21.15 lakhs in 2nd year.

AA & FS for Renovation Works already sanctioned is as under:

(Amount in Rs.)

Budget for Renovation Works for 1st Year	AA & FS already accorded	Balance
21,15,000.00	8,20,232.00	12,94,768.00

The proposal submitted by the ULB may be scrutinized by the Engineer, SUDA. As setting up of M & S Cell is essential to implement service activities of CBPHC.

Submitted.

905 vann Too may pl. offer his comm

Necessary drawing for the above states work is not available, for which quantity of the different items of

the estimate is not possible to check.
Rates of different items have been checken as per P.W.D. schedule of 1st April 2007. But in the mean time cosissigendum for enhancement of state has abject been published by PWD on 15th May, 2008. New gate may be in cool pool ated.

Cess @ 1 % may be add to each item of work to avoive at the complete gate.

I tem no. 4 may be presented in detail.

the above lines this 1/9

0.0NO-5004-Har (3) VIBS /10 Bato 04.06.08. Director, SVDA

State Urban Development Agency, Health Wing, West Bengal votes but bade. Digt letter is endrand for signature, if approved DIACOGAN PADA

Office: (953217) 234 481 / 233 324

Resi.: (953217) 233 285

Guest House: (9532:7) 233 328 Night Shelter: (953217) 234 007

CIPAL COUNCILLORS OF * DIST.: NORTH 24 PARGANAS

Chairman Taki Municipality

To: The Director SUDA H.C. Block, Sector-III **ILGUS BHAVAN** Bidhangar, Kolkata - 700091

Dated, Taki 9 - 5

Sub: - An Appeal for sanctioning the estimated cost for necessary partition wall in the newly constructed Health Administrative unit as well as Sub-Centre in this office premises.

Sir,

I am hereby appealing for the sanctioning of the estimated cost attached with this letter on the above mentioned subject urgently as the Sub-centre scheduled to be started shortly. At present it is quite impossible to incur even a little amount in this regard as there are no funds that can be passed for the purpose.

The partition and necessary arrangement is extremely urgent to set up the Health Administrative Unit and running the programme.

So, I hope, the case is treated with utmost importance and I should not be disheartened considering the urgency and necessity of my appeal.

Thanking you,

(D. K. Banerjee) **CHAIRMAN** Taki Municipality

Office. (03217) 233 324 / 234 481 (03217) 233 285

Health (03217) 234 743 Guest House: (03217) 233 328 Night Shelter: (03217) 234 077

P.O.- TAKI, DIST.- NORTH 24 PARGANAS.

Office. (03217) 233 324/23
Resi. (03217) 23
Resi. (03217) 24
Resi. (0

Ref. No.:





Estimated Cost for Partition Wall by Commercial Ply and necessary door at Health Administrative Unit (Community Based Primary Health Care Services) of Taki Municipality.

Estimate Prepared as per P.W.D. Schedule of Rate (Building) for the year 2007-08

SI. No.	Description	of Items	Qnty.	Rate Rs. P.	Unit	Amount Rs. P.
1.	P-216/3-(i) Wood work in posts, plates, raft purloins etc. fitted and fixed compails, screws etc.) (The quantum should be corrected (i) Sal: Siliguri Door: 2 X 2.00 X 0.075 X 0.075 2 X 1.00 X 0.075 X 0.075	olete (excluding the cost of up to three decimals = 0.023		2 41,5 5 2.00 Cum		
	Partition: 4 X 3.20 X 0.05 X 0.05 4 X 2.40 X 0.05 X 0.05 4 X 3.65 X 0.05 X 0.05 5 X 2.40 X 0.05 X 0.05 3 X 2.10 X 0.05 X 0.05 4 X 2.85 X 0.05 X 0.05	= 0.032 = 0.024 = 0.037 = 0.030 	0.202		Cum.	8,393.50
2.	P-304/129-(ii) Partition of Commercial Ply as a complete (excluding the supporting	0.202 Der design fitted & fixed g framework but including				
	necessary teak wood battens): Door: 2 X 2.00 X 1.00 = 4.00 1 X 3.20 X 2.40 = 7.68 Partition: 1 X 3.65 X 2.40 = 8.76		26.425	298.00	Sqm.	7,874.65
	1 X 2.85 X 2.10 = 5.985 					

Office (03217) 233 324 / 234 481 Resi (03217) 233 285 Health (03217) 234 743

Guest House (03217) 233 328 Night Shelter: (03217) 234 077

P.O.- TAKI, DIST.- NORTH 24 PARGANAS.

Ref. No.:

Dated -

SI.	Description of Items	Qnty.	Rate Rs. P.	Unit	Amount Rs. P.
3.	P-366 / 7 Priming one coat on timber plastered or on steel or other metal surface with synthetic enamel / oil bound primer of approved quality including smoothening surface by sand papering etc. (This item is applicable to new work or old work when the original surface has been exposed by removal of old paints) Door: 2 X 2.00 X 1.00 = 4.00 Partition Wall: 2 X 3.20 X 2.40 = 15.36 2 X 3.65 X 2.40 = 17.52 2 X 2.85 X 2.10 = 11.97 48.85 Frame Work: 52.20 X 0.15 = 7.82	56.67	20.00	Sqm.	1,133.40
4.	P-366/8-A/a/iv Painting with best synthetic enamel paint of approved make and brand including smoothening surface by sand papering etc. including using of approved putty etc. on the surface of necessary (a) On timber or plastered surface: (iv) Two coats (with any shade except white)				
	Door: 2 X 2.00 X 1.00 = 4.00 Partition Wall: 2 X 3.20 X 2.40 = 15.36 2 X 3.65 X 2.40 = 17.52 2 X 2.85 X 2.10 = 11.97 48.85 Frame Work: 52.20 X 0.15 = 7.82	56.67	46.00	Sqm.	2,606.8
5.	P-224 / I-20-vii Iron butt hinges of approved quality fitted and fixed with ISI mark. (vii) 100 mm X 50 mm X 1.25 mm 2 X 3 = 06	06	27.00	Each	162.0

P.O.- TAKI, DIST.- NORTH 24 PARGANAS.

Office. (03217) 233 324 / 234 481 Resi.: (03217) 233 285

Ref. No.:

Dated -

Sl. No.	Description of Items	Qnty.	Rate Rs. P.	Unit	Amount Rs. P.
6.	P-230 / I-27-b Iron hasp bolt of approved quality fitted and fixed complete (oxidized) with 16 mm dia rod with centre bolt and round fitting. (b) 250 mm long. 2 X 2 = 04	04	80.00	Each	320.00
7.	P-244 / I-69-iv Anodised aluminium barrel/ tower/socket bolt (full covered) of approved quality manufactured from extruded section conforming to I.S. 204/74 fitted and fixed with cadmium plated screws. (iv) 150 mm long X 10 mm. dia bolt. 2 X 2 = 04		51.00	Each	204.00
8.	P-242 / I-67-A-iii (A) Iron door ring of approved quality fitted and fixed with nut and washer complete. (iii) 50 mm. dia. 2 X 2 = 04	04	8.00	Each	32.00

Total = 20,726.37

Adding 3% contingencies = 621.79

Grand Total = 21,348.00

Say, Rs.21, 348.00

(Rupees Twenty one thousand three hundred and forty eight) only.

Taki Municipality

Chairman Taki Municipality

Page 3 of 3

Office: (03217) 233 324 / 234 481 Resi: (03217) 233 285

OFFICE OF THE MUNICIPAL COUNCILLORS OF TAKE

POST – TAKI, DIST- NORTH 24 PARGANAS

No.

Dated-

Estimated Cost for Partition Wall by Commercial Ply and necessary door at Medical Health Unit at Municipal Office Area.

Estimate Prepared as per P.W.D. Schedule of Rate (Building) for the year 2007-2008

SL. NO.	DESCRIPTION OF ITEMS	QUANTITY	RATE Rs. Ps.	UNIT	AMOUNT Rs. Ps.
1.	P- 216/3-(i) Wood work in posts, plates, rafter, battens, truss members, purlins etc. fitted and fixed				
	complete (excludings the cost of bolts only, but including the cost of nails, screws etc.). (The quantum should be corrected upto three decimals)	0.20	41,552.00	Cum.	8,310.40
	(i) Sal : Siliguri				
2.	P – 304/129-(ii) Partition of commercial ply as per design fitted and fixed complete (excluding the supporting framework but including necessary teak wood battens): (ii) 6mm thick.	26.00	298.00	Sqm.	7748.00
	(II) Onlin tilex.				
3.	P- 366 / 7 Priming one coat on timber, plastered or on steel or other metal surface with synthetic			199	
	enamel/oil bound primer of approved quality including smoothening surface by sand papering etc.			Ú	
	(This item is applicable to new work or old work when the original surface has been exposed by removal of old paints)	58.00	20.00	Sqm.	1160.00
4.	P-366/8-A/a/iv				
4.	Painting with best synthetic enamel paint of approved make and brand including				
	smoothening surface by sand papering etc. including using of approved putty etc. on the surface of necessary	58.00	46.00	Sq.m.	2668.00
	(a) On timber or plastered surface: (iv)Two coats (with any shade except white)				
5.	P-224/I-20-VII Iron butt hinges of approved quality fitted				

Office: (03217) 233 324 / 234 481 Resi: (03217) 233 285 Guest House: (03217) 233 328

OFFICE OF THE MUNICIPAL COUNCILLORS OF TAKE

POST - TAKI, DIST- NORTH 24 PARGANAS

No.

Dated-

	and fixed with steel screws, with ISI mark. (vii) 100 mm x 50 mm x 1.25 mm	6.00	27.00	Each	162.00
6.	P-230/I-27-b Iron hasp bolt of approved quality fitted and fixed complete (oxidized) with 16 mm dia rod with centre bolt and round fitting. (b) 250 mm long	4.00	80.00	Each	320.00
7.	P-244/I-69-iv Anodised aluminum barrel/tower/socket bolt (full covered) of approved quality manufactured from extruded section conforming to I.S. 204/74 fitted and fixed with cadmium plated screws. (iv)150 mm long x 10 mm dia bolt	4.00	51.00	Each	204.00
8.	P-242/I-67-A-iii (A) Iron door ring of approved quality fitted and fixed with nut and washer complete. (iii) 50 mm dia	4.00	8.00	Each	32.00

Total Rs. 20,604.40

Add. 3% contingencies Rs. 618.13

Grand Total Rs.21, 222.53

Say Rs. 21,223.00

(Rupees Twenty One Thousand Two Hundred and Twenty Three) only.

Taki Municipality

Chairman Taki Municipality

Sub. : Renovation works in respect of Management & Supervision Cell under CBPHC - Taki Municipality.

Enclosed the copy of communication of the Chairman, Taki Municipality bearing memo no. 157/TM dt. 09.05.2008 on the above mentioned subject along with estimated cost as per PWD schedule towards minor renovation work for Management & Supervision Cell for an amount of Rs. 21,223/- (Rupees Twenty one thousand two hundred twenty three) only.

It is to mention here that provision has been kept for renovation works for Rs. 42.30 lakhs, out of which Rs. 21.15 lakhs in 1st year and Rs. 21.15 lakhs in 2nd year.

AA & FS for Renovation Works already sanctioned is as under:

(Amount in Rs.)

10525mm

udget for Renovation Works for 1st Year	AA & FS already accorded	Balance
21,15,000.00	8,20,232.00	12,94,768.00

The proposal submitted by the ULB may be scrutinized by the Engineer, SUDA. As setting up of M & S Cell is essential to implement service activities of CBPHC.

Submitted.

000-5000-Her 30205,08. 02.06.08.



Office: (953217) 234 481 / 233 324

Resi.: (953217) 233 285

Guest House: (9532:7) 233 328


Night Shelter: (953217) 234 007

IPAL COUNCILLORS O * DIST.: NORTH 24 PARGANAS

Xr. Saneriee

Chairman Taki Municipality

To: The Director SUDA H.C. Block, Sector-III **ILGUS BHAVAN** Bidhangar, Kolkata - 700091



Sub: - An Appeal for sanctioning the estimated cost for necessary partition wall in the newly constructed Health Administrative unit as well as Sub-Centre in this office premises.

Sir.

I am hereby appealing for the sanctioning of the estimated cost attached with this letter on the above mentioned subject urgently as the Sub-centre scheduled to be started shortly. At present it is quite impossible to incur even a little amount in this regard as there are no funds that can be passed for the purpose.

The partition and necessary arrangement is extremely urgent to set up the Health Administrative Unit and running the programme.

So, I hope, the case is treated with utmost importance and I should not be disheartened considering the urgency and necessity of my appeal.

Thanking you,

(D. K. Banerjee) **CHAIRMAN** Taki Municipality

Office: (03217) 233 324 / 234 481 Resi. (03217) 233 285 Guest House. (03217) 233 328

OFFICE OF THE MUNICIPAL COUNCILLORS OF THE MUNICIPAL COUNCILLORS OF TAKE

POST – TAKI, DIST- NORTH 24 PARGANAS

No.

Dated-

Estimated Cost for Partition Wall by Commercial Ply and necessary door at Medical Health Unit at Municipal Office Area.

Estimate Prepared as per P.W.D. Schedule of Rate (Building) for the year 2007-2008

SL. NO.	DESCRIPTION OF ITEMS	QUANTITY	RATE Rs. Ps.	UNIT	AMOUNT Rs. Ps.
1.	P-216/3-(i) Wood work in posts, plates, rafter, battens, truss members, purlins etc. fitted and fixed complete (excludings the cost of bolts only, but including the cost of nails, screws etc.). (The quantum should be corrected upto three decimals) (i) Sal:Siliguri	0.20	41,552.00	Cum.	8,310.40
2.	P – 304/129-(ii)				
	Partition of commercial ply as per design fitted and fixed complete (excluding the supporting framework but including necessary teak wood battens): (ii) 6mm thick.	26.00	298.00	Sqm.	7748.00
3.	P- 366 / 7 Priming one coat on timber, plastered or on steel or other metal surface with synthetic enamel/oil bound primer of approved quality including smoothening surface by sand papering etc.				
	(This item is applicable to new work or old work when the original surface has been exposed by removal of old paints)	58.00	20.00	Sqm.	1160.00
		1. 130	14		
4.	P-366/8-A/a/iv Painting with best synthetic enamel paint of approved make and brand including				
	smoothening surface by sand papering etc. including using of approved putty etc. on the surface of necessary (a) On timber or plastered surface: (iv)Two coats (with any shade except white)	58.00	46.00	Sq.m.	2668.00
5.	P-224/I-20-VII Iron butt hinges of approved quality fitted				

Office: (03217) 233 324 / 234 481 Resi: (03217) 233 285 Guest House: (03217) 233 328 Night Shelter: (03217) 234 077

OFFICE OF THE MUNICIPAL COUNCILLORS OF THE MUNICIPAL COUNCILLORS OF TAKES

POST - TAKI, DIST- NORTH 24 PARGANAS

No.

Dated-

	and fixed with steel screws, with ISI mark. (vii) 100 mm x 50 mm x 1.25 mm	6.00	27.00	Each	162.00
6.	P-230/I-27-b Iron hasp bolt of approved quality fitted and fixed complete (oxidized) with 16 mm dia rod with centre bolt and round fitting. (b) 250 mm long	4.00	80.00	Each	320.00
7.	P-244/I-69-iv Anodised aluminum barrel/tower/socket bolt (full covered) of approved quality manufactured from extruded section conforming to I.S. 204/74 fitted and fixed with cadmium plated screws. (iv)150 mm long x 10 mm dia bolt	4.00	51.00	Each	204.00
8.	P-242/I-67-A-iii (A) Iron door ring of approved quality fitted and fixed with nut and washer complete. (iii) 50 mm dia	4.00	8.00	Each	32.00

Total Rs. 20,604.40

Add. 3% contingencies Rs. **Grand Total Rs.21, 222.53**

Say Rs. 21,223.00

(Rupees Twenty One Thousand Two Hundred and Twenty Three) only.

Taki Municipality

Chairman Taki Municipality

Sub.: Renovation of the Sub-Centres at Tarakeshwar and Habra Municipality under Community Based Primary Health Care Services.

Enclosed the copy of communication of the Chairman, Tarakeshwar Municipality bearing memo no. TM/HHW-2007/1/13 dt. 26.12.2007 and of the Chairman, Habra Municipality bearing memo no. HM/2/P.H./08 dt. 03.01.2008 on the above mentioned subject.

The said two municipalities have submitted proposals as per PWD schedule for renovation of Sub-Centres as detailed below:

ULBs	Sub-Centre (SC) No.	Estimated Cost
	SC – 1 at Joykrishna Bazar, Ward No. 11	1,61,301.74
Tarakeshwar	SC – 2 at BPR, Ward No. 7	1,58,221.15
	SC – 3 at West Bank of Natun Pukur, Ward No. 13	1,07,892.67
	SC at Sarada Bhawan, Ward No. 8	29,539.01
Habra	SC at Nibedita Bhawan, Ward No. 19	25,190.98
	SC at Super Market, Ward No. 3	23,050.11

It is to mention here that provision has been kept for renovation works for Rs. 42.30 lakhs, out of which Rs. 21.15 lakhs in 1st year and Rs. 21.15 lakhs in 2nd year.

AA & FS for Renovation Works already sanctioned is as under:

(Amount in Rs.)

Budget for Renovation Works for 1 st Year	AA & FS already accorded	Balance
21,15,000.00	3,84,051.00	17,30,949.00

The proposals submitted by the ULBs may be scrutinized by the Engineer, SUDA. As setting up of Sub-Centre is very essential to implement service activities of CBPHC i.e. ANC Clinic, Immunisation Clinic, Growth Monitoring Clinic and General Treatment Clinic, approval may kindly be accorded accordingly at the earliest.

Submitted.

C:\Dr Goswami\RCH-63 Lff. Bs\Notesheet along

TOO may pl. offer his comments on the estimate.

White of the estimate.

C:\Dr. Goswami\RCH-63 U



Notes on prepage.

The estimates submitted by the Chairpersons of Tarakeshwar Mucht. and Habra Mucht. for renovations of Sab-Centres have been cheeted for the amounts as stated below against each of the Sub-Centres -

ULB	sub centre (sc) NO	Estimated Cost (RS.)
	SC-1 at Joy Krishna Bazar, Ward No.11	1,21,855
Tarakeshwar -	SC-2 at BPR, Ward No. 7	1,24,745/
	SC-3 at West Bank of Natur Pakur, Ward NO.13	1,05,062
		31,930/=
Habra —	Sc at Nibedita Bhawan, Ward-17 Sc at Municipal Market, Ward-03	23,050
	scat Sarada Bhawan, Ward -08	29,539/-

The obere estimates may be approved Enbruited

> NA 14/1/08 approved. sol onstag was sound Chiard 14 yor

Draft letters addressed to the cheirs ven, Harr & Tarrenzer Mpe one proced horason towards A: accordance of AAL FS Jum renowation There may be signed, it approved mades. Sohmit a.

15.2.08 15.2.08 Thing 1

Director SUPA

PO(H)

Director, SUDA PO(H)



STATE URBAN DEVELOPMENT AGENCY

HEALTH WING "ILGUS BHAVAN"

H-C BLOCK. SECTOR-III, BIDHANNAGAR, CALCUTTA-700 091 West Bengal

Ref No.SUDA-Health/63 ULBs/07/680

Date15:02:2008

From: Director, SUDA

To

: The Chairman

Habra Municipality

Sub. : Administrative Approval & Financial Sanction (AA & FS) for an amount

of Rs. 84,519/- towards renovation of Health Sub-Centres of Habra Municipality under Community Based Primary Health Care Services.

Ref.: Your communication bearing no. HM/2/PH/08 dt. 03.01.2008.

Sir.

Administrative Approval & Financial Sanction (AA & FS) is hereby accorded for an amount of Rs. 84,519/- (Rupees Eighty four thousand Five Hundred nineteen) only towards cost of renovation of Sub-Centres, as detailed below.

Sl. No.	Location of Sub-Centre	Approved cost for renovation (In Rs.)
1.	SC at Nibedita Bhawan, Ward no. 17.	31,930.00
2.	SC at Municipal Market, Ward no. 03.	23,050.00
3.	SC at Sarada Bhawan, Ward No. 08.	29,539.00
	TOTAL	84,519.00

The said work is to be completed following the existing Municipal norms by March, 2008.

The expenditure is to be met out of the CBPHC fund available with you and to be booked under the A/C head "Renovation Works". Statement of Expenditure is to be submitted accordingly following the financial guidelines already circulated to you by April, 2008.

Thanking you.

0/0

SUDA-Health/63 ULBs/07/680/1(1)

C.C.

Finance Officer, SUDA

Yours faithfully,

Director, SUDA

Dt. .. 15.02.2008

Director, SUDA

C.\Dr Goswami\RCH-63 ULBs\Letter Head ULBs(2) doc

Tel/Fax No.: 359-3184





STATE URBAN DEVELOPMENT AGENCY

HEALTH WING "ILGUS BHAVAN"

H-C BLOCK, SECTOR-III, BIDHANNAGAR, CALCUTTA-700 091 West Bengal

Ref No.SUDA-Health/63 ULBs/07/681

Date15.02:2008

From: Director, SUDA

To: The Chairman

Tarakeshwar Municipality

Sub. : Administrative Approval & Financial Sanction (AA & FS) for an amount

of Rs. 3,51,662/- towards renovation of Health Sub-Centres of Habra Municipality under Community Based Primary Health Care Services.

Ref.: Your communication bearing no. TM/HHW-2007/1/13 dt. 26.12.2007.

Sir,

Administrative Approval & Financial Sanction (AA & FS) is hereby accorded for an amount of Rs. 3,51,662/- (Rupees Three lakhs fifty one thousand six hundred sixty two) only towards cost of renovation of Sub-Centres, as detailed below.

Sl. No.	Location of Sub-Centre	Approved cost for renovation (In Rs.)
1.	SC at Joykrishna Bazar, Ward no. 11.	1,21,855.00
2.	SC at BPR, Ward no. 07.	1,24,745.00
3.	SC at West Bank of Natun Pukur, Ward No. 13.	1,05,062.00
	TOTAL	3,51,662.00

The said work is to be completed following the existing Municipal norms by March, 2008.

The expenditure is to be met out of the CBPHC fund available with you and to be booked under the A/C head "Renovation Works". Statement of Expenditure is to be submitted according y following the financial guidelines already circulated to you by April, 2008.

Thanking you.

0/0

Director SUDA

Yours faithfully,

Director, SUDA

Dt. .. 15.02.2008

Director, SUDA

SUDA-Health/63 ULBs/07/681/1(1)

C.C.

Finance Officer, SUDA

C-VDr. Goswami/RCH-63 ULBs/Letter Head ULBs(2) doc

Tel/Fax No.: 359-3184

HABRA MUNICIPALITY

(ESTD.-1979)

POURA BHAWAN

PROMODE DASGUPTA SARANI, P. O. HABRA, NORTH 24 PARGANAS. PIN - 743263

Ref. No. H.M. 2. /P.H. /08.

To,
The Director
State Urban Development Agency
Health Wing
ILGUS BHAWAN
HC Block, Sector-III, Saltlake
Kolkata-700091



Phone: Office Hab. 270572

Sub: According approval to estimate for renovation work for five (out of sanctioned eight) Health sub-centers under Community Based Primary Health Care Services programme in Habra Municipality, North 24Pgns for Rs. 77,780:00/-

Madam,

With reference to the above, I submit herewith an estimate amounting to Rs.7.7,780:00) for the works mentioned above for your kind perusal and approval. This relates to the first phase of works involving five sub-centers out of eight originally sanctioned for this municipality.


This may kindly be approval and fund for the same may kindly be sanctioned at the earliest.

Thanking you.

Yours faithfully

Habra Municipaliy

CHAIRMAN HABRA MUNICIPALITY DS. T. D. No. - 953216



Phone: Office Hab. 270572

(ESTD.- 1979)

POURA BHAWAN

PROMODE DASGUPTA SARANI, P. O. HABRA, NORTH 24 PARGANAS. PIN - 743263

Ref. No	Date
---------	------

Abstruct cost of Estimate for Construction of C.B.P.H.C. Programme Under Habra Municipality


Sl. No.	Description	<u>Amount</u>
01.	Estimate for repairing & renovation at Sarada Bhaban at Ward No08 under Habra Municipality for Sub-centre of C.B.P.H.C. Programme.	29,539.01
02.	Estimate for repairing & renovation at Nibedita Bhaban at Ward No 19 under Habra Municipality for Sub-centre of C.B.P.H.C. Programme.	25,190.98
03.	Estimate for repairing & renovation at Super Market at Ward No03 under Habra Municipality for Sub-centre of C.B.P.H.C. Programme.	23,050.11

Total Rs. - 77,780.10

Say Rs. - 77,780.00

Habra 24-Pos.(N

S. T. D. No. - 953216



(ESTD.- 1979)

POURA BHAWAN

PROMODE DASGUPTA SARANI, P. O. HABRA, NORTH 24 PARGANAS. PIN - 743263

Ref. No.		
10). 510.		

Date

Phone: Office Hab. 270572

Estimate for Repairing & Renovation of Municipal Market at Ward No. -03 Under Habra Municipality for Sub-centre of C.B.P.H.C. Programme.

Sl. No.	<u>Description</u>	Onty.	Unit	Rate	Amount
01.	Portion of commercial pay as per design fitted fied complete (excluding) the supporting frame work but including necessary the Teak Wood battam)	18-30	M²	221.00	4044.30
02.	Wood work in door & windows frame fitted & fixed complete including a protective coat of painting at the contract surface bar.	0.34	M^3	32,458.00	11305.72
03.	White washing including cleaning (5 parts of Stadlim and part shall lime should be used in the finishing cout (free coats)	178.20	T.M ²	492.00	876.74
04.	Niminal Mix M2O cement as per seheduled 7 concrete with gruded chips (20 mm size) Excluding shuttering & reinforcement if any in G.F.	1.01	M³	2929.00	2958.29
05.	Hire & labour chargeo for shuttering with concreting and necessary staging upto 4m using approved stout proper and thick Hard Wood planks of Approved thickness etc.	3.50	M^2	123.00	430.50
06.	Supply of Bar	86.354	Kg	32.00	2763.20
	Add 3% at contingency			Rs.	- 22,378.75 671.36

Rs. - 23,050.11 (Roper to twenty shomand fifty only) \$23,050f

sabra Municipann

Waters OA POS IN Q.W.D

Phone: Office Hab. 270572



HABRA MUNICIPALITY

(ESTD.- 1979)

POURA BHAWAN

PROMODE DASGUPTA SARANI, P. O. HABRA, NORTH 24 PARGANAS. PIN - 743263

Ref. No.	
----------	--

Date

Estimate for Repairing of Nibedita Bhaban at Ward No. - 17 Under Habra Municipality for Sub-centre of C.B.P.H.C. Programme.

Sl. No.	Description	Onty.	Unit	Rate	Amount
01.	125mm thick brick work (4.1) in super structure	30	M^2	294.00	8820 -00 1264.20
02.	Reinforced cement concrete (4:2:1) with stone chips etc.	0.50	M^3	2929.00	1464.50
03.	Reinforcement of Rcc Work including suppling, cutting, Binding of M. S. bar etc. Tor & Mild Steel	50Kg	Kg.	32.00	1600.00
04.	Plastering Wall (6.1) cement, Sand Morter 20 mm thick etc.	24.46	M ²	69.00	1687.74
05.	Net Cement punning about 1.5mm thick in wall, Door, Window, grills floor, drain etc.	10.25	M^3	17.00	174.25
06.	Wood Work in door & Window frame fitted & fixed complete including a protective cout of painting at the contract surface of the frame.	0.10	M^3	32,458.00	3245.80
07.	Protection of commercial ply as per design fited & fixed complete.	$18M^2$	M^2	221.00	3978.00
08.	White Washing including cleaning & smoothing surface throughly.	400 M ²	%M ²	492.00	1968.00
09.	40mm shutter thick 19mm thick panel of door including fitted & fixed complete in G.F. – Gameria	3.20	M ²	1777'00 2090.00	5686.40 6688.00
10.	Galnanised corgated iron sheet 0.63mm sheet including fitting fixing etc. complete.	4.46	M ²	325.00	1449.50 950 = 00
11.	Oil based distemper to interior wall, celing with a coat of primer.	50.00	M ²	19.00	990.00

Add 3% contigency

930.00

733.71

Rs.- 25,190.98



(Ruper thinly one thousand rime hundred 31,930/2 thirty only)

cheeked klas 1/2/08

T-V-01/2/08

JS: 1. D. No. - 953216

Phone: Office Hab. 270572



HABRA MUNICIPALITY

(ESTD.- 1979)

POURA BHAWAN

PROMODE DASGUPTA SARANI, P. O. HABRA, NORTH 24 PARGANAS. PIN - 743263

Date
Da

Estimate for Repairing of Sarda Bhaban at Ward No. - 8 Under Habra Municipality for Sub-centre of C.B.P.H.C. Programme.

Sl. No.	Description	Onty.	Unit	Rate	Amount
01.	125mm thick brick work	15	M^2	294.00	4410.00
02.	(4.1) in super structure Reinforced cement work	0.30	M2	2929.00	878.70
	(4:2:1) with stone chips etc.	0.50	1412	2,2,00	070.70
03.	Reinforcement of Rcc Work	25	Kg.	32.00	800.00
	including suppling, ccetting,				
	Binding of M. S. bar etc.				
0.1	Tor & Mild Steel	2.0	3.47	60.00	2070.00
04.	Plastering Wall (6.1) cement, Sand Morter 20 mm thick etc.	30	M^2	69.00	2070.00
05.	Net Cement punning about 1.5mm	10.25	Mar	17.00	174.25
05.	thick in wall, Door, Window, grills	10.25	141	17.00	1/4.23
	floor, druin etc.				
06.	Wood Work in door & Window	0.10	M^3	32,458.00	3245.80
	frame fitted & fixed complete				
	including a protective cout of				
	painting at the contract surface				
07.	of the frame. Protection of commercial ply	15M	M^2	221.00	3315.00
W/.	wood as per design fited &	13101	IVI	221.00	3313.00
	fixed complete.				
08.	40 mm thick shutter with 19mm	4.10	M^2	2090.00	8569.00
	thick panel of door including				
	fitted & fixed comple in G.P.				
09.	Gaevanised corgated iron sheet	8.00	M^2	325.00	2600.00
	0.63 mm sheet including filling				
10.	fixing etc. complete. Oil based distemper to interior	60.00	M²	19.00	1140.00
10.	wall, celing with a coat of primer.	00.00	IVI	19.00	1140.00
11.	White wasting including celing	300	$^{\circ}/M^2$	492.00	1476.00
	and smoothing surface through		10		
12.	Colour wuohing including				
	clearing and smoothing the			Rs.	- 28,678.75
	surface throughly.				060.06
	Add 3% contigency				860.36
				22.3	

Andra Municipanty

(Repeat twenty - rime thousand five Lendred thirty - rime only) checked Rs.- 29539.01 Suy & 29539/

OFFICE OF THE COUNCILLORS OF TARAKESWAR MUNICIPALITY P.O- Tarakeswar, Dist- Hooghly.

Memo No-TM/HHW-2007/1 \$13

Dated-26-12-2007

From:-The Chairman,
Tarakeswar Municipality.

To:- The Director, SUDA, Health wing, Ilgus Bhavan, Bidhan Nagar, Kolkata-91 West Bengal.



Sub:- Estimated cost for Renovation of Sub Centre Building of Health wing of Tarakeswar Municipality.

Sir,

I am to furnish herewith the estimated cost for Renovation of Sub Centre Building of Health wing of Tarakeswwar Municipality.

Therefore I requested to you please sanction said amount to this Municipality.

Thanking you.

Yours faithfully

Tarakeswar Municipality

Estimated cost for Renovation of Sub-Center Building of Health wing of Tarakeswar Qunicipality at Jaykrishanabazar, ward no.-11, under Tarakeswar Municipality.Dist-Hooghly. W.B.

[Priced based on PWD schedule of Rates for Building works 2007-2008, Government of West Bengal, Western Circle-II, .w. e. f. 1st. April, 2007, and corrigendum w.e.f.1 st. September, 2007.]

Covered Area- $8.35 \text{ M} \times 4.30 \text{ M} = 35,905 \text{ SaM}$.

SL.	Description of items	Unit	Qty.	Rate	Per	Amount Rs
1	2	3	4	5	6	7
1	Dismantling all types of masonary excepting	3			1	1
	cement concrete plain or reinforced, stacking	2				
	serviceable materials at site and removing					
	rubbish as directed with in a lead of 75m. It					
	ground floor including roof. [P-74, S-1]	Cum	3.50	572.00		
2	Dismantling all types of plain cement concrete		3.30	1/3.00	Cum	605.50
	works, stacking serviceable materials at site and					
	removing rubbish as directed with in a lead of			- 1/2 3/35		
	75m. In ground floor					
	including roof.			/		
	(a)upto 150 mm. thick. [P-74, S-1]	Cum	1.25	346.00	Cum	422.66
	Stripping off worn out plaster & racking out		1.20	340.00	Cuin	432.50
	joints of wall, ceiling etc.upto any height& in					
	any floor including removing rubbish &				3	3
	stacking anywhare within the compound as				100	1
	directed . [P-78, S-10]	Cum	42.00	9.50	Cum	215.00
	Cutting chase upto 125x150mm. and		12.00	7.50	Cum	315.00
	subsequent mending of damages. (a) In brick			/		
	wall [P-78.S-11]	Mtr.	5.00	30.00	Mtr	150.00
	Single bricks flat soiling with picked Jhama					150.00
	bricks including preparation of bed including					P
	ramming, dressing bed to proper level and					
	filling joints with powdered earth or local			/		
	sand.[P-84, S-1]	Sqm	34.20	114.00	Sqm	3,898.80
	Cement concrete (1:3:6) in floor, foundation of					
	plinths steps, column for future extension etc.					
	with trap stone ballas (32 mm size) excluding					
	shuttering complete in all respect as per			/		
	specification with all labour & materials. [P-96, S-14(a)]	C	1.50	/		
	Silver sand filling in foundation or plinth in	Cum	1.50	2023.00	Cum	3,034.50
	layers not exceeding 150 mm as directed and					
-	consolidating same by through saturation with					
,	water ramming complete including the cost of			/		
	1 6 150 -0 0 0	Cum	2.50	224.76	Cum	561.90
]	Rainforced cement concrete M-20, (1:1.5:3)			221110	Cuin	301.90
1	with 20 mm and down screened and washed					
	stone chips excluding shuttering and					
ī	ainforcement complete in all respect as per					
0	drawing and specification with all materials and					
	abour.[P-86, S-7(a)]					
		Cum	2.50	2944.00	Cum	7,360.00
- 1	lire and labour charges for shuttering with					
	entring & staging upto 4 m using approved					
	tout props and thick hard wood planks of					
	pproved thickness with required bracing for					
	onc. Slabs, beams, columns, lintels curved or					
	traingth including shell roof, folded plate etc					
	ncluding fittings, fixing and striking out after					
C	ompletion of works.	1				

•	a) 25 mm to 37.5 mm thick wooden shuttering as per decision & direction of the engineering-					
	charge.[P-98, S-16(a d&f)]			/		
	I) Foundation upto plinth	Sqm	6.30	101.00	Sqm	636.30
	ii) Ground Floor	Sqm	7.50	143.00	Sqm	1,072.50
8	25 mm thick damp proof course with stone			Tall or		
			1.00	121.00	Sqm	121.00
9	First Class brick work in cement morter (1:6) including cost of scafolding and other incidental work etc complete in all respects as per drawing & specification with all labour and materials. [P-106, S-26]]					
	a) Foundation upto plinth	Cum	2.80	1902.00	Cum	5,325.60
	b) In superstructure	17:				
	i) Ground Floor	Cum	2.60	1959.00	Cum	5,093.40
	ii) First Floor	Cum	0.40	1990.00		796.00
10	Brick work in half brick (125 mm thick) masonry wall with 1st class brick in cement morter (1:4) with all labour and materials [P-108, S-33]					
_	a) In superstructure	Carr	20.20	605 00	C	9 607 00
11	I) Ground Floor Plaster)to wall, floor, coiling etc.) with sand	Sqm	30.20	285.00	Sqm	8,607.00
	and cement morter including rounding of or chamforing corners as directed and raking out joints or roughening of concrete surface including throathing, nosing and drip course where necessary.[P-342, S-1]					
	a) 10 mm thick plaster with 3:1 cement morter (internal).			47.00		282.00
	i) Ground Floor	Sqm	6.00	53.00	Sqm	218.00
	b) 15 mm thick plaster with 4:1 cement morter.			,		
	i) Ground Floor	Sqm	55.00	51.00	sam	2,805.00
	c) 20 mm plaster with 6:1 cement morter.					_,
		Sam	98 00	53.00	Sam	5 104 00
12	i) Ground Floor 35mm th. Grey artificial stone in floor, dado, staircase etc with cement concrete (4:2:1) with		98.00	53.00	Sgm	5,194.00
	stone chips laid in panels as directed with topping made with ordinary /white cement (as necessary) and marble dust in proportion (2:1) including smooth finishing and rounding off corners and including application of cement slurry before flooring works, using cement @ 1.75 kg/sqm all complete including all materials & labour.					
	a) 3mm thick topping (high polishing grinding on this items is not permitted) with ordinary cement.[P-126, Sl-3(iii)]			1		
	i) Ground Floor	Sqm	32.00	133.00	Sam	4,256.00
13	Neat cement running arround 1:5 mm thick in wall, dedo, window sills, floor, etc. [P-346, S-		32.00	/33.00	oqiii	4,230.00
	16]	Sqm	20.00	16.00	Sqm	320.00
_	1441	1			Taranta and and and and and and and and and an	2

14	Rainforcement for rainforced concrete work in all sorts of structure including distribution bars, stirrups, binders, etc including supply of rod,					
	initial strenghtening and removal of loose rust (id necessary), cutting to requisite length, hooking & bending to correct shape, lacing in proper position and binding with 16 gauge			C.		
	black annoaled wire at every intersection complete as per drawing & direction.[P-96, S-19(a)]					
	a) Tor steel.			/	14-11-11	200
	I) Foundation upto plinth & Ground Floor-	M.T.	0.20	40585.00	M.T.	8,117.00
15	75mm thick brick work with 1st class bricks set in sand cement morter (3:1) in ground floor including H.B netting in every alternaet layers.					
	[P-110,S-38/b]	Sqm	2.50	177.00	Sqm	442.50
16	Asbestos corrugated sheet (6 mm th.) work (excluding the supporting frane work) fitted & fixed with 9.5 mm dia J or L hook-bolt and nuts, limpet & bitumen washers and ptty with 150 mm end lap & minimum one corrugation side lap.(a) In roof .[P-162, S-28/a]		11.00	237.00	Sqm	2,607.00
17	Iron Butt hinges of approved quality manufactured from extruded section conforming to I.S. specification (IS 205/66) & fitted & fixed with cadmium palted screws.[P-224, S-20(iv), (viii)]					
	a) 100 mm x 58 mm x 1.90 mm	Nos	6	/27.00	each	162.00
	b) 75 mm x 40 mm x 1.20 mm	Nos	24	12.00	each	288.00
18	Supplying, fitting & fixing window & ventilators without integrated grills conforming to IS 1038-1975 and manufactured from rolled steel sections conforming to IS 7452-1974 with non-friction projecting type hinges, glazing clips, lugs, locking bracket, handle plate etc including hoisting in position streightening, if required, fixing lugs in cement concrete (4:2:1) with stone chips 19 mm down, cutting holes and mending good damages to match with existing surface complete in all respects excluding					
	i) Openable steel windows as per IS sizes with side hung shutters and horoxontal glazing bars without ventilators.[P-204, S-34(b)]		0.2	1105.00	Sam	221.00
19	Supplying best Indian glasses panes 3 mm thick and area of each glass pane not exceeding 0.186 sqm set in putty and fixed complete.[P-376, S-1(a)(iii)]		0.2	/105,00	Squi	221.00
	Sheet glass fixed with nails and putty.	Sqm	0.20	444.00	Sqm	88.80
20	Iron hasp bolt of approved quality fitted & fixed			/		
	complete. 250 mm long . [P-230, S- 27/b]	Each	1.0	80.00	Each	80.00
21	MS or WI ornamental girll of approved design joints continously welded with MS or WI flats and bars for windows, railing etc. fitted and fixed with necessary screws and lugs etc.(a)					
	Grill weighing above 16 kg/sqm and above.[P-190, S-10(a)]		35.00	38.00	Kg	1330 200

bord sand conditive finis with the 166 (a) (i) C (ii) 23 Provof (a) sect fixin -158 24 Provof dia including including floor through the condition in the condit	s of any size in walls & floors including ders to match with the existing work, set in d cement morter (4:1) including backing derete (1:2:4) & 4nos. of Key stones(10mm) and with araldite at the back of each tiles & shing the joints with white cement mixed the colouring oxide (if Requested) to match colour of tiles. [Page - 138, Sl. iii) 1. White-Ground Floor-(Wall) Ground Floor-(Wall) Ground Floor-(Floor) Widing false ceiling made with frame work electrical resistant steel tube with P.V.C. tion of approved make including fitting & mg etc. complete in all respect.[P-324, Sl No 8] Widing and fixing M.S. fan clamps of 16 mm M.S. bar bent to shape with hooked ends luding painting the exposed portion of loop, as per standard design complete.[P-526, S-pplying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or ough masinry, concrete structure etc. If the same and the structure etc. If the same and the	Sqm Sqm Nos	9.5 2.6	595.00 5 95.00614.00 4700.00	Sqm	5,652.50 100.00
sand conditive finis with the laction of (a) (i) C (ii) 23 Proof of (a) sect fixin -158 24 Proof dia including all a 671 25 Support claraflood through the condition of the cond	d cement morter (4:1) including backing acrete (1:2:4) & 4nos. of Key stones(10mm) and with araldite at the back of each tiles & shing the joints with white cement mixed the colouring oxide (if Requested) to match colour of tiles. [Page - 138, Sl. iii] White- Ground Floor-(Wall) Ground Floor-(Floor) widing false ceiling made with frame work electrical resistant steel tube with P.V.C. tion of approved make including fitting & mg etc. complete in all respect.[P-324, Sl No 8] widing and fixing M.S. fan clamps of 16 mm M.S. bar bent to shape with hooked ends luding painting the exposed portion of loop, as per standard design complete.[P-526, S-plying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or ough masinry, concrete structure etc. If	Sqm Sqm Nos	2.6 48.0	5 95 00614:00	Sqm	1847・の 1,596.4 0 30,600.00
cone fixe finis with the 166 (a) (i) C (ii) 23 Prov of c sect fixin -158 24 Prov dia incl all a 671 25 Sup cert clam floo thro necc join 22(i a) I 26 Dec	crete (1:2:4) & 4nos. of Key stones(10mm) and with araldite at the back of each tiles & shing the joints with white cement mixed the colouring oxide (if Requested) to match colour of tiles. [Page - 138, Sl. iii]. White-Ground Floor-(Wall) Ground Floor-(Floor) viding false ceiling made with frame work electrical resistant steel tube with P.V.C. tion of approved make including fitting & made etc. complete in all respect. [P-324, Sl No 8] viding and fixing M.S. fan clamps of 16 mm M.S. bar bent to shape with hooked ends luding painting the exposed portion of loop, as per standard design complete. [P-526, S-plying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or ough masinry, concrete structure etc. If	Sqm Sqm	2.6 48.0	5 95 00614:00	Sqm	1547 · 00 1,596.4 0
cone fixe finis with the 166 (a) (i) C (ii) 23 Prov of 6 sect fixin -158 24 Prov dia incl all a 671 25 Sup cert clam floo thro necc join 22(i) a) I 26 Dec	crete (1:2:4) & 4nos. of Key stones(10mm) and with araldite at the back of each tiles & shing the joints with white cement mixed the colouring oxide (if Requested) to match colour of tiles. [Page - 138, Sl. iii]. White-Ground Floor-(Wall) Ground Floor-(Floor) viding false ceiling made with frame work electrical resistant steel tube with P.V.C. tion of approved make including fitting & made etc. complete in all respect. [P-324, Sl No 8] viding and fixing M.S. fan clamps of 16 mm M.S. bar bent to shape with hooked ends luding painting the exposed portion of loop, as per standard design complete. [P-526, S-plying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or ough masinry, concrete structure etc. If	Sqm Sqm	2.6 48.0	5 95 00614:00	Sqm	1547 · 00 1,596.4 0
fixe finis with the 166 (a) (i) (i) (ii) 3 Prov of 6 sect fixin -153 4 Prov dia incl all a 671 5 Sup cert clam floo thro necc join 22(i a) I	ed with araldite at the back of each tiles & shing the joints with white cement mixed h colouring oxide (if Requested) to match colour of tiles. [Page - 138, Sl. ii) 1 White- Ground Floor-(Wall) Ground Floor-(Floor) viding false ceiling made with frame work electrical resistant steel tube with P.V.C. tion of approved make including fitting & ing etc. complete in all respect.[P-324, Sl No 8] viding and fixing M.S. fan clamps of 16 mm M.S. bar bent to shape with hooked ends luding painting the exposed portion of loop, as per standard design complete.[P-526, S-plying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or ough masinry, concrete structure etc. If	Sqm Sqm	2.6 48.0	5 95 00614:00	Sqm	1547 · 00 1,596.4 0
finis with the 16(i) (a) (i) (c) (ii) (a) (ii) (c) (iii) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	shing the joints with white cement mixed h colouring oxide (if Requested) to match colour of tiles. [Page - 138, Sl. ii)] White- Ground Floor-(Wall) Ground Floor-(Floor) viding false ceiling made with frame work electrical resistant steel tube with P.V.C. tion of approved make including fitting & mage etc. complete in all respect. [P-324, Sl No 8] viding and fixing M.S. fan clamps of 16 mm M.S. bar bent to shape with hooked ends luding painting the exposed portion of loop, as per standard design complete. [P-526, S-plying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or ough masinry, concrete structure etc. If	Sqm Sqm Nos	2.6 48.0	5 95 00614:00	Sqm	1847·の 1,596 .40 30,600.00
with the L66 (a) (i) (a) (ii) (c) (iii) 23 Provof (c) sect fixing -158 24 Provof (a) all a (671 Support (c) continuo (c)	h colouring oxide (if Requested) to match colour of tiles. [Page - 138, Sl. ii)] White- Ground Floor-(Wall) Ground Floor-(Floor) widing false ceiling made with frame work electrical resistant steel tube with P.V.C. tion of approved make including fitting & ng etc. complete in all respect.[P-324, Sl No 8] widing and fixing M.S. fan clamps of 16 mm M.S. bar bent to shape with hooked ends luding painting the exposed portion of loop, as per standard design complete.[P-526, S-plying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or bugh masinry, concrete structure etc. If	Sqm Sqm Nos	2.6 48.0	5 95 00614:00	Sqm	1547 · 00 1,596.4 0
the 166 (a) (i) (a) (ii) (c) (iii) (c) (iii) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	colour of tiles. [Page - 138, Sl. iii] White- Ground Floor-(Wall) Ground Floor-(Floor) viding false ceiling made with frame work electrical resistant steel tube with P.V.C. tion of approved make including fitting & ng etc. complete in all respect.[P-324, Sl No 8] viding and fixing M.S. fan clamps of 16 mm M.S. bar bent to shape with hooked ends luding painting the exposed portion of loop, as per standard design complete.[P-526, S-plying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or ough masinry, concrete structure etc. If	Sqm Sqm	2.6 48.0	5 95 00614:00	Sqm	1547 · 00 1,596.4 0
Jacob (a) (i) (a) (ii) (a) (ii) (a) (ii) (a) (a) (a) (a) (a) (a) (a) (a) (a) (a	White- Ground Floor-(Wall) Ground Floor-(Floor) widing false ceiling made with frame work electrical resistant steel tube with P.V.C. tion of approved make including fitting & ing etc. complete in all respect.[P-324, Sl No 8] widing and fixing M.S. fan clamps of 16 mm M.S. bar bent to shape with hooked ends luding painting the exposed portion of loop, as per standard design complete.[P-526, S-plying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or ough masinry, concrete structure etc. If	Sqm Sqm Nos	2.6 48.0	5 95 00614:00	Sqm	1547 · 00 1,596.4 0
(a) (i) (i) (ii) (ii) (iii) (i	White- Ground Floor-(Wall) Ground Floor-(Floor) viding false ceiling made with frame work electrical resistant steel tube with P.V.C. tion of approved make including fitting & ng etc. complete in all respect.[P-324, Sl No 8] viding and fixing M.S. fan clamps of 16 mm M.S. bar bent to shape with hooked ends luding painting the exposed portion of loop, as per standard design complete.[P-526, S-plying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or ough masinry, concrete structure etc. If	Sqm Sqm Nos	2.6 48.0	5 95 00614:00	Sqm	1547 00 1,596.4 0
(i) C (ii) (ii) (iii) (i	Ground Floor-(Wall) Ground Floor-(Floor) viding false ceiling made with frame work electrical resistant steel tube with P.V.C. tion of approved make including fitting & ing etc. complete in all respect.[P-324, Sl No 8] viding and fixing M.S. fan clamps of 16 mm M.S. bar bent to shape with hooked ends luding painting the exposed portion of loop, as per standard design complete.[P-526, S-oplying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or ough masinry, concrete structure etc. If	Sqm Sqm Nos	2.6 48.0	5 95 00614:00	Sqm	1847・の 1,596.4 0 30,600.00
(ii) 23 Provof sect fixin -158 24 Provof dia including i	Ground Floor-(Floor) viding false ceiling made with frame work electrical resistant steel tube with P.V.C. tion of approved make including fitting & ng etc. complete in all respect.[P-324, Sl No 8] viding and fixing M.S. fan clamps of 16 mm M.S. bar bent to shape with hooked ends luding painting the exposed portion of loop, as per standard design complete.[P-526, S- oplying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or ough masinry, concrete structure etc. If	Sqm Sqm Nos	2.6 48.0	5 95 00614:00	Sqm	1547 00 1,596.4 0
of of sect fixin -158 4 Production dia including a fill of sect claration floor through the fill of th	widing false ceiling made with frame work electrical resistant steel tube with P.V.C. tion of approved make including fitting & mg etc. complete in all respect. [P-324, SI No 8] widing and fixing M.S. fan clamps of 16 mm M.S. bar bent to shape with hooked ends luding painting the exposed portion of loop, as per standard design complete. [P-526, S-plying, fitting & tixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or bugh masinry, concrete structure etc. If	Sqm	18.0	4700.00	Sqm	30,600.00
of of sect fixin -158 4 Production including all a 671 5 Supcert claim floor throughout throughout a 126 a) I December qual	electrical resistant steel tube with P.V.C. tion of approved make including fitting & ng etc. complete in all respect. [P-324, SI No 8] viding and fixing M.S. fan clamps of 16 mm M.S. bar bent to shape with hooked ends luding painting the exposed portion of loop, as per standard design complete. [P-526, S-plying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or bugh masinry, concrete structure etc. If	Sqm				
sect fixin -158 4 Prodia incl all a 671 5 Sup cert clan floo thro necc join 22(i a) I	tion of approved make including fitting & ng etc. complete in all respect. [P-324, SI No 8] viding and fixing M.S. fan clamps of 16 mm M.S. bar bent to shape with hooked ends luding painting the exposed portion of loop, as per standard design complete. [P-526, S-plying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or ough masinry, concrete structure etc. If	Sqm				
fixin -158 4 Providia incl all a 671 5 Sup cert clan floo thro necc join 22(i a) I	Ing etc. complete in all respect. [P-324, SI No 8] widing and fixing M.S. fan clamps of 16 mm M.S. bar bent to shape with hooked ends luding painting the exposed portion of loop, as per standard design complete. [P-526, S-pplying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or bugh masinry, concrete structure etc. If	Nos				
-158 4 Prodia including in	widing and fixing M.S. fan clamps of 16 mm M.S. bar bent to shape with hooked ends luding painting the exposed portion of loop, as per standard design complete.[P-526, S-pplying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or bugh masinry, concrete structure etc. If	Nos				
-158 Prodia incl all a 671 25 Sup cert clan floo thro necc join 22(i a) I	widing and fixing M.S. fan clamps of 16 mm M.S. bar bent to shape with hooked ends luding painting the exposed portion of loop, as per standard design complete.[P-526, S-pplying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or bugh masinry, concrete structure etc. If	Nos				
dia includia	widing and fixing M.S. fan clamps of 16 mm M.S. bar bent to shape with hooked ends luding painting the exposed portion of loop, as per standard design complete.[P-526, S-pplying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or bugh masinry, concrete structure etc. If	Nos	2.0			100.00
dia incl all a 671 Sup cert clan floor through neck join 22(i a) I 26 Dec qua	M.S. bar bent to shape with hooked ends luding painting the exposed portion of loop, as per standard design complete.[P-526, S-pplying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or bugh masinry, concrete structure etc. If	Nos	2.0	50.00	each	100.00
incl all a 67] 5 Sup cert clan floo thro necc join 22(i a) I 6 Dec	luding painting the exposed portion of loop, as per standard design complete. [P-526, S-plying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or bugh masinry, concrete structure etc. If	Nos	2.0	50.00	each	100.00
all a 671 Sup cert clan floo thro necc join 22(i a) I	as per standard design complete. [P-526, S- pplying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or bugh masinry, concrete structure etc. If	Nos	2.0	50.00	each	100.00
671 Sup cert clan floo thro necc join 22(i a) I	oplying, fitting & fixing P.V.C pipes with IS tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or ough masinry, concrete structure etc. If	Nos	2.0	50.00	each	100.00
cert clan floor through neck join 22(i a) I	tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or ough masinry, concrete structure etc. If		2.0	30.00	each	100.00
cert clan floo thro necc join 22(i a) I	tification marks in position with necessary mps, nails, including making holes in wall, or etc and cutting trenches in any soil or ough masinry, concrete structure etc. If					
clan floo thro necc join 22(i a) I 26 Dec	mps, nails, including making holes in wall, or etc and cutting trenches in any soil or bugh masinry, concrete structure etc. If					
floo thro neccijoin 22(i a) I 6 Dec	or etc and cutting trenches in any soil or ough masinry, concrete structure etc. If					2.5
thro neco join 22(i a) I 6 Deco qua	ough masinry, concrete structure etc. If	1 1	1			
thro neco join 22(i a) I 6 Deco qua	ough masinry, concrete structure etc. If	1 1				
neccijoin 22(i a) I 26 Dec		1		-	1	The Park
join 22(i a) I 26 Dec qua						
22(i a) I 26 Dec qua		1 1			1	
a) I 26 Dec qua	nting materials complete. [P-394, S-					File State Land
6 Dec		-		-		
qua	100 mm dia	R.M.	1.0	178.00	R.M.	178.00
	corative cement based paint of approved					
scra	ality after preparation of bed including					
	aping the surface thoroughly on plastered	0				
surf	face (manufactureres specification to be	19			200	
	lowed) two coats (external surface only).[P-					
). S-14(ii)]			17.50	100	1452-50
	Ground Floor	Sqm	83.0	24.00	cam	4,992.00
	Jodia Floor	Sqiii	65.0	24.00	Sqiii	1,992.00
7 Apr	plying plastic emulsion of approved make &					
	nd on walls, ceiling including smoothing					
	face by sand papering in intermediate coats		4944	/		
incl	luding putty. (a) Two coats. [P-368, S-9/b] nent primer on plastered surface to receive	Sqm	120.0	42.00	Sqm	5,040.00
flat	wall paint or plastic emulsion paint					
incl	luding smoothing surface by sand		13.	/	100	
pap	pering, putty etc. [P-374, S-21]	Sqm	120.0	18.00	Sam	2,160.00
9 Pair	pering, putty etc. [P-374, S-21] nting with best quality synthetic enamel					
	nt of approved make and brand including					
_	pothening surface by sand preparing etc				7	D
	luding using of approved putty etc on the			100		
					- 31	
	face if necessary including one coat of	1			1.16	
1.	ming all complete to all floors. [P-366, S-					194 115
	/(a &b)]				100	
	On timber surface, with super gloos (hi-			/		
	on thinder surface, with super gloos (iii-	Sqm	18.0	46.00	Sqm	828.00
b) S	Two coats.					
I) T				The state of the s	Sqm	570.00

	Add:-@3% of total for contingency	CDAR	D TOTAL			9=17 7,681.0 4 8=# 161,301.74
	3/s		T	OTAL		05=94 153,620.71
	Add:- @ 7.5% for Sanitary & Plumbing Add:- @ 5% for Electrification				525 Rs. 662	
		7				5,160 - 84
			TO	TAL \	Rs:	136,551.74
	Supplying, fitting &Fixing in possion approved PVC Door frame made of exetruted PVC multichember hollow section having dimension of 60mm x 50mm etc.[P-324, S-159(i) (a)]		9.5	294.00	R.M.	2,793.00
	b) Ground Floor, 25mm th. Shutter & 12mm thick panel with Gamari wood-	Sqm	5.40	1221.00	sqm	6,593.40
	a) Ground Floor, 40mm th. Shutter & 19mm thick panel with Gamari wood-	Sqm	1.70	1725.00	sqm	2,932.50
	Panel shutter of door, window, fan light, etc. as per design including all cost of hinges and other fittings. [P-262, S-93(2)(c)]					
	a) 40 x 6 mm x 20 cm long	Nos	16	28.00	each	-448.00
2	M.S. clamps for fixing door & window frame made of flat bent bar and bifurcated fixed in cement concrete with stone chips (4:2:1) fitted and fixed complete as per direction (cost of cement concrete paid separately)[P-224, S-18(b)]			22.00		352'00
	Wood work in door frame fitted and fixed complete including a protective coat of painting at the contact surface of the frame.(Sal)[P-214, S-1(b)]	Cum	0.12	39147.00	cum	4,697.64
	Supplying, fitting &Fixing in possion approved 37mm th. PVC Door shutter with 20mm th. Panel wall thickness made of exetruted PVC multi chember hollow section having dimension of 60mm x 50mm etc.[P-326, S-160(i) (a)]		2.90	2090.00	Sqm	6,061.00

1, 21, 855/Says Rs. 1,61,301:00(Rupees One Lakh Sixty One Thousand Three Hundred and One only)

Sub-Assistant Engineer
Tarakeswar Municipality.

Chairman 14 4 0 ×

Tarakeswar Municipality.

14/2/08



stimated cost for Renovation of Sub-Center Building of Health wing of Tarakeswar Municipality at B.P.R., ward no.-7, under Tarakeswar Municipality.Dist-Hooghly. W.B.

[Priced based on PWD schedule of Rates for Building works 2007-2008, Government of West Bengal, Western Circle-II, .w. e. f. 1st. April, 2007, and corrigendum w.e.f.1 st. September, 2007.]

Covered Area- $(5.40 \text{ M} \times 3.45 \text{ M}) + (2.30 \text{ M} \times 1.10 \text{ M}) = 21.16 \text{ SqM}.$

SL. NO.	Description of items	Unit	Qty.	Rate	Per	Amount Rs.
1	2	3	4	5	6	7
1	Dismantling all types of masonary excepting					
	cement concrete plain or reinforced, stacking					
	serviceable materials at site and removing				100	
	rubbish as directed with in a lead of 75m. In	i i			4	
	ground floor including roof. [P-74, S-1]	Cum	6.50	173.00	Cum	1,124.50
2	Dismantling all types of plain cement concrete					
	works, stacking serviceable materials at site and			The second		
	removing rubbish as directed with in a lead of				113	
	75m. In ground floor					
	including roof.					
	(a)upto 150 mm. thick. [P-74, S-1]	Cum	1.50	346.00	Cum	519.00
3	Stripping off worn out plaster & racking out					
	joints of wall, ceiling etc.upto any height& in					The state of
	any floor including removing rubbish &					
	stacking anywhare within the compound as				-	
	directed . [P-78, S-10]	Cum	29.00	7.50	Cum	217.50
4	Cutting chase upto 125x150mm. and				100	7
	subsequent mending of damages. (a) In brick					
	wall [P-78,S-11]	Mtr.	10.00	30.00	Mtr.	300.00
5	Single bricks flat soiling with picked Jhama	1			300	
	bricks including preparation of bed including					
	ramming, dressing bed to proper level and filling joints with powdered earth or local		1			
	sand.[P-84, S-1]	Sqm	38.50	114.00	Sam	4,389.00
6	Cement concrete (1:3:6) in floor, foundation of		36.30	114.00	Sqiii	4,369.00
U	plinths steps, column for future extension etc.			MISTER OF		
	with trap stone ballas (32 mm size) excluding					
	shuttering complete in all respect as per		-			
	specification with all labour & materials. [P-96,				100	
	S-14(a)]	Cum	2.25	2023.00	Cum	4,551.75
7	Silver sand filling in foundation or plinth in					
	layers not exceeding 150 mm as directed and					
	consolidating same by through saturation with		1 2 1 7			9/5/25/91
	water ramming complete including the cost of			1000000		
•	supply of sand.[P-70, S-3]	Cum	5.50	224.76	Cum	1,236.18
8	Rainforced cement concrete M-20, (1:1.5:3)		19 19 19		- 31	
	with 20 mm and down screened and washed				-	
	stone chips excluding shuttering and				100	
	rainforcement complete in all respect as per drawing and specification with all materials and					The State of the S
	labour.[P-86, S-7(a)]					
	a) Ground Floor	Cum	3.80	2944.00	Cum	11,187.20
9	Hire and labour charges for shuttering with	-				
	centring & staging upto 4 m using approved				100	
	stout props and thick hard wood planks of			100		
	approved thickness with required bracing for		1 67		333	
	conc. Slabs, beams, columns, lintels curved or		10		917	
	straingth including shell roof, folded plate etc			V 10 10 10	7	
	including fittings, fixing and striking out after			Section 1		
	completion of works.			1000	30	

	16]	Sqm	20.00	16.00	Sqm	320.00
13	Neat cement running arround 1:5 mm thick in wall, dedo, window sills, floor, etc. [P-346, S-					
4.0	i) Ground Floor	Sqm	16.00	133.00	Sqm	2,128.00
Vine.	on this items is not permitted) with ordinary cement.[P-126, Sl-3(iii)]					
	a) 3mm thick topping (high polishing grinding					
	& labour.					
	1.75 kg/sqm all complete including all materials	1 1				
	slurry before flooring works, using cement @					
	corners and including application of cement					
	including smooth finishing and rounding off	1				
	necessary) and marble dust in proportion (2:1)	1				
	topping made with ordinary /white cement (as		Marie San			
	stone chips laid in panels as directed with		10			
12	staircase etc with cement concrete (4:2:1) with					
10	i) Ground Floor 35mm th. Grey artificial stone in floor, dado,	Sqm	38.00	53.00	Sqm	2,014.00
	c) 20 mm plaster with 6:1 cement morter.	C	20.00	EA 00	C	00110
	i) Ground Floor	Sqm	66.00	51.00	sqm	3,366.00
	b) 15 mm thick plaster with 4:1 cement morter.		****			
	i) Ground Floor	Sqm	5.00	53.00	Sqm	265:00
	(internal). 41%			67.00		235.00
	a) 10 mm thick plaster with 3-1 cement morter					
	where necessary.[P-342, S-1]					
	including throathing, nosing and drip course		2			
	joints or roughening of concrete surface					
	chamforing corners as directed and raking out					
11	and cement morter including rounding of or					
1.	I) Ground Floor Plaster)to wall, floor, coiling etc.) with sand	Sqm	35.50	285.00	Sqm	10,117.50
	a) In superstructure	0	00.00	005.05	0	10.110.5
	108, S-33]					×
	morter (1:4) with all labour and materials [P-					
	masonry wall with 1st class brick in cement		12			
0	Brick work in half brick (125 mm thick)					
	ii) First Floor	Cum	0.30	1990.00	Cum	597.00
	i) Ground Floor	Cum	3.00	1959.00		5,877.00
	b) In superstructure				- 1-/-	
	a) Foundation upto plinth	Cum	2.50	1902.00	Cum	4,755.00
	& specification with all labour and materials.[P-106, S-26)]					
	work etc complete in all respects as per drawing					
	including cost of scafolding and other incidental					
)	First Class brick work in cement morter (1:6)		7			
	2645-1964 to used) [P-136, S-12]	Sqm	1.00	121.00	Sqm	121.00
	directed (water proofing compound as per IS			101.00	0	121.00
	chips (4:2:1) double chequered complete as					
3	25 mm thick damp proof course with stone					
	ii) Ground Floor	Sqm	9.00	143.00	Sqm	1,287.00
	I) Foundation upto plinth	Sqm	8.00	101.00		808.00
	charge.[P-98, S-16(a d&f)]					
	as per decision & direction of the engineering-					
	a) 25 mm to 37.5 mm thick wooden shuttering					

	Rainforcement for rainforced concrete work in					
	all sorts of structure including distribution bars,					
	stirrups, binders, etc including supply of rod,					
	initial strenghtening and removal of loose rust					
	(id necessary), cutting to requisite length,					
	hooking & bending to correct shape, lacing in					
	proper position and binding with 16 gauge					
		1 1				
100	black annoaled wire at every intersection				0.00	1.
	complete as per drawing & direction.[P-96, S-			to the Property		
	19(a)]					
	a) Tor steel.					
	I) Foundation upto plinth & Ground Floor-	M.T.	0.20	40585.00	M.T.	8,117.00
15	75mm thick brick work with 1st class bricks set					
	in sand cement morter (3:1) in ground floor					
	including H.B netting in every alternaet layers.		The second			
100	[P-110,S-38/b]	Sqm	10.00	177.00	Sqm	1,770.00
16	Asbestos corrugated sheet (6 mm th.) work					
	(excluding the supporting frane work) fitted &					
	fixed with 9.5 mm dia J or L hook-bolt and					
	nuts, limpet & bitumen washers and ptty with					
	150 mm end lap & minimum one corrugation			-		
	side lap.(a) In roof .[P -162, S-28/a]	Sqm	5.50	237.00	Sam	1,303.50
17	Iron Butt hinges of approved quality		2.00	201100	oq	1,000.00
.,	manufactured from extruded section					
	conforming to I.S. specification (IS 205/66) &				(10)	
					-	
	fitted & fixed with cadmium palted screws.[P-					
-	224, S-20(iv), (viii)]	NI		27.00		1/2 00
	a) 100 mm x 58 mm x 1.90 mm	Nos	6	27.00		162.00
-	b) 75 mm x 40 mm x 1.20 mm	Nos	16	12.00	each	192.00
18	Supplying, fitting & fixing window &					
	ventilators without integrated grills conforming					
	to IS 1038-1975 and manufactured from rolled					
	steel sections conforming to IS 7452-1974 with					
	non-friction projecting type hinges, glazing					
	clips, lugs, locking bracket, handle plate etc					
	including hoisting in position streightening, if					
	required, fixing lugs in cement concrete (4:2:1)					
	with stone chips 19 mm down, cutting holes and					
	mending good damages to match with existing					
	surface complete in all respects excluding					
	olazino					
	i) Openable steel windows as per IS sizes with			7		
	side hung shutters and horoxontal glazing bars			/		
	without ventilators.[P-204, S-34(b)]	Sqm	0.2	1105.00	Sqm	221.00
19	Supplying best Indian glasses panes 3 mm thick					~
	and area of each glass pane not exceeding 0.186					
-	sqm set in putty and fixed complete.[P-376, S-					
	1(a)(iii)]					
	Sheet glass fixed with nails and putty.	Sqm	0.20	444.00	Sam	88.80
20	Iron hasp bolt of approved quality fitted & fixed		0.20		2411	00.00
	complete. 250 mm long . [P-230, S-27/b]	Each	1.0	80.00	Each	80.00
21			1.0	60.00	Lacii	80.00
21	MS or WI ornamental girll of approved design					
	joints continously welded with MS or WI flats				-	The state of the s
	and bars for windows, railing etc. fitted and		1			
	fixed with necessary screws and lugs etc.(a)					1.
1	Grill weighing above 16 kg/sqm and above.[P-			38.00		1900:00
	190, S-10(a)]	Kgs	50.00	40.00		

						1
S 2	Suppling, fitting, fixing 1st. Quality porcelain					
	tiles of any size in walls & floors including					
	borders to match with the existing work, set in					
	sand cement morter (4:1) including backing					
	concrete (1:2:4) & 4nos. of Key stones(10mm)					
	fixed with araldite at the back of each tiles &			/		
	finishing the joints with white cement mixed	16.				
	with colouring oxide (if Requested) to match					- 1
	the colour of tiles. [Page - 138, Sl.					
100	16(ii) 1					
	(a) White-				-	
	(i) Ground Floor-(Wall)	Sqm	8.5	595.00		5,057.50
	(ii) Ground Floor-(Floor)	Sqm	1.8	595-12614.00	Sqm	1071.00 -1,105.20
23	Providing false ceiling made with frame work					
	of electrical resistant steel tube with P.V.C.					
	section of approved make including fitting &					
	fixing etc. complete in all respect.[P-324, Sl No					
	-1581	Sqm	15.0	1700.00	Sqm	25,500. 00
24	Providing and fixing M.S. fan clamps of 16 mm					
3	dia M.S. bar bent to shape with hooked ends					
	including painting the exposed portion of loop,					
	all as per standard design complete.[P-526, S-		2.55%		911	
	671	Nos	3.0	50.00	each	150.00
25	Supplying, fitting & fixing P.V.C pipes with IS					
	certification marks in position with necessary			100		
	clamps, nails, including making holes in wall,					
	floor etc and cutting trenches in any soil or					1
	through masinry, concrete structure etc. If					
	necessary and mending good damages including					
Est.	jointing materials complete. [P-394, S-					
	22(ii)]					
-	a) 100 mm dia	R.M.	16.5	178.00	R.M.	2,937.00
26	Decorative cement based paint of approved					
1	quality after preparation of bed including					- A - 3
	scraping the surface thoroughly on plastered	1 1				
	surface (manufactureres specification to be					
	followed) two coats (external surface only).[P-					1100.00
	360, S-14(ii)]			12.20		1487.50
	i) Ground Floor	Sqm	85.0	24.00	sqm	2,040.00
27	Applying plactic ampleion of approved make &					AL SHALL
	Applying plastic emulsion of approved make &					TO THE REAL PROPERTY.
	brand on walls, ceiling including smoothing					
	surface by sand papering in intermediate coats		105.0	42.00	C	4.410.00
-	including putty. (a) Two coats. [P-368, S-9/b] Cement primer on plastered surface to receive	Sqm	105.0	42.00	Sqm	4,410.00
28	flat wall paint or plastic emulsion paint					
	including smoothing surface by sand					
			105.0	18.00	Sam	1,890.00
29	papering, putty etc. [P-374, S-21] Painting with best quality synthetic enamel	Sqiii	103.0	16.00	oqiii	1,070.00
29	paint of approved make and brand including					
	smoothening surface by sand preparing etc					
	including using of approved putty etc on the	1 1			100	
	surface if necessary including one coat of				100	
	priming all complete to all floors. [P-366, S-					
	8/A/(a &b)]			15 St. 16		
	a) On timber surface, with super gloos (hi-					
	I) Two coats.	Sqm	15.0	46.00	Sqm	690.00
	b) Steel or other metal surface with super gloos					
$\overline{}$	I) Two coats.	Sqm	2.5	38.00	Sqm	95.00

	Add :- War of total for contingency					
_	Add: -@\$% of total for contingency	101		- CITIE	Rs. 449	
	Add: -@ 5% for Electrification		,		K2. 6 65	7-95 6,697.19
	Add: @ 7.5% for Sanitary & Plumbing					13 133155 13 6 63 10,045.79
			TO	OTAL \	Rs.	133,943.83
	Supplying, fitting &Fixing in possion approved PVC Door frame made of exetruted PVC multi chember hollow section having dimension of 60mm x 50mm etc.[P-324, S-159(i) (a)]		9.5	294.00		2,793.00
	b) Ground Floor, 25mm th. Shutter & 12mm thick panel with Gamari wood-	Sqm	3.00	1221.00	sqm	3,663.00
	fittings. [P-262, S-93(2)(c)] a) Ground Floor, 40mm th. Shutter & 19mm thick panel with Gamari wood-	Sqm	1.70	1725.00	sqm	2,932.50
•	Panel shutter of door, window, fan light, etc. as per design including all cost of hinges and other			20.00		
	cement concrete with stone chips (4:2:1) fitted and fixed complete as per direction (cost of cement concrete paid separately)[P-224, S-18(b)] a) 40 x 6 mm x 20 cm long		12	21.00 28.00	each	264.00 336.00
	M.S. clamps for fixing door & window frame made of flat bent bar and bifurcated fixed in					
	Wood work in door frame fitted and fixed complete including a protective coat of painting at the contact surface of the frame.(Sal)[P-214, S-1(b)]	Cum	0.10	39147.00	cum	3,914.70
			3.50	2090.00	Sqm	7,315.00

Says Rs. 1,58,211.00 (Rupees One Lakh Fifty Eight Thousand Two Hundred and Eleven only) (Rupees one lauh twenty form thousand Seven hundred forty five on

Sub-Assistant Engineer Tarakeswar Municipality.

Chairman

Tarakeswar Municipality.

14 4 07

Sub- contre-II's

Estimated cost for Renovation of Sub-Center Building of Health wing of Tarakeswar Municipality at West bank of Natun pukur., ward no.-13, under Tarakeswar

[Priced based on PWD schedule of Rates for Building works 2007-2008, Government of West Bengal, Western Circle-II, .w. e. f. 1st. April, 2007, and corrigendum w.e.f.1 st. September, 2007.]

	Description of items	Unit	Qty.	Rate	Per	Amount Rs.
NO. 1	2	3	4	5	6	7
1	Dismantling all types of masonary excepting cement concrete plain or reinforced, stacking serviceable materials at site and removing				U	
	rubbish as directed with in a lead of 75m. In ground floor including roof. [P-74, S-1]		2.50	173.00	Cum	432.50
2	Dismantling all types of plain cement concrete works, stacking serviceable materials at site and removing rubbish as directed with in a lead of 75m. In ground floor including roof. (a)upto 150 mm. thick. [P-74, S-1]		1.50	346.00	Cum	519.00
3	Stripping off worn out plaster & racking out joints of wall, ceiling etc.upto any height& in any floor including removing rubbish & stacking anywhare within the compound as					
	directed . [P-78, S-10] Cutting chase upto 125x150mm. and	Cum	32.50	7.50	Cum	243.75
	subsequent mending of damages. (a) In brick wall [P-78,S-11]	Mtr.	4.00	30.00	Mtr.	120.00
5	Single bricks flat soiling with picked Jhama bricks including preparation of bed including ramming, dressing bed to proper level and filling joints with powdered earth or local sand.[P-84, S-1]		29.50	114.00	Sqm	3,363.00
5	Cement concrete (1:3:6) in floor, foundation of plinths steps, column for future extension etc. with trap stone ballas (32 mm size) excluding shuttering complete in all respect as per specification with all labour & materials. [P-96, S-14(a)]		2.00	2023.00	Cum	4,046.00
7	Silver sand filling in foundation or plinth in layers not exceeding 150 mm as directed and consolidating same by through saturation with water ramming complete including the cost of supply of sand.[P-70, S-3]		2.00	224.76	Cum	449.52
3	Rainforced cement concrete M-20, (1:1.5:3) with 20 mm and down screened and washed stone chips excluding shuttering and rainforcement complete in all respect as per drawing and specification with all materials and					
	labour.[P-86, S-7(a)] a) Ground Floor	Cum	2.25	2944.00	0	6,624.00

9	Hire and labour charges for shuttering with					
	centring & staging upto 4 m using approved					
	stout props and thick hard wood planks of				5 3 1	
	approved thickness with required bracing for					
	conc. Slabs, beams, columns, lintels curved or					
	straingth including shell roof, folded plate etc					
	including fittings, fixing and striking out after					
	completion of works.					
	a) 25 mm to 37.5 mm thick wooden shuttering					
	as per decision & direction of the engineering-					
	charge.[P-98, S-16(a d&f)]				-	
	I) Foundation upto plinth	Sqm	5.60	101.00	Sqm	565.60
	ii) Ground Floor	Sqm	7.40	143.00	Sqm	1,058.20
10	25 mm thick damp proof course with stone					
	chips (4:2:1) double chequered complete as					
	directed (water proofing compound as per IS					
	2645-1964 to used) [P-136, S-12]	Sqm	0.50	121.00	Sqm	60.50
11	First Class brick work in cement morter (1:6)					
	including cost of scafolding and other incidental				0	
	work etc complete in all respects as per drawing					
	& specification with all labour and materials.[P-					
	106, S-26)]					
	a) Foundation upto plinth	Cum	1.90	1902.00	Cum	3,613.80
	b) In superstructure					
	i) Ground Floor	Cum	2.75	1959.00	Cum	5,387.25
-	ii) First Floor	Cum	0.30	1990.00	Cum	597.00
12	Brick work in half brick (125 mm thick)					
	masonry wall with 1st class brick in cement					
	morter (1:4) with all labour and materials [P-					
	108, S-33]					
	a) In superstructure					
	D Ground Floor	Sqm	28.60	285.00	Sqm	8,151.00
13	Plaster)to wall, floor, coiling etc.) with sand					
	and cement morter including rounding of or					
	chamforing corners as directed and raking out					
	joints or roughening of concrete surface					
	including throathing, nosing and drip course					
	where necessary.[P-342, S-1]	-0				
	a) 10 mm thick plaster with 3:1 cement morter			1 - 10		0.0
	(internal).			47:00		329-00
	i) Ground Floor	Sqm	7.00	53.00	Sqm	371.0 0
	b) 15 mm thick plaster with 4:1 cement morter.					
	i) Ground Floor	Sqm	45.90	51.00	sqm	2,340.90
	c) 20 mm plaster with 6:1 cement morter.					
	i) Ground Floor	Sqm	55.00	53.00	Sqm	2,915.00
14	35mm th. Grey artificial stone in floor, dado,					
	staircase etc with cement concrete (4:2:1) with					
	stone chips laid in panels as directed with					
	topping made with ordinary /white cement (as					
	necessary) and marble dust in proportion (2:1)					
	including smooth finishing and rounding off					
	corners and including application of cement					
1	slurry before flooring works, using cement @					
1	1.75 kg/sqm all complete including all materials					
	& labour.					

	a) 3mm thick topping (high polishing grinding					
	on this items is not permitted) with ordinary					
	cement.[P-126, Sl-3(iii)]	Com	20.20	133.00	Sam	2,686.60
1.0	i) Ground Floor	Sqm	20.20	133.00	Sqiii	2,080.00
15	Neat cement running arround 1:5 mm thick in					
	wall, dedo, window sills, floor, etc. [P-346, S-	Com	15.60	16.00	Sam	249.60
1.0	[16] Rainforcement for rainforced concrete work in	Sqm	13.00	10.00	Sym	247.00
16	all sorts of structure including distribution bars,					
	stirrups, binders, etc including supply of rod,					
	initial strenghtening and removal of loose rust					
	(id necessary), cutting to requisite length,				7	
	hooking & bending to correct shape, lacing in					
	proper position and binding with 16 gauge					
	black annoaled wire at every intersection					
	complete as per drawing & direction.[P-96, S-					
	19(a)]					
	a) Tor steel.					
	I) Foundation upto plinth & Ground Floor-	M.T.	0.21	40585.00	MT	8,522.85
17	75mm thick brick work with 1st class bricks set		0.21	40505.00	141.1.	0,522.05
17	in sand cement morter (3:1) in ground floor					
	including H.B netting in every alternaet layers.					
	[P-110,S-38/b]	Sqm	3.60	177.00	Sam	637.20
18	Iron Butt hinges of approved quality		5.00	177100	-	
10	manufactured from extruded section					
	conforming to I.S. specification (IS 205/66) &					
	fitted & fixed with cadmium palted screws.[P-					
	224, S-20(iv), (viii)]					
	a) 100 mm x 58 mm x 1.90 mm	Nos	6	27.00	each	162.00
	b) 75 mm x 40 mm x 1.20 mm	Nos	22	12.00	each	264.00
19	Iron hasp bolt of approved quality fitted & fixed					
	complete. 250 mm long . [P-230, S- 27/b]	Each	1.0	80.00	Each	80.00
20	MS or WI ornamental girll of approved design					
20	joints continously welded with MS or WI flats					
	and bars for windows, railing etc. fitted and					
	fixed with necessary screws and lugs etc.(a)					
	Grill weighing above 16 kg/sqm and above.[P-			38.00		F74.m
	190, S-10(a)]	Kgs	15.00	40.00		570.00
21	Suppling, fitting, fixing 1st. Quality porcelain		15.00	6,0100	5	
4	tiles of any size in walls & floors including					
	borders to match with the existing work, set in					
7	sand cement morter (4:1) including backing					
	concrete (1:2:4) & 4nos. of Key stones(10mm)					
	fixed with analytic at the back of each tiles &					
	finishing the joints with white cement mixed					
	with colouring oxide (if Requested) to match					
	the colour of tiles. [Page - 138, Sl.	1				
	16(ii) 1					
	(a) White-					
	(i) Ground Floor-(Wall)	Sqm	9.0	595.00		5,355.00
	(ii) Ground Floor-(Floor)	Sqm	2.4	614.00	Sqm	1,473.60

22	Providing and fixing M.S. fan clamps of 16 mm dia M.S. bar bent to shape with hooked ends including painting the exposed portion of loop, all as per standard design complete.[P-526, S-67]	Nos	2.0	50.00	each	100.00
23	Supplying, fitting & fixing P.V.C pipes with IS certification marks in position with necessary clamps, nails, including making holes in wall, floor etc and cutting trenches in any soil or through masinry, concrete structure etc. If necessary and mending good damages including					
13	jointing materials complete. [P-394, S-					
	[22(ii)]	R.M.	4.0	178.00	RM	712.00
24	a) 100 mm dia Decorative cement based paint of approved quality after preparation of bed including scraping the surface thoroughly on plastered surface (manufactureres specification to be		4.0	170.00	17.171	712.00
	followed) two coats (external surface only).[P-					
	360. S-14(ii)]			17.50		1382-50
	i) Ground Floor	Sqm	79.0	24.00	sqm	1,896.00
25	Applying plastic emulsion of approved make & brand on walls, ceiling including smoothing surface by sand papering in intermediate coats including putty. (a) Two coats. [P-368, S-9/b]		75.0	42.00	Sqm	3,150.00
26	Cement primer on plastered surface to receive flat wall paint or plastic emulsion paint including smoothing surface by sand papering, putty etc. [P-374, S-21] Painting with best quality synthetic enamel	Sqm	75.0	18.00	Sqm	1,350.00
27	paint of approved make and brand including smoothening surface by sand preparing etc including using of approved putty etc on the surface if necessary including one coat of priming all complete to all floors. [P-366, S-8/A/(a &b)]					
	a) On timber surface, with super gloos (hi-		10.6	46.00		717 (0
	I) Two coats.	Sqm	15.6	46.00	Sqm	717.60
	b) Steel or other metal surface with super gloos		12.3	38.00	Sam	467.40
20	I) Two coats.	Sqm	12.3	30.00	Squi	107.10
28	Supplying, fitting &Fixing in possion approved 37mm th. PVC Door shutter with 20mm th. Panel wall thickness made of exetruted PVC multi chember hollow section having dimension of 60mm x 50mm etc.[P-326, S-160(i) (a)]	Sqm	2.70	2090.00	Sqm	5,643.00
29	Wood work in door frame fitted and fixed complete including a protective coat of painting at the contact surface of the frame.(Sal)[P-214, S-1(b)]		0.12	39147.00	cum	4,697.64

	. 5:61	GREET	101111	110		1=78 .
_		GRAND	TOTAL	ATTENDED		7 107,892.6
	Add: -@5% of total for contingency					05 5,137.7
	392		TO	OTAL	Rs. 10 2001	73 102,754.9
	Add :- @ 5% for Electrification				Rs. 4533	4,566.89
	Add: @ 7.5% for Sanitary & Plumbing				Rs. 6800	6,850.3
						90668-2
			TOT	TAL	Rs.	91,337.71
32	Supplying, fitting &Fixing in possion approved PVC Door frame made of exetruted PVC multi chember hollow section having dimension of 60mm x 50mm etc.[P-324, S-159(i) (a)]		6.7	294.00	R.M.	1,969.80
	b) Ground Floor, 25mm th. Shutter & 12mm thick panel with Gamari wood-	Sqm	5.40	1221.00	sqm	6,593.40
		Sqm	1.60	1725.00	sqm	2,760.00
31	Panel shutter of door, window, fan light, etc. as per design including all cost of hinges and other fittings. [P-262, S-93(2)(c)]					
	a) 40 mm x 6 mm x 20 cm long	Nos	14	28.00	each	392.00
30	M.S. clamps for fixing door & window frame made of flat bent bar and bifurcated fixed in cement concrete with stone chips (4:2:1) fitted and fixed complete as per direction (cost of cement concrete paid separately)[P-224, S-18(b)]			22.00		308.00

1,05,062 - feve Sinly h 1,05,061 = 78
Says Rs. 1,07,892.00(Rupees One Lakh Seven Thousand Eight Hundred and Ninety Two only)

Sub-Assistant Engineer
Tarakeswar Municipality.

Chairman

14 4 07

Tarakeswar Municipality.

cheered Minhor T.V.O

State Urban Development Agency, Health Wing, West Bengal

Sub.: Renovation of the Sub-Centres (two nos.) at Panskura Municipality under Community Based Primary Health Care Services.

Enclosed the copy of communication of the Chairman, Panskura Municipality bearing memo no. PM/PHC/259/2006/3909 dt. 20.08.2007 on the above mentioned subject.

The municipality has submitted proposal as per PWD schedule for renovation of Sub-centre (SC) no. 1 & 2, located at Municipal owned building at Ward no. 8 and Pratapur at Ward No. 12 respectively. The estimated cost for SC-1 is Rs.143751/- and SC-2 is Rs. 331996/-, thus totaling Rs.475747/-.

It is to mention here that provision has been kept for renovation works for Rs. 42.30 lakhs, out of which Rs. 21.15 lakhs in 1st year and Rs. 21.15 lakhs in 2nd year.

AA&FS for Renovation Works already sanctioned is as under:

(Amount in Rs.)

Budget for Renovation Works for 1st Year	AA&FS already accorded	Balance
21,15,000.00	15,517.00	20,99,483.00

As setting up of Sub-Centre is very essential to implement service activities of CBPHC i.e ANC Clinic, Immunisation Clinic, Growth Monitoring Clinic and General Treatment Clinic.

Submitted for favour of kind approval please.

0.0 rous VDA-HOURT

The Received to the State of th

TUO may pl. Offer his consents
The estimate.

(hist

The above noted estimates for repair and renovation of Sub-centre (SC) no 122 have been checked.

After checking, the estimated cost for SC-1, at Bahargram within ward No. 8 and SC-2 at Bratappur within ward No. 12 of Paus Kurra Municipality,

P-7-0

C.\Dr. Goswami\RCH-63 ULBs\Notesheet.doc

State Urban Development Agency, Health Wing, West Bengal

come to Ry 1, 39, 437/ and Ry 2, 29,097/ respectively.

Thus the total amount for the SC no 182 comes to Rs 3,68,534/ (Rupees three lakh Sinty-eight thousand five hundred thirty-four) only.

So, if approved, the A. A. S. F. S will remain well within the budget for neuronation works.

Port up for Kindpensal & n. a. pr Alla 22/11/07

find be released as per recommendations
of 700.
(him/

Fund for an amond- of Ro. 747010]
is available with the ULB.

Drapt fetter is proced huerian which uny le signed 2 issued, it approved.

Approved.

Director

PO(A)

Director Sware



STATE URBAN DEVELOPMENT AGENCY

HEALTH WING

H-C BLOCK, SECTOR-III, BIDHANNAGAR, CALCUTTA-700 091 West Bengal

Ref No. SUDA-Health/63 ULBs/07/582

Date 7:12:2007....

From: Director, SUDA

To

: The Chairman

Panskura Municipality

Sub. : AA & FS for renovation of 2 nos. of Sub-Centres at Panskura Municipality

in connection with Community Based Primary Health Care Services.

Ref.: Your communication bearing no. PM/PHC/259/2006/3909 dt. 20.08.2007.

Sir,

Administrative Approval and Financial Sanction is hereby accorded for renovation of Sub-Centre no. 1 & 2 located at Municipal owned building at Ward No. 8 and Pratappur at Ward No. 12 for an amount of Rs. 1,39,437/- and Rs. 2,29,097/- respectively; thus totaling Rs. 3,68,534/- (Rupees Three lakhs sixty eight thousand five hundred thirty four) only.

The expenditure is to be incurred out of the CBPHC fund available with you and to be booked under the A/C head "Renovation Works". Statement of Expenditure is to be submitted accordingly.

Thanking you.

Yours faithfully,

Director, SUDA

P.O.—PANSKURA
Dist.—PURBA MEDINIPUR, Pin-721139

পোঃ-পাঁশকুড়া • জেলা-পূর্ব মেদিনীপুর

STD: 03228 Phone: 252312 Fax: 252005

Memo No: PM/PHC/259/2006/3909

To The Director, SUDA Ilgus Bhavan, H-C Block, Sector-III, Bidhannagar, Kolkata - 700 091.



Sub:- Functioning of four Sub-Centres for Community Based Primary Health Care Services.

Ref:- Your Memo No: SUDA/Health/63 ULBs/07/191/dt. 29.06.07 Sir.

In reference to the above I am to state that activities instructed to be under taken by this Municipality have already started by the engagement of 17 HHWs with the allocation of their area of operation which is one ward out of 17 wards for each HHW. The HHWs have already started conducting Base Line Survey of the allotted BPL families as per your prescribed proforma.

Now for providing Primary Health Care Services to the Community, the location of 4 No. of Sub-Centres have been identified as per details given below:

Si. No.	Name of the Sub-Centres	Location of the Sub-Centres	No. of wo	
01.	Sub-Centre No. 01.	Erstwhile G. P. Office Building at Bahargram (Municipality's own Building). P. O. Panskura R. S. Ward No. 08, Purba Medinipur	01, 07, 09 & 10	08,
02.	Sub-Centre No. 02.	Pratappur Sub Health Centre (East Medinipur C.M.O.H. Building, P. O. Pratappur, Ward No. 12, Purba Medinipur.	11, 12, 14 & 15	13,

P.O.—PANSKURA

P.O.—PANSKURA

Dist.—PURBA MEDINIPUR, Pin-721139

PINTON (MITHUR)

পোঃ-পাশকুড়া • জেলা-পূর্ব মেদিনীপুর

03. Sub-Centre

Panskura -I G.P. Office Building, 03, 04 & 05

STD: 03228 Phone: 252312 Fax: 252005

No. 03.

P.O. Naranda, Ward No. 04,

Purba Medinipur

04. Sub-Centre No.04.

Balidangri Pravati Sangha, P.O. 02, 06, 16 & 17

Balidangri, Ward No. 06,

Purba Medinipur.

The sub-centre at SI. No. 4 is at private premises owned by Balidangri Pravati Sangha which consented to let-out a room (20' X 12') to the Municipality for running the Sub-Centre.

Now for providing necessary infrastructure facilities at the above mentioned Sub-Centre at SI. No. 1 & 2 by necessary renovation of the existing building / premises with civil construction and electrical works a total amount of Rs. 4,75,747.40 (Four Lakhs Seventy Five Thousand Seven Hundred Forty Seven Rupees & Forty Paise Only) for the aforesaid 02 Sub-Centre is required as per estimated cost (enclosed) prepared by this Municipality. It is now requested to kindly sanction the aforesaid amount and send an account payee cheque for payment towards the aforesaid expenditure to be incurred.

Thanking you,

Abhan Pandur Mancipality ESTIMATE OF QUATITIES AND ABSTRACT OF C OST FOR THE REPAIR AND RENOVATION OF EXISTING GRAM PANCHAYET BUILDINGS AT BAHARGRAM, WARD NO. 08 UNDER PANSKURA MUNICIPALITY FOR SUB-HEALTH CENTRE.

SI. No.	Description of works	Quantity, in MKS	Unit Per	Rate (In Rs)	Amount (In Rs)
1,	Dismantling all types of plain cement con. Works stacking serviceable materials at site and removing rubbish as directed within a lead of 75 m in 1st floor including roor a)upto 150 mm thick.			(KS)	(III KS)
2	Dismantling R.C. floor beams etc. including cutting rods and removing rubbish as directed within a lead of 75 m including stacking of steel bars In 1st floor including roof.	0.30 cum	Cum	752.00	225.60
3	Dismantling artificial stone flooring upto 50mm thick by carefully chiselling without damaging the base and removing rubbish as directed within a lead of 75 m. In ground floor including roof	9.25 Sq.m.	Sq.m.	21.00	194.25
4	Stripping off worn out plaster and raking out joints of walls ceilings etc. upto any height and in any floor including removing rubbish and stacking any where within the compound as directed	28.631sq.m	Sq.m.	7.50	214.73
5.	Single brick flat solings of picked jhama bricks including ramming and dressing bed to proper level and filling joints with powdered earth or local sand.	14.38 sq.m.	Sq.m.	114.00	1639.32
6	Ordinary cement conc. (Mix 1:1.5:3) graded stone- chips (20mm dn) excluding shuttering and reinforcement, if any in ground floor as per IS 456- 2000 A) Pakur / chandil variety	0.30 cum	Cum	3221.00	966.30
7	125 mm thick brick work with 1st class bricks in cement mortar (4:1) in ground floor	9.52 sqm	Sqm	274.00	2608.48
8	Cement conc. With graded jhama khoa (30 mm size) excluding shuttering in ground floor a) 6:3:1 proportion. Lobby + entry (outside)	1.08 cum	Cum	1784.00	1926.72
9	Plaster (to wall, floor, celing etc) with sand and cement mortar including rounding off or chamfering corners as directed and raking out joints or roughening of concrete surface, including throating nosing and drip course where necessary. (i) with 4:1 cement mortar a) 20mm thick plaster	23,541	Sqm	73.00	1718.49
	b) 15mm thick plaster c) 10mm thick plaster	5.09sqm	Sqm	58.00	295.22
10	Colour washing with "ELLA" with a coat of white wash priming including cleaning and smoothening surface thoroughly. Ground floor ii) External surface 1st floor a) two coats	94.84 sq.m. 167.29 sqm	% sq.m. %sq.m.	480.00 530.00	455.23 886.64
11.	Colour washing with any shade with strainers as required including cleaning and smoothing surface	288.33 sqm	% sqm	920.00	2652.64

13783-62

Padwajit Manh

Penskura Mandelpallir

Alshan

Akhan

Cheirmen Frankure Muzicipalis

Panskura Municipality

2					
	thoroughly				4
	i) Internal surface (all floors)				
	b) Two coats.				
	i) Other than Yellow			/	
12	Red oxide wash of approved shade including	2.08 sqm	% sqm	1088.00	22.63
	cleaning and smoothening surface thoroughly.				
	External surface				
	a) one coat	1000			
13	Production of the Control of the Con				V
	roof surface (old) by the application of two coats of				
	slurry prepared with latex of approved sita compay,				
	mixed with water and cement in the proportion of				
	1:4:6, with a brush in a time gap of 24 hours				
	between two layers layings 3 mm thin membrance and artificial stone in floor, etc. with cement				-
	and artificial stone in floor, etc. with cement concrete (4:2:1) with stone chips, laid in panels as				
	directed with toppings made with ordinary or white				
	cement (as necessary) and marble dust in proportion			100	
	(2:1) including smooth of inching and rounding off				
	corners and including application of cement slurry				
	before flooring works, using cement @ 1.75 kg /				
	Sq/m all complete including all materials and				
	labour. In 2 nd floor 3mm thich topping				
	ii) 25 mm thick				
	Analysis				
	Sika latex used per metre square for two coats				
	215.05gm (@Rs. 250.00 perkg) = Rs. 53.76				
	Cement used with that latex per metre sq. for two				
	coat 1.29 kg (Rs. 235.00 per 50kg) = Rs 6.06				
	Labour required per sq.m. for two coat printing =				
	Rs. 11.00				
	Artificial stone flooring per sq.m. for screed				
	concrete (1:2:4) = 129.78 for 1st floor roof		0.00		/
	= Total Rs. 200.60 per sq.m.	59.52 sq.m.	Sqm	/ 200.60	11939.71
14)	Wood work in door and window frame fitted and	0.036cum	Cum	40067.00	1442.41
	fixed complete including a protective coat of				
	painting at the contact surface of the frame.				
	b) Sal: Sili guri - door for chamber				/
15	Committee of the contract of t	1.41 sqm	Sqm	863.00	1216.83
	shutters to design as directed				
	(ii) 25 mm thick panel			3999	
17	d) Badam	4.17			
16	Wash basin white vitreous china of approved make				
10	supplied, fitted and fitted and fixed in position on		ATTENDED.		
	75mm X 75 mm X 75 mm wood blocks and C.I.				
	brackets includings two coats of painting of C.I. brackets.				
					/
17	(i) 450 mm x 300 mm size	2 nos	Each	780	1560.00
1/	Supplying fitting and fixing approved brand PVC	3 nos	Each	75.00	225.00
	waste pipe, with coupling at one end fitted with C.P. over brass nut, 32 mm dia				
1 100					
	(iv) 1050 mm long.				

Paduait Marti Bub Resisted Engineer

30190=20

Akhan Akhan
Chairman


	58					
		make with all necessary accessories, specials viz. socket bend, tee, mirror, corss, elbo, nipple long screw, reducing socket, reducing tea short piece etc fitted with holder bats clamps, including cutting pipes, making threads, fitting, fixing etc. complete in all respect including cost of all necessary fittings as required, jointing materials and two coats of painting with approved paint in any position above ground.				
	19	C(ii) 25mm dia medium quality	52.39m.	m	139.00	7282.21
		joints continuously welded with M.S. W. I flats and bars for windows, railing etc. fitted and fixed with necessary screws and lugs in ground floor. (i) Grill weighing above 10kg / sq m and upto 16kg. sq. / sqm				
	20.	Collapsible gate with 40mm x40mmx6mm tee as top and bottom guide rail 20mm x 10 mm x 2mm vertical channels 100mm apart in fully stretched position 20mm x 5 mm M.S. flats as collapsible bracing properly rivetted and washered including steel rollers including locking arrangements, fitted and fixed in position with lugs set in cement conc. and including cutting necessary holes, chasing etc. in walls, floors etc. and making good damages complete ground floor	3.51 sqm.	Sq.m.	1807.00	6342.57
	21.	Painting with best quality synthetic enamel paint of approved make and brand including smoothing surface by sand papering etc including using of approved putty etc on the surface of necessary. a) On timber or plastered surface with super glass (hi-glos)s — two coats ii) Two coats with any shade except white) b) On steel or other metal surface with super glass (hi-glon) iv) Two coats (with any shade except white)	17.01 sq.m. 8.61sq.m.	Sq.m.	46.00	782.46
	22	Supplying PVC water storage tank of approved quality with closed top with with lid (black) - Multilayer @ 500 ltr. Capacity				
-	23	Labour for lowering BVC	1 no	Each	2730.00	2730.00
		Labour for lowering PVC water storage tankl and stacking in places as directed 1) upto 1500 ltr. Capcity a) from 1st story to GL		-	-	26.00

Total Rs.47680.62

Say . Rs 47681/

Alphan Chairmen Prankura Municipality

Chairman Panskura Municipality



* ESTIMATE OF PROPOSED SUBMERSIBLE PUMP AT BAHARGRAM ON PLOT NO:: UNDER WARD NO.:: OF PANSKURA MUNICIPALITY.

SI.	Description of items	Quantity	Unit	Rate	Amount Rs. P.
No	Labour for boaring tube				
-	well by water jet system.				5400.00
		60.00m	m.	SELLET.	The state of the s
	a. somm	36.00m	m.	255.00	9180.00
	b.100mm dia Washing & Developing				
2.	tube well with air			1 3 3 3 3 3	
	compressor pump& engine				2050 00
	for 8 hours.	01	Day.	3870.00	3870.00
	Supply PVC pipe ASTM-				
3.	Supply PVC pipe ASTIT				
	D-1785.	52.00m	m.	102.00	5304.00
	a) 50 mm dia	36.00m	, m.	297.00	10692.00
	b)100mm dia	01	No.	65.00	65.00
4.	50mm dia plug cutter.	04	Nos.	250.00	1000.00
5.	50mm dia. Filter -2m. long.	-	m	91.00	3003.00
6.	40mm dia. Column pipe				
1	3m. long MS/Gl including				
1	socket.	1	Set	20000.00	20000.00
7.	1.5 hp submersible pump	l set	Set		
	with two core 4mm. Cable				
	and control panel.		No.	150,00	150.00
8.	100 X 50mm PVC	1 no.	. No.	150.00	
	reducing socket.			500.00	500.00
1	Supply fittings, fixing		set	,700.00	
1	100mm cap and 50mm	n			de la companya de la
1	clamp with all fittings.		1		1300.00
10		р	1S.		
1.	room (0.9 m x 0.9m x o.	.9	3.1		
	m) with 125 TH.Bric	ck			
	work R.C. C. roof et	c.			
	compl.				500,00
1.	1		L.S.		200.00
-	Term feet	m	L.S.		200.00
1	2. Electric connection from	m.	Photo I		
-	(1)	X			
	13. Kiosk Box 600min 600mm x300mm in size	in-			
	MS & four nos. M.S.	leg			
	fitting and fixing w	vith			
	fixed panel board on	the			
	fixed panel board on	ove		- 111.	0000-0
	wood plate situated ab	und	7		2500=01
	600mm height from gro	1	L.S		4900.00
	sealed with conc.(1:2:4		26	1	Galles 6366

Paratural Manh
(Civil)
Paratura Mucicipality

Chairman Alchan
Panskura Municipality

63664-00 Abhan

Chairman Panskura Municipality PRICE SCHEDULE FOR THE WORK OF 'ELECTRIFICIATION OF OFFICE BUILDING OP HEALTH SUB-CENTRE" OF PANSKURA MUNICIPALTY AT BAHARGRAM 'UNDER WARD NO.: 08

SI.	Description of works	Quantity	Uni	its	Rate (In Rs)	Amount (In Rs)
lo.		1 1	-	-	1(2)	(11113)
	Supply & fixing 32 amps 250V D.P. Main switch on iron legs on wall including earthling attachment mending good damages & painling (flora made main switch with fuse on LS & NL nutral)	1	S	4	532-10	532.00
	Distribution wiring with 2 x 1.5 sq. mm pve insulated coppercable (Finolex F/R) in ½ pve casing capping (presto plast) including all accessories fixed on wall / celing rose (Anchor make) celing including 5 amps piano key type switch (anchor) on T. W. Board with top bakelit, cover (3mm thick) to light, fan, call bell points etc including mending good damages and painting	26	P	oint	235.00	6110.60
3.	Distribution wiring with 2x1.5 sq.mm & 1x 1sqmm pvc insulated copper cable (both finolex F/R) for plug point including supply & fixing of 5 pin socket & switch (Anchor) on switch Board earthing attachment and necessary connection	6		Point	180.00	1080.00
4	Supply & fixing of 6 amps SPMCB (Havell's), fixed on T.W board with top Bakelite cover (3 mm thick) on wall and necessary connection mending good damages and pointing.			set	385:00 500:00	385:00 500:00
3	Supply & drawing 2 x 2.5 sq.mm & 1 x 1 sq.mm pvc insulated copper cable (both Finolex F /R) through PVC casing capping (presto plast including all necessary accessories fixed on wal mending good damages, painting and connection 4 regd.		2	Metre	55.00	2200.00
6	Supply & fixing Philips 107 / 136 LPF with 1 x TI 40 w FL complete set fixed on wall, celling wit calling plates etc as required	9	170	set.	350.00	3120.90
7	Supply & fixing of Angular Holder (Anchor) wit CFL - 18 w (Philps) on T.W Board with Bakelit top cover	h 10	語の	set	230.00	2300.00
8.	Supply & fixing of celling fan complete set wit regulartor with necessary connection (48" sweet orient make)	sp 5	5	set	142425	07122=9 8000-0
9	Supply & fixing of 9" sweep[exhaust fan with o side with frain guard after making hole in wall an making good damages etc as practicable as possible and necessary connection.	nd ole		set	1462=0	1462=0
10	Supply & fixing of out door type fittings, complewith all accessories (local made) with CFL lat - 36 w (Orpat made) fixed or projected from wall of the Building including making holes building supply & fixing G.I. pipe suitable by making good damages painting and necess connection	the to end ary	L.	Set	1020:	All the second second
1	Supply & fixing of call bell on T.W Board on vincluding supplying & fixing T. W. Board with backlight cover (anchor make call bell different	top	2	Sat	150.	3000

Sub-Assistant Engineer

(Electrical)

Panakura Maunicioalian

Ponskura Municipality

12 Earthling with supplying & fixing 10' long 50 mm (2") dia 3.64 mm thick G. I. pipe 1 X 6 swg G.I. wire 13 mm x 80 mm long G.I. bolts double nuts double wash including supplying & fittings 15 mm dia G.I. pipe protections (1 mtr. Long) to be filled with bitumen average depth 12" below the ground level and restoring the surface duly rammed after treatment of soil by using slat & Sat 1500.00 1500.00 charcoal or coke 13 Supply & fixing of wooden box (for I P meter) with neted door and locking arrangement fixed on sat 900.00 900.00 wall with painting. TOTAL 2400.00 B.F. OF PAGE - C 27190.00 · R. 29590.00 TOTAL Plus Contigency @ 5% Rs. 1479-50

Sub-Assistant Engineer (Electrical)

Panskura Municipality

TOTAL ESTIMATED COST - 8.31069-57, 28091-50

(Rupees thirty-one thousand seventy only) 1,28092=00

Enduro Mankatulita

Municipal

FOR SC-1, AT BAHARGRAM, WARD-8. ABSTRACT COST ESTIMATE

SL. NO

1.

2.

3.

AMOUNT. (RS.)

Repair & renovation of Existing Building

47681=00.

Sinking of Tube-Well with pump

63664 206

28092=00

Electrification

Rs. 1,39,437 =00

(Rupees One lakh thirty-nine thousand four hundred thirty-Seven only)


ESTIMATE OF QUATITIES AND ABSTRACT OF C OST FOR THE REPAIR AND RENOVATION OF EXISTING HEALTH BUILDINGS AT PRATAPPUR, WARD NO. 12 UNDER PANSKURA MUNICIPALITY FOR SUB-HEALTH CENTRE.

SI.	Description of works	Quantity in MKS	Unit Per	Rate (In Rs)	Amount (In Rs)
1.	Dismantling all types of plain cement con. Works stacking serviceable materials at site and removing rubbish as directed within a lead of 75 m in 1st floor including roor	WIKS			
2	a)upto 150 mm thick. Dismantling R.C. floor beams lintels etc. including cutting rods and removing rubbish as directed within a lead of 75 m including stacking of steel bars	2.20cum	Cum	752.00	1654.40
3	In 1st floor including roof. Dismantling artificial stone flooring upto 50mm thick by carefully chiselling without damaging the base and removing rubbish as directed within a lead of 75 m.	35.93 Sq.m.	Sq.m.	21.00	754.53
4	In ground floor including roof Stripping off worn out plaster and raking out joints of walls ceilings etc. upto any height and in any floor including removing rubbish and stacking any where within the compound as directed		Sq.m.	7.50	269.25
6	/\ /\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Cum	3221.00	7086.20
8	12 (1.1 1-1 thomas khoos (3() mm	2.69 cum	Cum	1784.00	4798.96
9	cement mortar including rounding off of chamfering corners as directed and raking out joint or roughening of concrete surface, including throating nosing and drip course where necessary. (i) with 4:1 cement mortar a) 20mm thick plaster b) 15mm thick plaster c) 10mm thick plaster	20.10 sq.m. 10.31sqm 5.49sq.m	Sqm	73.00 58.00 47.00	1467.30 597.98 258.03
1	O Colour washing with "ELLA" with a coat of whi wash priming including cleaning and smoothening surface thoroughly. Ground floor ii) External surface 1st floor a) two coats	91.08sq.n	% sq.m.	530.00	482.7
1	Colour washing with any shade with strainers required including cleaning and smoothing surfathoroughly i) Internal surface (ground floor) b) Two coats.	as ce 185.69 sqr	n % sqn	1	
	 i) Other than Yellow Red oxide wash of approved shade including 	ng 0.93 sqt	n % sqn	1088.00	10.

Paduaril Mani Bub Assistant Engrandi (Civil) Panskura Municipalita

Abhan

Chairman Financia Municipality



7		,			
	cleaning and smoothening surface thoroughly. External surface				
	a) one coat Provding water proofing treatment over concrete				
13	roof surface (old) by the application of two coats of slurry prepared with latex of approved sita compay, mixed with water and cement in the proportion of				
	1:4:6, with a brush in a time gap of 24 hours between two layers layings 3 mm thin membrance and artificial stone in floor, etc. with cement concrete (4:2:1) with stone chips, laid in panels as directed with toppings made with ordinary or white cement (as necessary) and marble dust in proportion (2:1) including smooth of inching and rounding off corners and including application of cement slurry before flooring works, using cement @ 1.75 kg / Sq/m all complete including all materials and				
	labour. In 2 nd floor 3mm thich topping ii) 25 mm thick Analysis				
	Sika latex used per metre square for two coats 215.05gm (@Rs. 250.00 perkg) = Rs. 53.76 Cement used with that latex per metre sq. for two coat 1.29 kg (Rs. 235.00 per 50kg) = Rs 6.06				
	Labour required per sq.m. for two coat printing = Rs. 11.00 Artificial stone flooring per sq.m. for screed concrete (1:2:4) = 129.78 for 1 st floor roof				
	= Total Rs. 200.60 per sq.m.	44.45sq.m.	Sqm	200.60	8916.67
14)	Wood work in door and window frame fitted and fixed complete including a protective coat of painting at the contact surface of the frame.	0.30cum	Cum	40067.00	12020.10
15	shutters to design as directed (ii) 25 mm thick panel d) Badam	19.48 sqm	Sqm	863.00	16811.24
16	ting of any and make			600	1660.00
	(i) 450 mm x 300 mm size	2 nos	Each		1560.00
1	Supplying fitting and fixing approved brand PVC waste pipe, with coupling at one end fitted with C.P. over brass nut, 32 mm dia (iv) 1050 mm long.	2 nos	Each	75.00	150.00
111	8. Supplying, fitting and fixing G.I. pipes of TATA make with all necessary accessories, specials viz. socket bend, tee, mirror, corss, elbo, nipple long screw, reducing socket, reducing tea short piece etc fitted with holder bats clamps, including cutting pipes, making threads, fitting, fixing etc. complete		4		

Facturati Mali

(Civil)

Parakura Municipality

Calcinness Canadaro Municipalite

			-		
1	in all respect including cost of all necessary fittings as required, jointing materials and two coats of painting with approved paint in any position above ground. C(ii) 25mm dia medium quality	45m.	m	139.00	6255.00
19	M.S. or W.I. ornamental grill of approved design joints continuously welded with M.S. W. I flats and bars for windows, railing etc. fitted and fixed with necessary screws and lugs in ground floor. (i) Grill weighing above 10kg / sq m and upto 16kg sq. / sqm	103.68kg	kg	39.00	4043.52
20.	Collapsible gate with 40mm x40mmx6mm tee as top and bottom guide rail 20mm x 10 mm x 2mm vertical channels 100mm apart in fully stretched position 20mm x 5 mm M.S. flats as collapsible bracing properly rivetted and washered including steel rollers including locking arrangements, fitted and fixed in position with lugs set in cement conc. and including cutting necessary holes, chasing etc. in walls, floors etc. and making good damages complete ground floor	12.60 sqm.	Sq.m.	1807.00	22768.00
21.	Painting with best quality synthetic enamel paint of approved make and brand including smoothing surface by sand papering etc including using of approved putty etc on the surface of necessary. a) On timber or plastered surface with super glass (hi-glos)s ii)Two coats with any shade except white)	29.16 sq.m.	Sq.m.	46.00	1341.36
	b) On steel or other metal surface with super glass (hi-glon) iv) Two coats (with any shade except white)	8.8sq.m.	Sq.m.	38.00	334.40
22	quality with closed top with with lid (black) -	1 no	Each	2730.00	2730.0
23	to nizo to the tombe and		•	al Rs 9	26.0

96044.13 Total Rs Add 3% for contingencies & work charges establishment = Rs. 2881.32

Total Rs. 98925.45

Abhan Say Ro 96044/2

Charles of Paragraphy

Franciston Baginer (Givil)

Chairman Penskura Municipaliti

ESTIMATE OF QUANTITIES & ABSTRACTS OF COST OF A 10 USERS SETPTIC TANK AT PRATAPPUR SUB-HEALTH CENTURE WARD NO. 12 UNDER PANSKURA MUNICIPALITY


SI.	Description of works	Quantity in MKS	Unit Per	Rate (In Rs)	Amount (In Rs)
No. I.	Construction of septic tank of different capacitates as per approved drawing with 1st class brick works in cement mortar (4:1) including two 560mm dia RCC manhole cover of approved make supplied fitted & fixed in top slab with necessary fitting 19 mm thick cement plaster (4:1) with neat cement finish to the internal surface 12 mm thick cement plaster (4:1) to out side wall upto 200mm below GL floor finish with 25mm thick grey artificial stone including supplying, fitting & fixing all necessary special, fitting SW tees, CI foot rest etc including excavating earth in all sorts, shoring, bailing & pumping out water as necessary, ramping, dressing the bed and refilling the sides of the tank with earth, removing spoils, filling, up the chamber with clear water, removing foreign, material from the chamber and including, construction attached inspection pit as per approved drawing and connecting all necessary pipes, joints etc with internal plaster work & artificial stone flooring to be done with admixture of water proofing compound at the rate 5 % by Wight by cement, complete in all respect as per direction of engineer in charge		each		18705.00
2	i) 10 users Single brick feat soiling of picked jhama brick including ramming and dressing bed to proper level including ramming and dressing bed to proper level.	s 11.5 sq.m	. Sq.m.	114.00	1311.00
4.4	and filling joints powered earth or local sand. 3. Cement concrete with grade stone ballast (40 mr size excluding shuttering) a) In ground floor b) 6:3;1 proportion	n 1'50 cun	n Cum	2247.00	3370.50 Rs. 23386.5


Say, Rs 23,387/

Padweji Hali (C1+11) Penskura Municipality

Sindura Municipality

Alphan
Charles Municipality





	Description of items	Quantity	Unit	Rate	Amount Rs. P.
SI.					
\\\\ a	50mm	60,00m 36,00m	m.	90.00 255.00	5400.00 9180.00
2.	Washing & Developing tube well with air compressor pump& engine		Day.	3870.00	3870.00
	for 8 hours	01	Day.		
3.	Supply PVC pipe ASTM-D-1785. a) 50 mm dia	52.00m	m.	102.00	5304.00 10692.00
	b)100mm dia	36.00m	. m.	65.00	65.00
	50mm dia plug cutter.	01	No.	250.00	1000.00
4.	50mm dia Filter -2m. long.	04	Nos.	91.00	3003.00
5. 6.	40mm dia. Column pipe 3m. long MS/GI including	33.0011	m		
7.	socket. 1.5 hp submersible pumwith two core 4mm. Cabl	p 1 set	Set	20000.00	20000.00
	and control panel.		No.	150.00	150.00
8.	reducing socket.		set	500.00	500.00
9.	100mm cap and 50m				1300.00
10.	clamp with all fittings. Construction of pure room (0.9 m x 0.9m x m) with 125 TH.Br work R.C. C. roof	rick	L.S.		1300.00
	work N.C. C. 100			-	500.00
1	compl. Pump motor lowering.		L.S		200.00
- Landace	Electric connection I	rom	D.C		
1.	numn motor to panel to	MIII.			
1	3. Kiosk Box 600mm	ze in			
1	M.S. R. four nos. M.S.	, leg			
	fitting and fixing	Willi	100		
	fixed panel board of	above			2500=4
	600mm height from g	round	1	.S.	Total Rs. 65164
	ed with cone.(1:2	(4)		hla an	Total Rs. 6366

Engineer delpality Chairman Panskura Municipalis

Total Rs. 65164.00





PRICE SCHEDULE FOR THE WORK OF 'ELECTRIFICIATION OF OFFICE BUILDING OF HEALTH SUB-CENTRE" OF PANSKURA MUNICIPALTY AT PRATAPPORE UNDER WARD NO.: 12

PRICE SCHEDULE 1 SUB-CENTRE" OF FARM NO.: 12 UNDER WARD NO.: 12 Quantity Unit	Rate (In Amount (In Rs)
Logaritation of works	Rs) · (III KS)
D. Main switch	532-00 532-00
No. Supply & fixing 32 amps 250V D.P. Maint	SUCCES ASSESSED.
on iron regs of the painting (flora made main)	at . (C)00000
mandule 2000 dallage	
Distribution Willing . E. D. in 1/4 pvc	
insulated copper caute (including all)	
casing capping Pier rose (Anchor)	
accessories like on the piano key type	
make) celing including 5 amps plant amps plant in make) celing including 5 amps plant in switch (anchor) on T. W. Board with top Bakelik. switch (anchor) on T. W. Board with top Bakelik.	Point 235.00 9870.00
switch (anchor) on T: W. Board with the switch (anchor) on T: W. Board with the cover (3mm thick) to light, fan, call bell points etc cover (3mm thick) to light, fan, call bell points etc.	Point 235.00 987000
including mending good it 2015 so mm & 1x	
Distribution wiring with capte (both finolex)	
I somm pre insulated copper analy & fixing of 5	0.4 180.00 4440.00
F/R) for plug point including on switch Board	Point 180.00 1140.00
pin socket & switch (Alterior) earthing attachment and necessary connection earthing attachment and necessary connection (Havell's)	385=00 385=00
earthing attachment and necessary connections 4 Supply & fixing of 6 amps SPMCB (Havell's) 4 Supply & fixing of baselite cover (3 mm)	
Supply & fixing of 6 amps of the cover (3 mm fixed on T.W board with top Bakelite cover (3 mm fixed on T.W board pecessary connection mending	set (500'00) (500'00)
thick) on wall and necessary	30 7
good damages and pointing	
Supply & drawing 2 x 2.3 Start Finalex F/R)	
ave insulated copper in (aresto plast)	55.00 4645.00
through PVC casing capping of the domestion wall including all necessary accessories fixed on wall including and damages, painting and connection as	Metre 55:00 4675:00
manding good damaber:	
rend DE with X 12	350.00 4200.00
6 Supply & fixing Philips 107/136 LPF with 40 w FL complete set fixed on wall, celling with 12	sed 350.00 4200.00
10 m (-1 Complete 3et	
calling plates etc as to the tanchors with	set 230.00 3680.00
Supply & fixing of Angular Holder (Anexas) Supply & fixing of Angular (Anexas) Supply & fixing of Angular (Anexas) Supply & fixing of Angular (Anexas)	1424-50 1424-50 11396=00
too cover	
8. Supply & fixing of celling fan complete set with	
The stor William Boods and S	1462-00 1462-00 2924-00
a for Milk Out	1462:00
orient make) Supply & fixing of 9" sweep[exhaust fan with outside bird 4 rain guard after making hole in wall and side bird 4 rain guard after making hole as possible	L (CARRO) (3 40 4 00)
side bird of tall Busine	2 Sel Carro
making good damages etc as practices and necessary connection.	
Cumply & lixing of our the with CFL lamp	4200=00
Lists all accessories (Lineted Holl the	
26 w (Citial that)	1030-001
of the building	L 10 800 00 000 00
wall of the Building including making building supply & fixing G.I. pipe suitable bend building supply & fixing g.I. pipe and necessary making good damages painting and necessary	4 sel appe
Labring 11000 Garring	150.00 300.00
connection Supply & fixing of call bell on T.W Board on wall Supply & fixing of fixing T. W. Board with top	2 set 150.00 380.00
Supply & fixing of call bell on 1.W Board with top including supplying & fixing T. W. Board with top backlight cover (anchor make call bell different in	6
backlight cover (a.r.)	43602-00
a sucend)	Hours Why

Sub-Assistant Engineer (Flectrical)

Panakura Municipality

Enturo Elunicipalis

kiro Municipalit

sound) Earthling with supplying & fixing 10' long 50 mm (2") dia 3.64 mm thick G. l. pipe 1 X 6 swg G.I. wire 13 mm x 80 mm long G.I. bolts double nuts double wash including supplying & fittings 15 mm dia G.I. pipe protections (1 mtr. Long) to be filled with bitumen average depth 12" below the ground level and restoring the surface duly 1500.00 1500.00 rammed after treatment of soil by using slat & set charcoal or coke Supply & fixing of wooden box (for 1 do meter) 900.00 900,00 with neted door and locking arrangement fixed on sat 2400.00 wall with painting. 46065.00 TOTAL B.F. OF PAGE . (1)

-- 12 -

TOTAL

- Rs 48465 00 M 46002=00

Plus Contiguey @ 5% = 80. 242 \$ 25 TOTAL ESTIMATED COST, RS. 50888-25. Say B. 50888.00

(E)entiteal) Panskura Municipality Rupees fifty thousand eight hundred eighty-eight only)

Chau

Alphan Cuctorson Februara Flunicipality

Panskura Municipality

ABSTRACT COST ESTIMATE FOR SC-2 AT PRATAPPUR WARD-12, SL. E M AMOUNT NO. Repair & renovation of existing 96044=00 Building

Construction of Septic-Tank

23387 = 00

Sinking of Tube-Well with pump

63664 = 00

Exectrification

46 002 = 00

Rs 229,097 =00 (Rupees two lakh twenty-nine thousand ninety-seven only)

3: