MURSHIDABAD MUNICIPALITY

Detailed Project Report for Construction of 1152 EWS

Houses under

BLC mode of Pradhan Mantri AwasYojana (PMAY)-HFA
(U) for 2018-19



MUNICIPAL ENGINEERING DIRECTORATE, GOVT. OF WEST BENGAL BIKASH BHAVAN, SALT LAKE, KOLKATA-91

PREFACE

PradhanMantriAwasYojana (PMAY) aims at Providing Housing for All (HFA) by 2022 when the Nation Complete 75 years of its independence.

The urban homeless persons contribute to the economy of the cities and thus the Nation as cheap labour in the informal sector; yet they live with no shelter or social security. The urban homeless service with many challenges like no access to elementary Public Services such as health, education, food, water and sanitation. PradhanMantriAwasYojona (PMAY) also aims at providing a pucca house to every family with water connection, toilet facilities, 24 X 7 electricity supply and access.

The Mission seeks to address the housing requirement of urban poor including slum dwellers through "In Situ" Slum Redevelopment, Affordable Housing through credit linked subsidy, and Affordable Housing in partnership and subsidy for beneficiary led individual house. Under the mission, beneficiaries can take advantage under one component only.

Total beneficiaries of the scheme are 1152 nos from slum and Non Slum projected for the year 2018-19.

Total cost of the project is **Rs. 4663.30 lakhs** as per relevant department & P.W.D. schedule of rates.

Chairman Murahidebed Municipality

Executive Summary

Project Details

1	Name of the State:	:	West Bengal	
2	Name of the District:	:	Murshidabad	
3	Name of the City:	:	Murshidabad	***********
4	Project Name:	:	HFA-MURSHIDABAD 2018-19	
5	Project Cost (Rs. in Lakhs)	:	4663.30	
6	Central Share (Rs. in Lakhs)	:	1728.00	
7	State Share (Rs. in Lakhs)	:	2435.33	
8	ULB Share (Rs. in Lakhs)	:	211.97	
9	Beneficiary share (Rs. in Lakhs)	:	288.00	
10	Total Infrastructure Cost (Rs. in Lakhs)	:	423.94	
11	Percentage of Infrastructure Cost of Housing Cost	:	10	
12	Infrastructure Cost per Dwelling Unit (Rs. in Lakhs)	:	0.368	
13	Year of Implementation	:	2018-19	
14	Component Housing Construction	*	Beneficiary Led Construction (BLC)	
15	SOR Adopted	:	PWD (WB) w.e.f 1.7.14 with current corrigendum	

Project Contributions (Physical + Financial) (Rs. in Lakh)

SI	Scheme Component	Туре	Qty	Unit	Rate (in Ra/Unit)	Proposed Project Cost (In Lakh)	Appraised Project Cost (In Lakh)	Central Share (Rs. 1.5Lakh/ DU)	State Govt. Share (Rs. 1,93Lakh/DU)	ULB Share@ 0.184 Lakh/ DU	Beneficiaries Share @ 0.25 Lakh/DU)
	A. HOUSING					4					
1	New in-situ										
	Single Storied Units		1152	Nos	368000,00	4239.36	4239.36	1728.00	2223.36	0.00	288.00
			Total	Housing C	ost Sub Total (A)	4239.36	4239.36	1728.00	2223.36	0.00	288.00
1	B. INFRASTRU	CTURE									
	Scheme Component	Туре	Qty	Unit	Rate (in Rs/Unit)	Proposed Project Cost (In Lakh)	Appraised Project Cost (In Lakh)	Central Share (Rs. in Lakh)	State Govt. Share (@50%) (in Lakh)	ULB Share (@50%) (in Lakh)	Beneficiaries Share (in Lakh)
	1. ROADS										
I.	Concrete Road	CC	9905.46	М	4097	405.83	405.83	0.00	202.91	202.91	0.00
	2. WATER SUPP	LY		1							
C.	Housing Connection	Phymbing	1152	Per connectio	1572	18.11	(8.11	0.00	9.06	9,06	0.00
	Total Infrastruc	ture Cost	Sub Tota	I (B)		423.94	423.94	0.00	211.97	211.97	0.00
-	GRAND TOTAL					4663.30	4663,30	1728.00	2435.33	211.97	288.00

Amornatt Mandal

Signature of the ULB level Competent Technical officer

Name & Designation: Murshidahad Municipality

Signature of the State level Competent Technical Officer Name & Designation: Chief Engineer, McDte,GoWB Fax No:

Telephone No: 9733611060

E-mail:

Signature

Director(SUDA)

Name & Designation:

Sri Sutanu Prasad Kar, IAS,

Director, SUDA

033-23585767

Telephone No:

033-23585767

c-mail:

Fax No:

wbsudadir@gmail.com

Bikash Bhavan, South Block, 1st Floor, Salt lake, Kol-91

Fax No:

033-23375474

Telephone No:

033-23371331

E-mail:

ce_medte@yahoo.com

Signature of the Mayor/ Chairperson/ Municipal Commissioner Chairman

Murshidebed Municipality

Name & Designation: BIPLAB CHAKRABORTY

Fax No:

Telephone No: 9434363150

E-mail: murshidatodnunicipality @ gmail. Com

FUND FLOW PATTERN

Rupees in lakhs

WANT OF THE	ECTIMATED		YEAR 2018-19	618-19		
SCHEME	LSOOS	105	GOWB	ULB	Benificiar ies	TOTAL
PMAY project - ,Murshidabad Municipality	4663.30	1728.00	2435,33	211.97	288.00	4663.30

PHASING OF FUND Rupees in lakhs

		RE	RELEASE OF FUND	F FUND	
YEAR 2018-19	00	GOWB	ULB	Bealficiari	TOTAL
1st Installment @ 40%	691.20	974.13	84.79	288.00	2038.12
2nd Installment @ 40%	691.20	974.13	84.79	0.00	1750.12
3rd Installment @ 20%	345.60	487.07	42.39	0.00	875.06
TOTAL	1728.00	2435.33	211.97	288.00	4663.30

REQUIREMENT OF FUND

Rupees in lakhs

TOTAL	46030	4663,30
YEAR 2018-19	4663.30	4663.30
NAME OF THE SCHEME	PMAY project - ,Murshidabad Municipality	
SE. NO		Total


Chairman Minicipelity

Implementation Schedule December, 2018 to October, 2019

N. S.		1.0		2.0	9.0		4.0	
Activity		Preparation of field works & MIS entry		Construction of Single storied DU including S & P, Elec.	Geo-tagging of DU	haffaetuchum	Works(Tenderin g formalities and	for field works
Dece	1st 2nd 3rd 4th 1st 2nd 3rd 4th 1st 2nd 3rd 4th 1st 2nd							
December, 18	3rd							
00	4th 1	1197						
JB!	Lst 2n							
January, 19	Di Br							
19	4th	No.						
	1st							
February, 19	2nd							
17,19	3rd 4							
-	th 1s							
Ma	t Znd							
1 20								
-	4ch							
	1st 2			No con		4		
April, 19	ard 4th 1st 2nd 3rd 4th 1st 2nd 3rd 4th			Since of				
19	Ird 4t							
-	th 1s							
2	t 2nd							
May,19	3rd							
	4th							
	Est							
June, 19	1st 2nd 3rd 4th						Far. III	
139	3rd 4							
	th 1s		-					
1	t 2nc							
July, 19	1st 2nd 3rd 4th							
	4th							
	ist							
August, 19								
t, 19	3rd 4th 1st 2nd 3rd 4th 1st 2nd 3rd 4th		-					
-	155							
Septe	t 2nd							
September, 19	3rd							
13	4th							
	1st							
October, 19	Sud							
7, 39	ird 4							



Work flow of PMAY - HFA (U) for 2018-19



Chairman Murshidabad Municipality

Table of Content

Introductory Note by Chairman
List of Tables2-3
List of Figures and Maps3
Abbreviations3-4
Working Definitions 4-5
Brief Project Details6-7
DPR Main Project8-112
City Profile and Over view9-12
Section 1: Introduction 13-15
Section 2: Salient features of HFAPoA and its linkage with proposed project and its
justification15-3
2.1 General introduction on status and Prioritization for proposed project15
2.2. Summary of findings of HFAPoA. Physical infrastructure & Social infrastructure, Spatial, demographic and socio-economic profiles of slums/ Non slums;
2.3 Tenure Status
2.4 Choice of Option/Vertical and its justification for housing and/or infrastructure 27-30
2.5 Resource mobilization strategy and Implementation strategy
Section 3: Project Concept and Scope
3.1 Introduction of slum(s)/non Slum Area:
3.2. Location of slum(s) / non Slum Area, Tenural Status, Land use and Land Possession status
3.3. Existing basic infrastructure and its coverage
Section 4 – Description of Proposed Project and Planning
4.1 Provision of Housing70-84
4.2 Disaster Management and mitigation————————————————————————————————————
4.3. Statutory approval including environmental clearance (as applicable)84-86 Section 5 – Project Cost Estimate
5.1. Abstract cost estimates
5.1.1 Component wise abstract for each slum/Non slums area87-88
5.2. Detailed Estimates
5.2.1. Detailed Estimate of Provision of Housing
5.2.2. Detailed Estimate of adoption of concrete Road



5.2.3. Detailed Estimate of water connection
Section 6 - Project Implementation & Management Framework
6.1. Institutional Framework for implementation
6.2. Implementation schedule
6.3. Quarterly component wise investment schedule vis-a-vis means of finance (Central/State/ULB/Beneficiaries share)
6.4. Monitoring mechanism at State, ULB and Community level.
6.5. Quality Control & Quality Assurance Plan.
Section 7 – Operation & Maintenance Plan
Section 8 - Project Financials
Annexure-1: Annexure of Drawings
Annexure-2: Annexure of Slums and Non slums Photos
Annexure-3: Annexure of Slums and Non slums Beneficiary List

Mumhidabad Municipality

Introductory Note by Chairman



Murshidabad Municipality is a historical and heritage town and it has been established in the year of 1869. From that time the distinguished persons of our town took the valuable responsibility to develop the area that the urban people could get some basic amenities. In the course of the progress of our town we have tackled different kind of crisis of the urban people.

Everybody is well aware of the flood and erosion prone zone of our neighbouring locality. West Bengal noticed a devastating flood and afflux in 2000 A.D. which damaged severely the properties of people, a considerable percentage of them had gone ruined by loss of agricultural lands and dwelling houses as well. So a heavy emigration has been made in our town on that very year and afterwards too.

Apart from this a large number of economically weaker section comprising of hawker, street vendor, rickshaw peddler, fisherman, cart puller, poor farmer etc. have been residing for a long time in our town. These distressed people of our town are very keen to get a dwelling house at least for making a permanent canopy over their heads. Moreover, the slum dwellers are required to upgrade their lives by providing a dwelling house and infrastructural developments.

Under this situation, the Central government assisted program of 'Housing for All under Prime Minister Awas Yojana' will be very effective to minimise their crisis to a great extent. In response to this, we have an utmost interest to make the specified plan, programs to materialize the scheme. And in this context, we have prepared the DPR under 'Housing For All as per guidelines and instructions of SUDA and MED. As we made an achievement in IHSDP, we hope this program also will be a milestone achievement and we all are looking forward very eagerly.

More hide and Municipality

List of Tables

SI. No	Name of the Table
1	Table-1: Format for Projects under Beneficiary led Construction or Enhancement
2	Table-2 : City at a Glance
3	Table-3: Housing constructed under the scheme of BSUP
4	Table-4: Housing constructed under the scheme of SHUP
5	Table-5: Distribution of family heads of the slum
6	Table-6: Religion of the households
7	Table-7: Ownership details of the households
8	Table-8: Housing structure details of the households
9	Table-9: Type of Housing requirement details of the households
10	Table-10: Caste details
11	Table-11: Demand of Road
12	Table-12: Justification of the Project
13	Table-13: Slum-wise Intervention strategies for Tenable Slums
14	Table-14: Year-wise Proposed Interventions for Other Urban Poor based on demand survey
15	Table-15: Introduction of slum(s)/non Slum Area
16	Table-16: Non Slum Area
17	Table-17: Location of slum(s) / non Slum Area, Tenure Status, Land use and Land Possession status
18	Table 18: Present status Water supply in Murshidabad as on 2011
19	Table-19: Details of Social Infrastructure at a Glance
20	Table-20: Dwelling units
21	Table-21: Share of Fund
22	Table-22: Statutory approval including environmental clearance
23	Table-23: Component wise abstract for each slum/Non slums area
24	Table-24: Detailed Estimate of Provision of Housing
25	Table-25: ESTIMATE FOR ELECTRICAL WORKS FOR ONE DWELLING UNIT UNDER PMAY
26	Table-26: Cost Estimate for 2 Nos Leach Pit for single unit Dwelling Unit



SI. No	Name of the Table
27	Table-27: Detailed Estimate for Single Dwelling unit
28	Table-28: Detailed Estimate of adoption of technology for Concrete
29	Table-29: Detailed Estimate of adoption of technology for Water Connection
30	Table-30: Quarterly component wise investment schedule vis-a-vis means of finance (Central/State/ULB/Beneficiaries share
31	Table-31: Project Financials

List of Figures

SLNo	Name of the Figure	=
1	Figure-1: Resource mobilization strategy and Implementation strategy	

List of Maps

SI. No	Name of the Maps
1	Map 1: Location of the Municipality
2	Map 2: Land Use Map
3	Map 3: All Slum showing in Map
4	Map 4: All Non Slum showing in Map

Abbreviation

A&OE	Administrative and Other Expenses	MoA	Memorandum of Agreement
AHP	Affordable Housing in Partnership	МоНИРА	Ministry of Housing and Urban Poverty Alleviation
AIP	Annual Implementation Plan	MoU	Memorandum of Understanding
CDP City Development Plan		IIT	Indian Institute of Technology
CLS Credit linked subsidy		NA	Non Agricultural (NA)
CNA	Central Nodal Agencies	NBC	National Building Code
CSMC	Central Sanctioning and Monitoring Committee	NHB	National Housing Bank
DIPP	Department of Industrial Policy and Promotion	NOC NPV	No Objection Certificate Net Present Value
DPR	Detailed Project Report	PLI	Primary Lending Institution
EMI	Equated Monthly Instalment	SFCPoA	Slum Free City Plan of Action



EWS	Economically Weaker Section	SLAC	State Level Appraisal Committee	
FAR	Floor Area Ratio	SLNA	State level Nodal Agencies	
FSI	Floor Space Index	SLSMC	State Level Sanctioning and Monitoring Committee	
HFA	Housing for All			
HFAPoA	Housing for All Plan of Action	TDR	Transfer of Development Rights	
HUDCO	HUDCO Housing and Urban Development Corporation		Third Party Quality Monitoring Agency	
IEC	Information Education & Communication	ULB	Urban Local Body	
IFD	Integrated Finance Division	UT	Union Territory	
LIG	Low Income Group	MD	Mission Directorate	

Working Definitions

Affordable Housing Project:	Housing projects where 35% of the houses are constructed for EWS category
Beneficiary	A beneficiary family will comprise husband, wife and unmarried children. The beneficiary family should not own a pucca house (an all weather dwelling unit) either in his/her name or in the name of any member of his/her family in any part of India.
Carpet Area	Area enclosed within the walls, actual area to lay the carpet. This area does not include the thickness of the inner walls
Central Nodal Agencies	Nodal Agencies identified by Ministry for the purposes of implementation of Credit linked subsidy component of the mission
Economically Weaker Section (EWS):	EWS households are defined as households having an annual income up to Rs. 3,00,000 (Rupees Three Lakhs). States/UTs shall have the flexibility to redefine the annual income criteria as per local conditions in consultation with the Centre.
EWS House	An all weather single unit or a unit in a multi-storeyed super structure having carpet area of upto 30 sq. m. with adequate basic civic services and infrastructure services like toilet, water, electricity etc. States can determine the area of EWS as per their local needs with information to Ministry.
"Floor Area Ratio" (FAR)/FSI	The quotient obtained by dividing the total covered area (plinth area) on all the floors by the area of the plot: FAR =Total covered area on all the floors x 100
	Plot area If States/Cities have some variations in this definition, State/City definitions will be
ED Gout of West Re	

Chairman
Chairman
Murahidabad Municipality

	accepted under the mission
Implementing Agencies	Implementing agencies are the agencies such as Urban Local Bodies, Development Authorities, Housing Boards etc. which are selected by State Government/SLSMC for implementing Housing for All Mission.
Low Income Group (LIG):	LIG households are defined as households having an annual income between Rs.3,00,001 (Rupees Three Lakhs One) up to Rs.6,00,000 (Rupees Six Lakhs). States/UTs shall have the flexibility to redefine the annual income criteria as per local conditions in consultation with the Centre.
Primary Lending Institutions (PLI)	Scheduled Commercial Banks, Housing Finance Companies, Regional Rural Banks (RRBs), State Cooperative Banks, Urban Cooperative Banks or any other institutions as may be identified by the Ministry
Slum	A compact area of at least 300 population or about 60-70households of poorly built congested tenements, in unhygienic environment usually with inadequate infrastructure and lacking in proper sanitary and drinking water facilities.
State Land Nodal Agencies (SLNAs)	Nodal Agency designated by the State Governments for implementing the Mission
Transfer of Development Rights (TDR)	TDR means making available certain amount of additional built up area in lieu of the area relinquished or surrendered by the owner of the land, so that he can use extra built up area himself in some other land.

Chairman
Murshidabad Municipality

Brief Project Details

Pradhan Mantri Awas Yojana (PMAY) aims at Providing Housing for All (HFA) by 2022 when the Nation Complete 75 years of its independence.

The urban homeless persons contribute to the economy of the cities and thus the Nation as cheap labour in the informal sector; yet they live with no shelter or social security. The urban homeless people are not getting service with many challenges like no access to elementary Public Services such as health, education, food, water and sanitation. Pradhan Mantri Awas Yojona (PMAY) also aims at providing a pucca house to every family with water connection, toilet facilities, 24 X 7 electricity supply and access.

The Mission seeks to address the housing requirement of urban poor including slum dwellers through "In Situ" Slum Redevelopment, Affordable Housing through credit linked subsidy, and Affordable Housing in partnership and subsidy for beneficiary led individual house. Under the mission, beneficiaries can take advantage under one component only.

Total beneficiaries of the scheme are 1152 nos from slum and Non Slum projected for the year 2018-19.

Total cost of the project is Rs. 4663.30 lakhs as per relevant department & P.W.D. schedule of rates.

Chairman Chairman Municipality

Annexure 7C

(Para 14.5 of the Guidelines)

Format for Project under Beneficiary Led Construction Or Enhancement

1	Name of the State:	:					West E	Bengal			
2	Name of the District:	:		Murshidabad							
3	Name of the City:	:	Murshidabad								
4	Project Name:	:	Murshidabad HFA-MURSHIDABAD 2018-19								
5	Project Code:	+	19801660034N0								
6	State Level Nodal Agency:	+				-21					
7	Implementing Agency/ ULB				State				cy (SUDA)		
8	Date of Approval by State Level Sanctioning and Monitoring Committee (SLSMC)					Mur	shidabad	Municipa	lity		
9	No. of location covered in project: No of Slum Area Covered & No of Non Slum Area Covered	:	Name of Location		No. of beneficiaries		Slum	ether / Non- um	If Slum, then Slum type	If slum, whether it gets completely rehabilitated	
	Simil Area Covered	0.0	Murshid Munici Area	pal			both S Non-	Slum & Slum area	Notified	No	
10	Project Cost (Rs. In Lakhs)	10					4663			1	
11	No. of beneficiaries covered in the project	7	GEN	SC		ST	OBC	Total	Minority	Person with Disability	
		:	556	262		36	298	1152	189	Nil	
12	Whether beneficiary have been selected as PMAY Guidelines?	1		1-			Ye	s	-		
13	No. of Houses constructed / acquired. Please specify ownership (Any of these)		Joint		Female		Male		Transgen	der	
			Nil		289		863	Nil			
	No. of beneficiaries covered in the	6	Male		Female		Transgender				
14	project	:	863		289				Nil		
15	Whether it has been ensured that selected beneficiaries have rightful ownership of the land?	-					Ye	S			
16	Whether building plan for all houses have been Approved?	4					Yes	S			
	i. GoI grant required (Rs. 1.5 lakh per eligible beneficiary) (Rs. in Lakhs) ii. State grant, (Rs. in Lakhs)	:					1728. 2435.				
17	iii. ULB grant (Rs. in Lakhs)	:					2435.				
	iv. Beneficiary Share (Rs. in Lakhs)	:					288.0	00			
	v. Total (Rs. in Lakhs)	:					4663.	30			



18	Whether technical specification / design for housing have been ensured as per Indian Standards / NBC/ State Norms?	:	Yes
19	Whether it has been ensured that balance cost of construction is tied up with State Grant, ULB Grant & Beneficiary Share?	*	Yes
	Whether trunk and line infrastructure is existing or being provisioned?	*	
	i. Water Supply	:	Yes
	ii. Sewerage	:	No
	iii. Road	:	Yes
	iv. Storm Water Drain		Yes
	IV. Storili Water Drain	7	
	v. External Electrification	;	Yes
	vi. Solid Waste Management	:	Yes
	vii. Any Other	:	No
	viii. In case, any infrastructure has not been proposed, reason thereof.	1	Sewerage Scheme has not been proposed due to desired level of supply of water as CPHEEO norms has not been achieved.
20	Whether disaster (earthquake, flood, cyclone, landslide etc.) resistant features have been adopted in concept, design and implementation of the project?	:	Yes
21	Whether Demand Survey Completed for entire city?	:	Yes
22	Whether City-wide integrated project havebeen formulated? If not reasons thereof?		Yes
23	Whether validation with SECC data for housing condition conducted?	:	Yes
24	Whether Direct Benefit Transfer (DBT) of fund to individual bank account of beneficiary ensured in the project?	:	Yes
25	Whether there is provision in DPR for tracking/monitoring the progress of individual houses through geo-tagged photographs?		Yes
26	Whether any innovation/cost effective / Green technology adopted in theproject?	:	Yes
27	Comments of SLAC after techno economic appraisal of DPR	:	Project covers the most needy beneficiaries
28	Project brief including any other information ULB/State would like to		The project covers all wards
	furnish	:	



It is hereby confirmed that State/UT and ULB have checked all the beneficiaries as per guidelines of HFA. It is also submitted that no beneficiary has been selected for more than one benefit under the Mission including Credit Linked Subsidy Scheme (CLSS) component of the Mission.

Signature of the

Mayor/ Chairperson/Municipal Commissioner

Signature

Chief Engineer

M.E Dte, GoWB

Signature

Director, SUDA

Signature

Principal Secretary, UD & MA Department, GoWB

DPR Main Report

City Profile and Overview

History

The Murshidabad Municipality is a very old historical town founded in the 16th century by the great Mughal Emperor Akbar. The city of Murshidabad was the latest capital of Bengal before British era. In 1704, Murshid Quli Khan, the Diwan of Bengal under Aurangzeb transferred the capital from Dacca (present Dhaka in Bangladesh) and renamed the city Murshidabad. In 1716, he attained the title of Nawab of the Subah (province) of Bengal and Murshidabad became his capital. It continued to be the capital under a succession of Nawabs, and also under the British until 1790.

EVOLUTION & GROWTH

As per the DDP, 2008 in the year 1869 Murshidabad Municipality was formed with 8 wards. After Independence, due to increase in population the Municipality expanded in area with 12 wards and in the year 1971 Municipal records show a population of 17110 and 1295 hectares of area. After one decade the number of municipal wards decreased in number from 12 to 10 but the area remained same and with a population of 21341. In 1991, municipality again increases its ward numbers from 10 to 12. In 1991 the population of this municipality was 30327 with an area of 1295 hectares. In the next decade, Murshidabad Municipality again increased the number of wards from 12 to 16 with an area of 1640 hectares and with a population of 36947. Now, Municipality has 16 wards with a population of 44019 (Census 2011) and area is 1750 hectares as per the DDP, 2008.


TOPOGRAPHY

Topographically the town is located in the belt of Gangetic plain and situated at the fringe of the largest Delta in the world. Therefore the town is extremely flat in nature with few submerged low lying areas. Average ground level is approximated to 10.23 m above MSL.

GEOLOGY & GEOMORPHOLOGY

The intermediate tract of Indian portion that lies between Bhagirathi and Padma and from where the great deltaic plain has started is called Murshidabad. The district is divided into two broad zones Radh and Bagri, which are situated on the Western and Eastern side of the river Bhagirathi.

The Murshidabad Municipality comes under the Eastern tract or Bagri. It lies almost entirely between the Ganga, Bhagirathi and is characterized by the nature of inundation with many swamps. The soil of Bagri area is mainly alluvial type with comparatively light texture, low in organic carbon content and soil reaction shows slightly acidic to neutral. The Bhagirathi is a long narrow river valley and is very much fertile and suitable for cultivation.



CLIMATIC CONDITIONS

Murshidabad has a tropical wet-and-dry climate. The annual mean temperature is approximately 27 °C while the monthly mean temperatures range from 17 °C to 35 °C. Summers are hot and humid with temperatures 30deg C and during dry spells the maximum temperatures often exceed 40 °C during May and June. Winter tends to last for only about two and a half months, with seasonal lows dipping to 9 °C – 11 °C between December and anuary. On an average, May is the hottest month with daily average temperatures ranging from a low of 27 °C to a maximum of 40 °C, while January the coldest month has temperatures varying from a low of 12 °C to a maximum of 23 °C. Often during early summer, dusty squalls followed by spells of thunderstorm or hailstorms and heavy rains cum ice sleets lash the district, bringing relief from the humid heat. These thunderstorms are convective in nature, and are locally known as Kal baisakhi. Rains brought by the Bay of Bengal branch of South-West monsoon lash the city between June and September and supplies the district with most of its annual rainfall of approx 1,600 mm (62 in). The highest rainfall occurs during the monsoon in August with 300 mm (12 in).

Demographic Growth

The population of Murshidabad Municipality is 44,019 as per Census 2011 and according to Census 2001 the population of the city was 36,947 with a decadal population growth of 19.15 per cent. The rate of population growth was highest in 1971-1991 because many immigrants entered this city from Bangladesh, then East Pakistan during Pakistan war. After that in the following decade the population growth rate was decreased to 21.82 per cent showing stability of population but again it decreased to 19.15 per cent during 2011 indicating that there is no scope of expansion of the city because of lack of employment opportunities since there is no industrial potential. The citizens of this municipality are migrating to the metro city for employment and education. The growth pattern is shown in the Table and Figure below.

Connectivity

The Murshidabad Municipality is connected to all the other important districts of West Bengal by road and rail transport. The distance of the town from the district Head Quarter Berhampore is 10 km. The town is well connected by Sealdah-Lalgola section and Howrah-Bandel-Azimganj section of Eastern Railway. The distance from capital of West Bengal is 200 km.

Economic Profile

Murshidabad is known for its rich history, the most important feature of this old city is that it has never got adequate attention in spite of the fact that this feature could have been utilized for the overall development of the city as well as the adjoining area. As this town is famous for different types of Old Heritage monuments, approximately fifteen to seventeen lakh of tourists visit this historical town every year. Significant numbers of poor local people are dependent on those tourists for livelihood as there is no existence of large scale industry in this area. Besides this, most of the people depend on agriculture for their livelihood. There are some silk farms and some weaving factories, but they are losing out fast against the modern industries. Murshidabad is famous for the high quality silk produced here. Beedi industry is also there. Many of the West Bengal's major beedi companies

Murahidabed Municipality

are from this Municipality. There is immense possibility for tourism industry as a service sector to flourish in Murshidabad. This would create employment opportunity as well as help us in maintaining different historically important sites thereby bringing about overall economic development. The economic development of Murshidabad Municipal Town is comprehensively based on local investment, driven by the stakeholders. Since there is no large scale industry established yet within the Municipal jurisdiction, initially medium & small scale units need to be promoted for economic development of the middle.

Table-2: City at a Glance

SI.no	Indicator	2001	2011	2015	
1	Area (in SqKm)				
1.1	Planning Area (Sq. Km)	17.5 Sq. Km.	17.5 Sq. Km.	17.5 Sq. Km.	
1.2	Municipal Area (Sq. Km)	17.5 Sq. Km.	17.5 Sq. Km.	17.5 Sq. Km.	
1.3	Area of Slums (Sq. Km)	7.04 Sq. Km.	7.04 Sq. Km.	7.04 Sq. Km.	
2	Number of Municipal Wards	16	16	16	
3	Population and Households				
3.1	Total Population (no's in millions)	40057 44019		48415	
3.2	Number of Households				
3.3	Density of Population	2108 per sq km	2516 per sq km	2767 per sq kr	
3.4	Slum households as percentage of total Households in city	NA	67	62	
3.5	Current (2015) Population (Year of Survey) (no's in millions)	N	A	48415	
3.6	Current Number (2015) of Households (Year of survey)	N	NA		
3.7	Slum population as percentage of total population in city	N	NA		



Municipal Map

Section I: Introduction

"Housing for All" Mission for urban area will be implemented during 2015-2022 and Mission will provide central assistance to implementing agencies through States and UTs for providing houses to all eligible families/beneficiaries by 2022. Mission will be implemented as Centrally Sponsored Scheme (CSS) except for the component 1.2 of credit linked subsidy which will be implemented as a Central Sector Scheme. A beneficiary family will comprise husband, wife, unmarried sons and/or unmarried daughters. The beneficiary family should not own a pucca house either in his/her name or in the name of any member of his/her family in any part of India to be eligible to receive central assistance under the mission. States/UTs, at their discretion, may decide a cut-off date on which beneficiaries need to be resident that urban area for being eligible to take benefits under the scheme. Mission with all its component has become effective from the date 17.06.2015 and will be implemented upto 31.03.2022. All 4041 statutory towns as per Census 2011 with focus on 500 Class I cities would be covered in three phases as follows:

- Phase I (April 2015 March 2017) to cover 100 Cities selected from States/UTs as per their willingness.
- Phase II (April 2017 March 2019) to cover additional 200 Cities
- Phase III (April 2019 March 2022) to cover all other remaining Cities

Ministry, however, will have flexibility regarding inclusion of additional cities in earlier phases in case there is a resource backed demand from States/UTs.

The HFAPoA for Murshidabad has been prepared in accordance with the guidelines issued by Ministry of Housing and Urban Poverty Alleviation, Government of India. Overall approach adopted throughout the preparation of this HFAPoA has been based on four key principles,

- well rounded stakeholder consultations,
- continuous community involvement,
- providing innovative solutions and
- coordination & validation.

Methodology adopted for preparation of HFAPoA is demonstrated in the below:

- 1) Taking Initiative for Demand Assessment Survey.
- 2) Conducting Orientation Programme with elected representative and officers of ULB.
- 3) Conducting Orientation programme with Supervisors and Enumerators.
- 4) Conducting Demand survey and complete the work.
- 5) Conducting Data Entry of the survey form and complete the work
- 6) Analysis of the data.
- 7) Filling up the requisite formats.
- 8) Planning of project with elected representatives and officers of ULB.

Charman Charles Munici

- 9) Preparing investment requirement and Financial plan
- 10) Finalization of HFAPoA.

The total number of Census houses put to residential use is 12590 and the total number of households in Murshidabad Municipality is 9829 as per Census 2011. Thus it gives a houses/HH ratio of 1.28. Out of the total number of houses 0.5 percent is vacant houses which are an indicator of locked up assets.

In context of Murshidabad Municipality 53% of households live in pucca or partially pucca houses. Housing condition in its slums is not in good shape as 47% houses are either Katcha or semi-pucca. Considering the above, municipality has already initiated construction of affordable houses in 80 slums spread over 16 wards on a piecemeal basis leveraging ISHDP scheme in a phased manner. In the First phase (2008-2012) total 437 houses were constructed in 45 slums spread over 16 wards in IHSDP and SUHP. Infrastructure projects like Road, Drain and pipeline work were also targeted in some of the slums.

The following table gives ward-wise construction of urban poor houses planned during 2007-08 till date under IHSDP and SHUP.

Table-3: Housing constructed under the scheme of IHSDP

SI No	Ward No	_ Total
1	1	40
2	2	10
3	3	32
4	4	15
5	5	10
6	6	7
7	7	40
8	8	50
9	9	35
10	10	40
11	11	35
12	12	35
13	13	8
14	14	40
15	15	50
16	16	50
otal		497



Table-4: Housing constructed under the scheme of SHUP

SI No	Ward No	Total
1	1	4
2	2	2
3	3	4
4	4	2
5	5	2
6	6	2
7	7	2
8	8	2
9	9	2
10	10	2
11	11	2
12	12	2
13	13	2
14	14	2
15	15	4
16	16	4
Total		40

Section: 2 Salient features of HFAPoA and its linkage with proposed project and its justification

2.1 General introduction on status and Prioritization for proposed project

In summarizing the HFAPoA of Murshidabad Municipality, Murshidabad Municipality takes one for implementation of the project i.e. "Beneficiary –led – construction". For this project, Murshidabad Municipality conducted Demand Assessment survey for getting total requirement of houses in the ULB. From this survey, the total survey form received 7107. Out of 5379 form received from 80 slums and 1728 forms received from non slums. 7107 houses will be constructed through "Beneficiary-led-Construction."

2.2. Summary of findings of HFAPoA. Physical infrastructure & Social infrastructure, Spatial, demographic and socio-economic profiles of slums/ Non slums;

Housing for All (HFA) Scheme has since been launched by the Ministry of Housing & Urban Poverty Alleviation (MoHUPA), Govt. of India in Mission mode which envisages provision of Housing for All by 2022 when the Nation completes 75 years of its Independence. The Mission seeks to address the housing requirement of urban poor including slum dwellers through following programme verticals:

a) Redevelopment of slums with private participation



- b) Promotion of affordable Housing for weaker section through credit linked subsidy
- c) Affordable Housing in partnership with public sectors
- d) Subsidy for beneficiary-led individual house construction.

In compliance with the objective and as per direction of the Ministry of Housing & Urban Poverty Alleviation (MoHUPA) and State Urban Development agency(SUDA), West Bengal was undertake a demand survey through suitable means for accessing the actual demand of housing. For this mission Murshidabad Municipality undertook Demand survey on 20.09.2015 and completed the survey on 05.10.2015. From this survey, different information have been took off. Summary of findings of survey have been given below:

Table-5: Distribution of family heads of the slum

		FAMILY HEAD			
WARD NO	MALE	FEMALE	OTHER	TOTAL	
1	752	190	1	943	
2	253	70	0	323	
3	128	34		162	
4	63	38		101	
5	157	38		195	
6	169	69		238	
7	210	83		293	
8	800	166		966	
9	401	125		526	
10	166	67		233	
11	227	40		267	
12	319	42		361	
13	611	56		667	
14	460	61	1	522	
15	325	59	2	386	
16	844	80		924	
Total	5885	1218	4	7107	

Source; Demand survey,2015

From the above table, it is noticed that Municipality conducted of survey of 7107 household. Out of 7107 households, 5885 households headed by male member, 1218 households headed by female member and 4 households headed by other. Ward-wise details are given in the table.

Table-6: Religion of the households

Religion										
WARD NO	HINDU	MUSLIM	CHRISTIAN	SIKH	OTHER	BUDDHISM	JAINISM	TOTAL		
1	324	618	1					943		
2	221	102						323		
3	105	57						162		
4	91	9	1					101		
5	140	55						195		
6	131	107						238		

MED Govt. of West Bengal



Total	5327	1776	2	1	0	1	0	7107
16	924							924
15	368	18						386
14	519	3						522
13	667							667
12	304	57						361
11	264	3						267
10	99	134						233
9	306	219				1		526
8	655	310		1				966
7	209	84						293

Source; Demand survey, 2015

From the above table, it is noticed that out of 7107 households, 5327 households falls under Hindu community, 1776 households falls under Muslim Community, 2 households falls under Christian community and 1 household fall Jainism community each. Ward-wise details are given in the table.

Table-7: Ownership details of the households

		Ownership Det	ails	
Ward No.	Own	Rented	Otherwise	TOTAL
1	939	4		943
2	323			323
3	162			162
4	101			101
5	195			195
6	238			238
7	293			293
8	966			966
9	526			526
10	233			233
11	267			267
12	361			361
13	667			667
14	522			522
15	386			386
16	924			924
otal	7103	4		7107

Source; Demand survey, 2015 (Note - Only B format)

MED Govt. of West Bengal



From the above mentioned table, it implies that Out of total 7107 households, 7107 households have own ownership, 4 households lives in rented house but they have own land.

Table-8: Housing structure details of the households

	Type of house		
Ward No.	Semi pucca	Kucha	TOTAL
1	262	681	943
2	277	46	323
3	145	17	162
4	58	43	101
5	116	79	195
6	39	199	238
7	17	276	293
8	777	189	966
9	456	70	526
10	40	193	233
11	246	21	267
12	172	189	361
13	12	655	667
14	5	517	522
15	50	336	386
16	83	841	924
Total	2755	4352	7107

Source; Demand survey, 2015 (Note - Only B format)

From the above table, it shows that, out of total 7107 households, 2755 households lives in semi-pucca structure house and 4352 households lives in kucha structure house. Ward-wise details are given in the table.

Table-9: Type of Housing requirement details of the households

TYPE OF HOUSING REQUIRMENT							
WARD NO	ENHANCMENT	NEW HOUSE	TOTAL				
1	0	943	943				
2	0	323	323				
3	0	162	162				
4	0	101	101				
5	0	195	195				
6	0	238	238				
7	0	293	293				
8	0	966	966				

Chairman Murahidebed Municipality

Total	0	7107	7107
16	0	924	924
15	0	386	386
14	0	522	522
13	0	667	667
12	0	361	361
11	0	267	267
10	0	233	233
9	0	526	526


Source; Demand survey, 2015

From the above table, it is noticed that out of total 7107 households falls under the scheme. From that 7107 household require new house construction. Ward-wise details are given in the table.

Table-10: Caste Details

		Cast	e Detail	ls		
Ward No.	General	SC	ST	OBC	Minority	TOTAL
1	67	229	1	28	618	943
2	50	71		1	201	323
3	51	51		3	57	162
4	66	21		4	10	101
5	80	56		4	55	195
6	111	18	2	0	107	238
7	188	20		1	84	293
8	488	94		74	310	966
9	161	140	1	5	219	526
10	97	2			134	233
11	7	254	2	1	3	267
12	169	121	4	10	57	361
13	665	2			0	667
14	522				0	522
15	81	257	25	5	18	386
16	102	798	9	15	0	924
	2905	2134	44	151	1873	7107

Source; Demand survey, 2015



There are 2905 households belong to general caste out of 7107 households and 2134 households are SC community, 151 households are in OBC, 44 households are ST and 1873 nos households are minority.

In summarizing the HFAPoA of Murshidabad Municipality, Murshidabad Municipality takes two vertical for implementation of the project i.e. "Beneficiary –led – construction" and Affordable Housing in Partnership (AHP). For this project, Murshidabad Municipality conducted Demand Assessment survey for getting total requirement of houses in the ULB. From this survey, the total survey form received 7107. Out of 5379 form received from 80 slums. 7107 houses will be constructed through "Beneficiary-led-Construction" and Affordable Housing in Partnership (AHP).

Land use and Land availability

According to the Draft Development Plan of Murshidabad Municipality 2008, the Special area of Murshidabad Municipality comprises of 1750 hectares. The existing land distribution by types and nature of land is shown in Table below and existing predominant land use of Murshidabad Municipality

Table-11: Land Use Pattern

SI. No.	Category	Area	%
1	AGRICULTURAL AREA	2.14	12
2	COMMERCIAL AREA	0.67	4
3	RESIDENTIAL AREA	7.96	45
4	PUBLIC- SEMI PUBLIC	1.42	8
5	SLUM AREA	0.77	4
6	VACANT LAND	0.13	1
7	WATER BODY	1.33	8
8	PLAY GROUND	1.10	6
9	TRANSPORTATION	1.98	11
	Total	17.5	100

Chairman Chairman Municipality Land Use Map

Chairman Murshidabed Municipality

a) Water Supply

Municipal authority and PHE are supplying water at present in this ULB. Municipal authority supplies water only through 533 nos. of hand-tube wells maintained by them. This supply is inadequate in quantity and in quality as wells. A part of Murshidabad Municipal area (Ward No 1, 8) is Arsenic prone. Therefore using ground water is not safe for the people living here.

PHE supplies water in this ULB thorough 158 nos. of stand posts and the existing distribution network, covering 20% of the total municipal area and meeting only 25% of the total demand. There is no house connection at present in this ULB.

At present there is scarcity of pure water in the slums of Murshidabad Municipality. Average quantity of water that is presently supplied is 33LPCD in Murshidabad Municipal Area and the condition of slums is poorer in this respect. Slum dwellers are mainly dependent on hand tube-wells maintained by the municipality.

b) solid waste management

In this ULB door to door waste collection being introduced lately along with arrangement of more equipment for proper solid waste management. Physical conditions of some existing vats in market places are unsatisfactory and naturally there is demand for more vats to be located at suitable places. At present about 8 Mt of solid waste being generated throughout the municipality and of them 3.75 Mt (47%) being regularly collected and for the absence of proper dumping place those are disposed of at various low lands. There is need for an in depth study and preparation of modern plan keeping in mind the projected values of population for effective SWM system for the municipality.

c) Sewerage and Sanitation

There is no integrated sewerage system in the municipal area at present2. 4520 nos. of Pour Flash Latrines have been constructed in phases under Government schemes. In addition there are about 2200 nos. of Septic tanks in the municipal area. In totality, hygienic sanitary facilities do not cover all the holdings of this ULB. So at present there is an urgent need for enhanced hygienic sanitation facilities.

d) Drainage

The table below shows that there are still Kaccha drains in this ULB in certain wards; Pucca drains are more or less evenly distributed throughout the ULB except in Ward Nos. 8, 11, 13 and 16. Drainage seems to be an inherent and the most serious problem of Murshidabad municipal area. Moreover, growing urbanization and consequent increase in built spaces and other infrastructural developments has blocked some of the natural drainage channels. The percentage of water bodies and wetlands in the land use pattern of the municipal area which used to act as outfalls and reservoirs of drainage water are decreasing in a rapid pace. Thus, water logging in slight rainfall has become a regular incident especially in rainy season when normal life gets totally disrupted in many parts of Murshidabad municipality.



e) Street Lighting

Street lighting facility is available throughout this Municipality. However due to on-going development of this Municipality extension of street light facility has become a necessity. The illuminating capacities of these bulbs are very poor and they are very prone to be defective in every now and then. This increases the recurring maintenance expenditure. So substitution of these bulbs with energy saving CFLs and Sodium vapours in cases of important road junctions, will enhance the street lighting facilities in this ULB and reduce the maintenance cost and energy consumption as well.

f) Education

Primary survey was conducted to ascertain the demand for pre-primary and primary schooling within the Murshidabad Municipal area with parameters like Awareness and agreement of parents to send their children to schools, Facilities available in the schools particularly of books, Mid-day Meal, school infrastructure, Teacher student –parents relationship and Location and environment of schools as all these factors effect on the overall performance of a school. 23% of the children are not attending schools. These children are either dropouts or they are not being enrolled at all. From the above table it also reveals that though the average rate of children not attending school is 23% it is more than 35% in the ward nos. 1, 3, 7 and 14. However this fact simply speaks on then need of mass awareness on the importance of primary education among the citizens especially from the marginal section, the main reason behind school drop out of children is Financial. Thus it can be said that poverty is playing crucial role in keeping this area backward in terms of primary education.

Project Justification

For the following reasons Murshidabad Municipality selected the slums namely mentioned below as first project for preparation of DPR under HFAPoA (PMAY):

Table-12: Justification of the Project

SI.No	Name of the Slums	Status	Land	Age in years	National High Way	Status of Housings	Road Status	Habitation pattern
1	MOTIJHIL DARGAPRA	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the sturns is congested with insufficient open space
2	MOTIJHEEL DASPARA(S.C002)	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation patiem in the slums is congested with insufficient open space
3	DIGHI PARA 2	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of dama / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
4	BINPÁRA(S.C009)	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the alums is congested with insufficient open space
5	HAIPATGANJ BAGAN PARA	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick peved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
6	HAIPATGANJ THANAPARA(S.C011)	The condition of living in the slum	Own Land	More than 10 years	The National Highway is 1-1.5	Major population is living in huts, made of	Majority portion of	Habitation pattern in the slums is

MED Govt. of West Bengal



		is unhygienic			kms away	dama / bricks with tin sheets and asbestos/tiles on roof	roads are brick paved or damaged roads.	congested with insufficient open space
7	SAHANAGAR COURT- PALLY(BHAGIRATHI ASHRAM)(S.C012)	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 lons away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/files on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slurre is congested with insufficient open space
8	TIKATULIPARA(5 NO. TIKATULIXS.C014)	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of damsa / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick payed or damaged roads.	Habitation pattern in the alume is congested with insufficient open space
9	TIKATULI(4 NO. TIKATULI)	The condition of living in the sturn is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
10	FAKIRTULI BANSGOLA NAPIT PARA	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darme / bricks with tin sheets and asbestos/tiles on roof	Majority porition of roads are brick paved or damaged roads.	Habitation pattern in the sturns is congested with insufficient open space
11	JUBLITANK(S.C017)	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of dame / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
12	BANSGOLAROAD, BASTI	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the siums is congested with insufficient open space
13	KUTUBPUR HAZRAPARA	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the alums is congested with insufficient open space
14	KALANDARBAGH	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of dama / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
15	KALANDARBAGH BIHARIPARA	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
16	KALPUKUR RAIL BASTI(S.C025)	The condition of living in the stum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
17	BAHADUR ALI CHOWRAHA(S.C026)	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 lons away	Major population is living in huts, made of dama / bricks with tin sheets and asbestos/files on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
18	RAIL PARA(S.C031)	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 lons away	Major population is living in huts, made of dama / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the stums is congested with insufficient open space
19	SABJIKATRA COLONY	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
20	Nakurtala,ramKrishna pally	The condition of fiving in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
21	RAILPARA MATHPARA	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation patters in the slums is congested with insufficient open space
22	Station Para	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space.



23	Naginabagh, Ghoshpara	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
24	RAJABAZAR KHASPARA	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
25	BUDHAS PARA MANDAL PARA	The condition of living in the stum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
26	Chandrapur	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
27	Nehal bagh	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 luns away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern In the slums is congested with insufficient open space
28	KILLA BASTI	The condition of fiving in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Hebitation pattern in the alums is congested with insufficient open space
29	Naba Adarsha School Basti	The condition of living in the stum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
30	FARASKHANA BASTI	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
31	ICCHAGANJ. DEBNATHPARA	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
32	RAI PARA	The condition of living in the slum is untrygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the sturns is congested with insufficient open space
33	KURMITOLA COLONY NO 2	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is tiving in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
34	NEHAL BAGH THAKUR PARA	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
35	RAIL COLONY KURMITOLA	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slume is congested with insufficient open space
36	KURMITOLA COLONY NO 3	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
37	ICHHAGANJ	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestoe/files on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
38	ICHHAGANJ MOGATULI	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in fluts, made of dams / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the sturns is congested with insufficient open space
39	ICCHAGANJ- GARWANPARA	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with sin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged	Habitation pettern in the slums is congested with insufficient open space

MED Govt. of West Bengal

Chairman Murehidabed Municipality

							1	Lancacion de la companya del companya del companya de la companya
40	CHAIPARA DEAR	The condition of living in the stum is untrygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darrea / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation patter in the slums is congested with insufficient open space
41	KURMITOLA 4 NO COLONY	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation patters in the slums is congested with insufficient open space
42	RANSAGAR MONDAL PARA	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation patter in the slums is congested with insufficient open space
43	HOSSAIN DALAN, MONDAL PARA	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 lons away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/files on roof	Majority portion of roads are brick paved or damaged roads	Habitation patter in the slums is congested with insufficient open space
44	HATAATH COLONY	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation patter in the slums is congested with insufficient open space
45	KURMITOLLA COLONY	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 lons away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation patter in the slums is congested with insufficient open space
46	NASHIPUR TAKEPARA	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 itms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation patter in the slums is congested with insufficient open space
47	SATICHURA HARIGANJ	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation patter in the slums is congested with insufficient open space
48	NASHIPUR GHOSH PARA	The condition of fiving in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads	Habitation patter in the slums is congested with insufficient open space
49	NASHIPUR RAJBATI	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 luns away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads	Habitation patter in the slums is congested with insufficient open space
50	JAFRAGANJ	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads	Habitation patter in the slums is congested with insufficient open space
51	SHYAMPUR CHINIMAHAL	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/files on roof	Majority portion of roads are brick paved or damaged roads.	Habitation patter in the slums is congested with insufficient open space
52	CHAIPARA DEAR	The condition of living in the stum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads	Habitation patter in the slums is congested with insufficient open space
53	BHATAPARA(S.C071)	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick payed or damaged roads	Habitation patter in the slums is congested with insufficient open space
54	LICHUTALA, MAILBASA	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of dama / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads	Habitation patter in the slums is congested with insufficient open space
55	HARIGANJ BAGAN	The condition of living in the sturn is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 luns away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation patter in the slums is congested with insufficient open space
56	KATHGOLA KHASPARA CHINI MOHAL NASHIPUR	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 lons away	Major population is living in buts, made of darma / bricks with tin	Majority portion of roads are brick	Habitation patter in the slums is congested with



						sheets and asbestos/tiles on roof	paved or damaged roads.	insufficient open space
57	RANSAGAR NORTH	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 luns away	Major population is living in huts, made of damna / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the sturns is congested with insufficient open space
58	KAMALBAGH	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darms / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
59	KAMALBAGH BAHUBEGUMBAGH	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 tms away	Major population is living in huls, made of darma / bricks with tin sheets and asbestos/files on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
60	TALBAGAN-PUTIAPARA 1	The condition of tiving in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of dama / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation pattern in the slums is congested with insufficient open space
61	TALBAGAN-PUTIAPARA 2	The condition of living in the slum is unhygienic	Own Land	More than 10 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick paved or damaged roads.	Habitation patterr in the sturns is congested with insufficient open space
62	13 numbers NON SLUM	The condition of living in the slum is unhygienic	Own Land	More than 50 years	The National Highway is 1-1.5 kms away	Major population is living in huts, made of dams / bricks with tin sheets and asbestos/tiles on roof	Majority portion of roads are brick payed or damaged roads.	Habitation pattern in the atums is congested with insufficient open space

2.3 Tenure Status

As per the demand survey and geographical location of the city out of four verticals municipality has taken only Beneficiary Lead Construction (BLC) for the year 2018-19. In the 3^{rd year} of implementation of Housing for All, 1152 beneficiaries have been identified for the construction of New House through BLC. The above beneficiaries have been selected only who have their own land required for the construction of new house under BLC.

2.4 Choice of Option/Vertical and its justification for housing and/or infrastructure

- "In-situ" Slum Redevelopment using land as Resource(include viability analysis)
- Credit-Linked Subsidy Scheme (CLSS)
- Affordable Housing in Partnership (AHP)
- · Beneficiary-led individual house construction or enhancement

In the case of Murshidabad Municipality, Munnicipality takes only one vertical i.e. is "Beneficiary led construction". From present Demand Assessment survey for Housing for all (HFA), it is noticed that 7107 household covering under this project. 5064 houses will be constructed through "Beneficiary-led-Construction" and 2043 houses will be constructed through AHP. Under "Beneficiary-led-Construction" and AHP each beneficiary will get 1.5 lakh from central assistance.



Table-13: Slum-wise Intervention strategies for Tenable Slums

Name of the Slum	Area of the Slum in sq. mtrs	Total No. of Slum Households as per	Proposed Development Strategy i. Affordable Housing Project (AHP) ii. Credit Linked Subsidy Scheme (CLSS)			
	sq. mus	Demand Survey*				
			iii. Beneficiary Led Construction			
		A VALUE OF THE PARTY OF THE PAR	AHP	BLC		
2 No. Kurmitola	61028	66	0	66		
3 No. Kurmitola	37040	40	0	40		
Aghoripara Basti	23793	27	27	(
Astabal	7631	27	27			
Azadhindbagh	121783	317	317	(
Bahadur Ali chowrah	9678	28	0	28		
Bakhrigoli	27774	87	40	47		
Banshgola Road (basti)	11035	26	0	26		
Baulibagh(Batakkhana)	38086	105	63	42		
Bhatapara	65044	43	0	4		
Binpara	62280	34	0	3		
Budhas Para Mondalpara	110114	60	0	6		
Burning Ghat More	30421	3	3			
Chaipara Dear-12	27817	82	0	8.		
Chaipara Dear-14	59717	65	0	6		
Chandrapur	151866	60	0	6		
Dakshin Darwaza Hatath colony	20137	107	107			
Daulat madar	54843	35	31			
Dighipara 1	11838	41	39			
Dighipara 2	24373	34	23	1		
Fakirtuli & B.Gola N. Para	9421	15	0	1		
Faraskhana basti	26133	42	39			
Gangadhar colony	36783	5	0			
Haipath ganj bagan para	27089	75	0	7		
Haipath ganj thana para	50692	65	0	6		
Hariganj bagan	544623	97	0	9		
Hatath colony -13	142894	116	0	11		

Chairman Chairmicipality

Hossaine dalan Mondal para	70561	22	0	2
Ichhaganj Debnath Para	44417	16	14	
Ichhaganj Garwanpara	36678	43	0	4
chhaganj	125190	73	0	7
chhaganj Mogoltuli	62300	69	0	6
Jafraganj	414941	105	0	10
Jubilee tank	17443	32	0	3
Kadamsarif (Naginabagh)	48460	86	0	8
Kalenderbagh	33228	17	0	1
Kalenderbagh (Behari para)	8816	57	0	5
Kalpukur rail basti	9399	24	0	2
kamalbagh	20834	92	0	9
kamalbagh Bahubegumbagh	169672	58	0	5
Kathgola khash para Chini mohal	51450	99	0	9
Killa basti	41259	45	34	1
Killa Nizamat basti	12408	36	35	
Kurmitola -4 colony	273139	251	0	25
Kurmitola colony	124162	147	0	14
Kutubpur Hazra para	25630	28	0	2
Lalbagh Sadar ghat	38090	85	84	
Lichutola - Milebasa	289688	103	0	10
Mandirpara Harisign Dewri	46295	55	55	(1)
Motijhil Darga Para	116063	177	21	15
Motijhil Das Para	52166	84	43	4
Motijhil khash para	22697	83	56	2
Naba Adarsha School para	32259	51	0	5
Naginabagh Ghosh para	50423	19	0	1
Nakurtola Ramkrishna pally	162242	175	124	5
Nashipur Ghosh para	53036	65	0	6
Nashipur Rajbati	106749	56	0	5
Nasgipur take para	55736	59	0	5
Nehalbagh Thakurpara	194982	12	0	1

MED Govt. of West Bengal

Cheirman Cheirman Municipality

Nehalbagh	19021	24	0	24
Rail para Math para	6745	19	0	19
Rail colony kurmitolla	38334	28	0	28
Rail para Mondal para	38981	9	5	4
Rail para	24282	68	0	68
Rai para	192099	51	0	51
Rajabazar kihash para (Clubbing with Salbagan Basti)	53457	93	54	39
Ransager Mondal para	151635	127	0	127
Ransagar North	174553	146	0	146
Salbagan basti(Untenable)	59494	45	45	0
Sabjikatra colony	13207	106	0	106
Sahanagar court pally	22138	97	49	48
Satichura Hariganj	97374	129	120	9
Shyampur chini mohal	259217	43	0	43
Station para	43956	28	0	28
Station road	2256	21	21	0
Taiyabbagh khash para	142850	101	93	8
Talbagan putiapara -1	263074	146	0	146
Talbagan putiapara -2	65503	17	17	0
Tikatuli (6No. Tikatuli)	13130	30	0	30
Tikatuli para (5 No. Tikatuli)	19204	25	0	25
TOTAL		5379	1586	3793

Table-14: Year-wise Proposed Interventions for Other Urban Poor based on demand survey


	Describiles	or land		-	Affordable Lie	contant in	Eutres applicat	ad Heban			
Year		Beneficiary-led Construction		Credit Linked Subsidy		Affordable Housing in Partnership		Future projected Urban poor (AHP)		Total	
	No. of Beneficiaries	Amount	No. of Beneficiaries	Amount	No. of Beneficiaries	Amount	No. of Beneficiaries	Amount	No. of Beneficiaries	Amount	
2015-16	175	2.63	0	0	0	0	0	0.00	175	2.63	
2016-17	195	2.93	0	0	104	1.56	50	0.75	349	5.24	
2017-18	195	2.93	0	0	90	1.35	50	0.75	335	5.03	
2018-19	195	2.93	0	0	90	1.35	50	0.75	335	5.03	
2019-20	195	2.93	0	0	58	0.87	50	0.75	303	4.55	
2020-21	164	2.46	0	0	58	0.87	50	0.75	272	4.08	
2021-22	152	2.28	0	0	57	0.86	50	0.75	259	3.89	
Total	1271	19.07	0	0	457	6.86	300	4.50	2028	30.42	

Charman Charman Municipality

2.5 Resource mobilization strategy and Implementation strategy

Physical and social infrastructure requires developing in slum and non slum area to be covered other central and state schemes like 13th FC, 4th SFC, and UWES etc. Beneficiaries belong to pro poor families, unable to contribute the beneficiary contribution under HFA project should be cover under project of SUHP funded by State Government.

Figure-1: Resource mobilization strategy and Implementation strategy





Roles and responsibilities of the Institutions:

Central Sanctioning and Monitoring Committee (CSMC)

 An inter-ministerial committee under Chairpersonship of Secretary (HUPA) for implementation of the Mission, approvals there under and monitoring.

Indicative Functions of CSMC

- · Overall review and Monitoring of the Mission
- Assessing resource requirement based on HFAPoA and AIP submitted by States/UTs
- Approval of central releases under various components of the Mission
- Approval of Capacity Building Plans of States/UTs
- Devising financial and other norms for various activities undertaken as part of the Mission
- Approval of Annual Quality Monitoring Plans, Social Audit plans etc.
- Any other important issues required for implementation of the Mission.

State Level Sanctioning and Monitoring Committee (SLSMC)

Indicative functions of SLSMC

- Approval of Housing for All Plan of Action (HFAPoA)
- Approval of Annual Implementation Plan
- · Approval of DPRs under various components of the Mission
- Approval of Annual Quality Monitoring Plans
- Reviewing progress of approved projects in the State and cities
- Monitoring of implementation of Mission
- Any other issues required for effective implementation of the Mission.



Section 3: Project Concept and Scope

3.1 Introduction of slum(s)/non Slum Area

Under section-3 of the Slum Area Improvement and Clearance Act, 1956, slums have been defined as mainly those residential areas where dwellings are in any respect unfit for human habitation by reasons of dilapidation, overcrowding, faulty arrangements and designs of such buildings, narrowness and faulty arrangement of streets, lack ventilation, light or sanitation facilities or any combination of these factors which are detrimental to safety, health and morals. Thus, conceptually slums are compact overcrowded residential areas (and not isolated or scattered dwellings) unfit for habitation due to lack of one or more of the basic infrastructure like drinking water, sanitation, electricity, sewerage, streets etc.

It is in this background that in the 2001 Census, an innovative attempt was made to collect demographic data slum areas across the country.

As per 2001 population census, the slum population is estimated to be 61.8 million, out of a total urban population of 285.35 million people reside in urban areas.

The analysis of the data in this report provided an overview of the population characteristics of slums and squatter settlements and is expected to serve as a benchmark for pragmatic and realistic town planning while dealing with the issue of slums and slum dwellers.

Urbanization is fast becoming the defining process in shaping the course of social transformation & ensuing development concerns in India. About 377 million persons or about 31% of India's population of 1.21 billion lived in urban areas in 2011, spread over 5161 towns.

As per Report on Indian Urban Infrastructure and Services (NIUA) Report_, the urban population is likely to grow to about 600 million by 2031. About one-fourth (24%) of the urban population of India is poor i.e. their expenditure on consumption goods is less than the poverty line benchmark. The benefits of urbanization have eluded this burgeoning 67 million urban poor population, most of who live in slums. An analysis of population growth trends between 1991 and 2001 shows that while India grew at an average annual growth rate of 2%, urban India grew at 3% mega cities at 4% and slum populations rose by 5%. This rapid and unplanned urbanization and simultaneous growth of urban population in the limited living spaces has a visible impact on the quality of life of the slum dwellers of the city.

It is increasing clear that sustainable growth can only take place when it is inclusive and when the entire population including the poor and marginalized need to have at the least access to descent shelter, basic amenities, livelihoods and a voice in governance. Keeping this in mind the Government of India and the various State Governments have been taking up several schemes on partnership mode.



Table-15: Introduction of slum(s)/non Slum Area

Ward Number	Slum Code	SI. No.	Sium Name	AREA in Sq Mt
Ward 11	051	1	2 NO. KURMITOLA(S.C051)	12000
Ward 11	054	2	3 NO. KURMITOLA(S.C054)	13000
Ward 10	045	3	AGHORIPARA BASTI (RANAQUBJA)(S.C045)	18000
Ward 07	022	4	ASTABAL(S.C022)	9000
Ward 16	079	5	AZADHINDBAGH(S.C079)	114000
Ward 07	026	6	BAHADUR ALI CHOWRAHA(S.C026)	40000
Ward 09	042	7	BAKHRIGOLI(S.C042)	23000
Ward 06	018	8	BANSHGOLA ROAD(BASTT)(S.C018)	3000
Ward 08	027	9	BAULIBAGH(BATAKKHANA)(S.C027)	34000
Ward 15	071	10	BHATAPARA(S.C071)	68000
Ward 02	009	11	BINPARA(S.C009)	6000
Ward 09	039	12	BUDHAS PARA MONDAL PARA(S.C039)	72000
Ward 02	800	13	BURNING GHAT MORE(S.C008)	4000
Ward 12	058	14	CHAIPARA DEAR-12(S.C058)	51000
Ward 14	070	15	CHAIPARA DEAR-14(S.C070)	5000
Ward 09	040	16	CHANDRAPUR(S.C040)	32000
Ward 05	013	17	DAKSHIN DARJA HATHATH COLONY(COLONY PARA)(S.C013	11000
Ward 09	043	18	DAULAT MADAR(S.C043)	52000
Ward 01	005	19	DIGHIPARA 1(S.C005)	10000
Ward 01	006	20	DIGHIPARA 2(S.C006)	4000
Ward 06	016	21	FAKIRTULI & B GÓLA N PARA(BANSHGOLA RD)(S.C016)	3000
Ward 10	047	22	FARASKHANA BASTI(S.C047)	18000
Ward 11	050	23	GANGADHAR COLONY(S.C050)	4000
Ward 03	010	24	HAIPATGANJ BAGANPARA(S.C010)	7000
Ward 03	011	25	HAIPATGANJ THANAPARA(S.C011)	1000
Ward 15	073	26	HARIGANJ BAGAN(S.C073)	70000
Ward 13	062	27	HATAATH COLONY-13(S.C062)	130000
Ward 13	061	28	HOSSAIN DALAN -MONDALPARA(S.C061)	65000
Ward 11	048	29	ICCHAGANJ DEBNATHPARA(S.C048)	10000
Ward 12	057	30	ICCHAGANJ- GARWANPARA(S.C057)	47000
Ward 12	055	31	ICCHAGANJ(S.C055)	151000
Ward 12	056	32	ICHHAGANJ MOGHALTULI(S.C056)	51000
Ward 14	068	33	JAFRAGANJ(S.C068)	10000
Ward 06	017	34	JUBLITANK(S.C017)	12000
Ward 08	028	35	KADAMSARIF(NAGINABAGH)(S.C028)	7000
Ward 07	021	36	KALANDARBAGH(BIHARIPARA)(S.C021)	2000
Ward 07	020	37	KALANDARBAGH(S.C020)	12000
Ward 07	025	38	KALPUKUR RAIL BASTI(S.C025)	3000
Ward 16	076	39	KAMALBAGH(S.C076)	128000
Ward 16	077	40	KAMALBAGH-BAHUBEGUMBAGH(S.C077)	60000
Ward 15	074	41	KATGOLA-KHASPARA-CHINIMAHAL- NASHIPUR(S.C074)	75000
Ward 10	044	42	KILLA BASTI(S.C044)	26000
Ward 10	080	43	KILLA NIJAMAT BASTI(S.C080)	28000
Ward 13	059	44	KURMITOLA 4 NO. COLONY(S.C059)	372000



Ward 13	063	45	KURMITOLA COLONY(S.C063)	167000
Ward 06	019	46	KUTUBPUR HAZRAPARA(HAZRAPARA)(S.C019)	7000
Ward 02	007	47	LALBAGH SADAR GHAT(S.C007)	10000
Ward 15	072	48	LICHUTALA-MILABASA(S.C072)	184000
Ward 09	037	49	MANDIR PARA HARISING DEWRI(S.C037)	18000
Ward 01	001	50	MOTIJHEEL DARGAPARA(S.C001)	14000
Ward 01	002	51	MOTUHEEL DASPARA(S.C002)	14000
Ward 01	003	52	MOTIJHEEL KHASPARA(S.C003)	12000
Ward 10	046	53	NABA ADARSHA SCHOOL PARA BASTI(S.C046)	9000
Ward 08	036	54	NAGINABAGH GHOSH PARA(S.C036)	11000
Ward 08	033	55	NAKURTOLA RAMKRISHNA PALLY(S.C033)	106000
Ward 14	066	56	NASHIPUR GHOSH PARA(S.C066)	3000
Ward 14	067	57	NASHIPUR RAJBATI(S.C067)	10000
Ward 14	064	58	NASHIPUR TAKE PARA(S.C064)	4000
Ward 11	052	59	NEHALBAGH THAKURPARA(S.C052)	6000
Ward 09	041	60	NEHALBAGH(S.C041)	9000
Ward 08	034	61	RAI PARA MATH PARA(S.C034)	73000
Ward 11	053	62	RAIL COLONY KURMITOLA(S.C053)	6000
Ward 08	030	63	RAIL PARA MONDAL PARA(S.C030)	21000
Ward 08	031	64	RAIL PARA(S.C031)	13000
Ward 11	049	65	RAIPARA(S.C049)	8000
Ward 09	029	66	RAJABAZAR KHASPARA(S.C038) CLUBBING WITH SAAL BAGAN BASTI(S.C 029)	14000
Ward 13	060	67	RANSAGAR MONDALPARA(S.C060)	121000
Ward 16	075	68	RANSAGAR NORTH(S.C075)	97000
Ward 08	029	69	SAAL BAGAN BASTI(S.C029)	32000
Ward 08	032	70	SABJIKATRA COLONY(S.C032)	51000
Ward 04	012	71	SAHANAGAR COURT-PALLY(BHAGIRATHI ASHRAM)(S.C012)	3000
Ward 14	065	72	SATICHURA HARIGANJ(S.C065)	4000
Ward 14	069	73	SHYAMPUR CHINIMAHAL(S.C069)	12000
Ward 08	035	74	STATION PARA(S.C035)	21000
Ward 07	024	75	STATION ROAD(S.C024)	10000
Ward 01	004	76	TAIYABBAGH KHASPARA(S.C004)	13000
Ward 16	078	77	Talbagan-Putiapara I(S.C078)	263075
Ward 16	023	78	Talbagan-Putiapara 2(S.C023	68536
Ward 06	015	79	TIKATULI(4 NO. TIKATULI)(S.C015)	1000
Ward 05	014	80	TIKATULIPARA(5 NO. TIKATULI)(S.C014)	1000



Slum Map



Table-16: Non Slum Area

Ward No	Area
1	1.3
2	0.38
3	0.23
4	0.24
5	0.09
6	0.46
7	0.75
8	1.65
9	0.54
10	0.41
11	1.2
12	0.38
13	0.78
14	0.56
15	0.67
16	0.82
	10.46

Chairman Chairman Municipality

Non Slum Map



3.2. Location of slum(s) / non Slum Area, Tenure Status, Land use and Land Possession status

Table-17: Location of slum(s) / non Slum Area, Tenure Status, Land use and Land Possession status

Ward Number	Sium Name	Sium Code	Slum Location	AREA in Sq Mt	Ownership of Land	Tenability (Yes/no)	Land Value (Z1 is high and Z4 is low)
Ward 11	2 NO. KURMITOLA(S.C051)	051	Fringe area	12000	Own Land	Yes	Z1
Ward 11	3 NO. KURMITOLA(S.C054)	054	Core Area	13000	Own Land	Yes	Z1
Ward 10	AGHORIPARA BASTI (RANAQUBJA)(S.C045)	045	Fringe area	18000	Own Land	Yes	Z3
Ward 07	ASTABAL(S.C022)	022	Fringe area	9000	Own Land	Yes	Z1
Ward 16	AZADHINDBAGH(S.C079)	079	Fringe area	114000	Own Land	Yes	Z4
Ward 07	BAHADUR ALI CHOWRAHA(S.C026)	026	Fringe area	40000	Own Land	Yes	Z1
Ward 09	BAKHRIGOLI(S.C042)	042	Core Area	23000	Own Land	Yes	Z1
Ward 06	BANSHGOLA ROAD(BASTI)(S.C018)	018	Fringe area	3000	Own Land	Yes	Z1
Ward 08	BAULIBAGH(BATAKKHANA)(S.C027)	027	Core Area	34000	Own Land	Yes	Z4
Ward 15	BHATAPARA(S.C071)	071	Fringe area	68000	Own Land	Yes	Z4
Ward 02	BINPARA(S.C009)	009	Fringe area	6000	Own Land	Yes	Z4
Ward 09	BUDHAS PARA MONDAL PARA(S.C 039)	039	Fringe area	72000	Own Land	Yes	Z2
Ward 02	BURNING GHAT MORE(S.C008)	008	Fringe area	4000	Own Land	Yes	72
Ward 12	CHAIPARA DEAR-12(S.C058)	058	Core Area	51000	Own Land	Yes	Z3
Ward 14	CHAIPARA DEAR-14(S.C070)	070	Fringe area	5000	Own Land	Yes	Z4
Ward 09	CHANDRAPUR(S.C040)	040	Fringe area	32000	Own Land	Yes	Z4
Ward 05	DAKSHIN DARJA HATHATH COLONY(COLONY PARA)(S.C013	013	Core Area	11000	Own Land	Yes	Z1
Ward 09	DAULAT MADAR(S.C043)	043	Fringe area	52000	Own Land	Yes	Z1
Ward 01	DIGHIPARA 1(S.C005)	005	Fringe area	10000	Own Land	Yes	Z1
Ward 01	DIGHIPARA 2(S.C006)	006	Core Area	4000	Own Land	Yes	Z1
Ward 06	FAKIRTULI & B GOLA N PARA(BANSHGOLA RD)(S.C016)	016	Fringe area	3000	Own Land	Yes	Z2
Ward 10	FARASKHANA BASTI(S.C047)	047	Fringe area	18000	Own Land	Yes	72
Ward 11	GANGADHAR COLONY(S.C050)	050	Fringe area	4000	Own Land	Yes	Z1
Ward 03	HAIPATGANJ BAGANPARA(S.C010)	010	Fringe area	7000	Own Land	Yes	Z1
Ward 03	HAIPATGANJ THANAPARA(S.C011)	011	Core Area	1000	Own Land	Yes	Z1
Ward 15	HARIGANJ BAGAN(S.C073)	073	Fringe area	70000	Own Land	Yes	Z4
Ward 13	HATAATH COLONY-13(S.C062)	062	Core Area	130000	Own Land	Yes	Z3

Chairman chicigality

Ward 13	HOSSAIN DALAN -MONDALPARA(S.C 061)	061	Fringe area	65000	Own Land	Yes	Z3
Ward 11	ICCHAGANJ DEBNATHPARA(S.C048)	048	Fringe area	10000	Own Land	Yes	Z1
Ward 12	ICCHAGANJ- GARWANPARA(S.C057)	057	Fringe area	47000	Own Land	Yes	Z1
Ward 12	ICCHAGANJ(S.C055)	055	Fringe area	151000	Own Land	Yes	Z1
Ward 12	ICHHAGANJ MOGHALTULI(S.C056)	056	Core Area	51000	Own Land	Yes	Z1
Ward 14	JAFRAGANJ(S.C068)	068	Fringe area	10000	Own Land	Yes	Z3
Ward 06	JUBLITANK(S.C017)	017	Fringe area	12000	Own Land	Yes	Z1
Ward 08	KADAMSARIF(NAGINABAGH)(S.C028)	028	Core Area	7000	Own Land	Yes	Z3
Ward 07	KALANDARBAGH(BIHARIPARA)(S.C 021)	021	Fringe area	2000	Own Land	Yes	Z2
Ward 07	KALANDARBAGH(S.C020)	020	Fringe area	12000	Own Land	Yes	Z1
Ward 07	KALPUKUR RAIL BASTI(S.C025)	025	Core Area	3000	Own Land	Yes	72
Ward 16	KAMALBAGH(S.C076)	076	Fringe area	128000	Own Land	Yes	Z2
Ward 16	KAMALBAGH-BAHUBEGUMBAGH(S.C 077)	077	Fringe area	60000	Own Land	Yes	z3
Ward 15	KATGOLA-KHASPARA-CHINIMAHAL- NASHIPUR(S.C074)	074	Fringe area	75000	Own Land	Yes	Z4
Ward 10	KILLA BASTI(S.C044)	044	Fringe area	26000	Own Land	Yes	Z1
Ward 10	KILLA NIJAMAT BASTI(S.C080)	080	Core Area	28000	Own Land	Yes	Z1
Ward 13	KURMITOLA 4 NO. COLONY(S.C059)	059	Fringe area	372000	Own Land	Yes	Z1
Ward 13	KURMITOLA COLONY(S.C063)	063	Core Area	167000	Own Land	Yes	Z2
Ward 06	KUTUBPUR HAZRAPARA(HAZRAPARA)(S.C019)	019	Fringe area	7000	Own Land	Yes	Z1
Ward 02	LALBAGH SADAR GHAT(S.C007)	007	Fringe area	10000	Own Land	Yes	Z1
Ward 15	LICHUTALA-MILABASA(S.C072)	072	Fringe area	184000	Own Land	Yes	Z4
Ward 09	MANDIR PARA HARISING DEWRI(S.C 037)	037	Fringe area	18000	Own Land	Yes	Z3
Ward 01	MOTIJHEEL DARGAPARA(S.C001)	001	Core Area	14000	Own Land	Yes	Z3
Ward 01	MOTIJHEEL DASPARA(S.C002)	002	Fringe area	14000	Own Land	Yes	Z2
Ward 01	MOTIJHEEL KHASPARA(S.C003)	003	Fringe area	12000	Own Land	Yes	24
Ward 10	NABA ADARSHA SCHOOL PARA BASTI(S.C046)	046	Core Area	9000	Own Land	Yes	Z2
Ward 08	NAGINABAGH GHOSH PARA(S.C036)	036	Fringe area	11000	Own Land	Yes	Z3
Ward 08	NAKURTOLA RAMKRISHNA PALLY(S.C033)	033	Fringe area	106000	Own Land	Yes	Z2
						Yes	



Ward 14	NASHIPUR RAJBATI(S.C067)	067	Fringe area	10000	Own Land	Yes	Z2
Ward 14	NASHIPUR TAKE PARA(S.C064)	064	Fringe area	4000	Own Land	Yes	Z4
Ward 11	NEHALBAGH THAKURPARA(S.C052)	052	Fringe area	6000	Own Land	Yes	72
Ward 09	NEHALBAGH(S.C041)	041	Fringe area	9000	Own Land	Yes	72
Ward 08	RAI PARA MATH PARA(S.C034)	034	Core Area	73000	Own Land	Yes	Z4
Ward 11	RAIL COLONY KURMITOLA(S.C053)	053	Fringe area	6000	Own Land	Yes	Z3
Ward 08	RAIL PARA MONDAL PARA(S.C030)	030	Core Area	21000	Own Land	Yes	Z3
Ward 08	RAIL PARA(S.C031)	031	Fringe area	13000	Own Land	Yes	Z3
Ward 11	RAIPARA(S.C049)	049	Fringe area	8000	Own Land	Yes	Z3
Ward 09	RAJABAZAR KHASPARA(S.C038) CLUBBING WITH SAAL BAGAN BASTI(S.C029)	029	Fringe area	14000	Own Land	Yes	Z4
Ward 13	RANSAGAR MONDALPARA(S.C060)	060	Fringe area	121000	Own Land	Yes	Z4
Ward 16	RANSAGAR NORTH(S.C075)	075	Core Area	97000	Own Land	Yes	Z3
Ward 08	SAAL BAGAN BASTI(S.C029)	029	Fringe area	32000	Own Land	Yes	Z1
Ward 08	SABJIKATRA COLONY(S.C032)	032	Fringe area	51000	Own Land	Yes	Z2
Ward 04	SAHANAGAR COURT- PALLY(BHAGIRATHI ASHRAM)(S.C 012)	012	Core Area	3000	Own Land	Yes	Z4
Ward 14	SATICHURA HARIGANJ(S.C065)	065	Fringe area	4000	Own Land	Yes	Z3
Ward 14	SHYAMPUR CHINIMAHAL(S.C069)	069	Fringe area	12000	Own Land	Yes	Z1
Ward 08	STATION PARA(S.C035)	035	Fringe area	21000	Own Land	Yes	21
Ward 07	STATION ROAD(S.C024)	024	Fringe area	10000	Own Land	Yes	Z4
Ward 01	TAIYABBAGH KHASPARA(S.C004)	004	Fringe area	13000	Own Land	Yes	Z4
Ward 16	Talbagan-Putiapara 1(S.C078)	078	Fringe area	263075	Own Land	Yes	Z4
Ward 16	Talbagan-Putiapara 2(S.C023	023	Fringe area	68536	Own Land	Yes	Z1
Ward 06	TIKATULI(4 NO. TIKATULI)(S.C015)	015	Fringe area	1000	Own Land	Yes	Z1
Ward 05	TIKATULIPARA(5 NO. TIKATULI)(S.C 014)	014	Fringe area	1000	Own Land	Yes	Z4



3.3. Existing basic infrastructure and its coverage

There are 80 slum pockets spreading across all the 16 wards of the Municipality. The total area of the slum pockets is 7.04 sq kms in aggregate. Within these 80 pockets spread over the aforesaid area a population of about 25035 as per recent assessment, sustain their lives. It is worthwhile to mention that the population of Murshidabad Municipality is 48415 in total.

a) Spatial coverage and adequacy of Water supply

Municipal authority and PHE are supplying water at present in this ULB. Municipal authority supplies water only through 533 nos. of hand-tube wells maintained by them. This supply is inadequate in quantity and in quality as wells. A part of Murshidabad Municipal area (Ward No 1, 8) is Arsenic prone. Therefore using ground water is not safe for the people living here.

PHE supplies water in this ULB thorough 158 nos. of stand posts and the existing distribution network, covering 20% of the total municipal area and meeting only 25% of the total demand. There is no house connection at present in this ULB.

At present there is scarcity of pure water in the slums of Murshidabad Municipality. Average quantity of water that is presently supplied is 33LPCD in Murshidabad Municipal Area and the condition of slums is poorer in this respect. Slum dwellers are mainly dependent on hand tubewells maintained by the municipality and only a few

b) solid waste management

In this ULB door to door waste collection being introduced lately along with arrangement of more equipment for proper solid waste management. Physical conditions of some existing vats in market places are unsatisfactory and naturally there is demand for more vats to be located at suitable places. At present about 8 Mt of solid waste being generated throughout the municipality and of them 3.75 Mt (47%) being regularly collected and for the absence of proper dumping place those are disposed of at various low lands. There is need for an in depth study and preparation of modern plan keeping in mind the projected values of population for effective SWM system for the municipality.



c) Sewerage and Sanitation

There is no integrated sewerage system in the municipal area at present2. 4520 nos. of Pour Flash Latrines have been constructed in phases under Government schemes. In addition there are about 2200 nos. of Septic tanks in the municipal area. In totality, hygienic sanitary facilities do not cover all the holdings of this ULB. So at present there is an urgent need for enhanced hygienic sanitation facilities.

d) Drainage

The table below shows that there are still Kaccha drains in this ULB in certain wards; Pucca drains are more or less evenly distributed throughout the ULB except in Ward Nos. 8, 11, 13 and 16. Drainage seems to be an inherent and the most serious problem of Murshidabad municipal area. Moreover, growing urbanization and consequent increase in built spaces and other infrastructural developments has blocked some of the natural drainage channels. The percentage of water bodies and wetlands in the land use pattern of the municipal area which used to act as outfalls and reservoirs of drainage water are decreasing in a rapid pace. Thus, water logging in slight rainfall has become a regular incident especially in rainy season when normal life gets totally disrupted in many parts of Murshidabad municipality.

e) Street Lighting

Street lighting facility is available throughout this Municipality. However due to on-going development of this Municipality extension of street light facility has become a necessity. The illuminating capacities of these bulbs are very poor and they are very prone to be defective in every now and then. This increases the recurring maintenance expenditure. So substitution of these bulbs with energy saving CFLs and Sodium vapours in cases of important road junctions, will enhance the street lighting facilities in this ULB and reduce the maintenance cost and energy consumption as well.

f) Education

Primary survey was conducted to ascertain the demand for pre-primary and primary schooling within the Murshidabad Municipal area with parameters like Awareness and agreement of parents to send their children to schools, Facilities available in the schools particularly of books, Mid-day Meal, school infrastructure, Teacher student –parents relationship and Location and environment of schools as all these factors effect on the overall performance of a school. 23% of

Chairman Murshidabad Municipality the children are not attending schools. These children are either dropouts or they are not being enrolled at all. From the above table it also reveals that though the average rate of children not attending school is 23% it is more than 35% in the ward nos. 1, 3, 7 and 14. However this fact simply speaks on then need of mass awareness on the importance of primary education among the citizens especially from the marginal section, the main reason behind school drop out of children is Financial. Thus it can be said that poverty is playing crucial role in keeping this area backward in terms of primary education.

Chairman Chairman Municipality

Existing basic infrastructure and its coverage The project slums and existing scenario of infrastructure:

Slums and Non Slums have been selected as a First Project under PMAY scheme by Murshidabad Municipality in consultation with the state level Nodal Agency The State Urban Development Agency (SUDA) under M.A. Department, GoWB.

Table-18: The project slums and existing scenario of infrastructure

		# 5	80 10
10000	Water Supply	Water supply is sufficient	Water supply is sufficient
	Housing Condition	Most of the cheming units are kaccha or dispidated	Most of Most of dwelling units are kacchs or dilapidated
	SW status	Most of the population adopts unhygienic method for disposing their waste; thereby causing huge damage to health	Most of the population adopts unhygishic method for disposing their waste; thereby causing huge damage to health
STATE OF STATE	Street	is is 500% street ights present present in the sturn	is is control of the
The same of the same	Condition	Most of the roads within are serti metallic or kuchha road	Most of the roads within slums are serri metalic or kuchha road
Address of the Address	Condition of Drain	The slum covered with with a surface drains but drains are broken condition resulting clogging	The stum is partially covered with covered with with drains are drains are drains are condition condition condition clogging clogging
	Environmental Condition	The environmental condition in the slum is little bit poor	The condition in the simular sittle bit poor
The section of the se	Slum Dwellers' Occupation	Most of the salm dwellers works as casual tabour in locat in locat in locat in locat in locat in locat sa sweepers in local as sweepers in local as sweepers as cleaners at and as weepetable salm and as weepetable sellers in locat areas and as location as cleaners at man as cleaners and as house sellers in location areas as cleaners and as as the sellers in nearly areas	Most of the latter developments works as casual labour in local industries, others others as weekeping, as sweepers in local as sweepers in local as sweepers in local as weepers and as clearners at Municipal area and as selents in local areas and as clearners at mand as and as and as and as and as selents in nearby areas
Promit Same at Them of Manager	Population	24	*O*
	Existing House Hold	210	76
Present #	Ownership of slum	Own Land	Own Land
	Area in sqm	14000	14000
	Slum Age	More than years	More than 10 years
STATE SERVICE	Distance of Nearest Rall Station	The nearest relativest relativest station at a distance is 1.5 to 2 km	The nearest railway station at a distance is 1.5 to 2 Km
	slum connects it to major areas	Slum connects it to major areas of Murshidabad Municipality	Slum connects it to major area of Murshidabad Municipality
	Road Type Running In front of the Slum	Metal road is running in front of the slums	Metal road is road is running in front of the slums
	Ward	**	-
	The project slum site	Fringe area	area area
	Name of the Stume	MOTUHIL DARGAPRA	MOTIJHEEL DASPARA(S.C002)
	zi 2	-	м



Water supply is sufficient	Water supply is sufficient	Water supply is sufficient	Water supply is sufficient
Most of the working dwelling ownits are kacche or dilapidated	Most of the Units are units are kacchs or dispidated	Most of the of the of the of the of the of the of dispidated or dispidated	Most of the dwelling units are kaccha or dilapidated
Most of the most of the population adolpts adolpts mathod for disposing their by waste, thereby causing things damage to health	Most of the population adopts unhygienic method for disposing thereby causing huge damage to health	Most of the population adopts adopts unhygishic method for disposing thereby causing huge damage to health	Most of the population adopts unhygienic method for disposing their waste.
. There is a 100% street street lights present in the stum	There is 100% street in the slum	There is 100% street street present in the shim	is some state in the silum
Most of the roads within roads within sare semi metallic or metallic or road	Most of the roads within a slums are semi metallic or kuchha road	Most of with roads within a suring a semi metallic or kuchha road	Most of the roads within slums are semi matellic or kurchha road
The slum is partially covered with with surface drains but drains are littled and broken condition resulting clogging	The alum is partially covered with with with drains are drains are trilled and broken condition resulting clogging	The sturn is partially covered with with with surface auriface drains but drains are broken condition resulting clogging	The stum is partially covered with surface drains are tilted and broken condition resulting clogging clogging
environmental condition in the slum is little bit poor	The environmental condition in the slum is fittle bit poor	The environmental condition in the sum is little bit poor	The environmental condition in the skim is little bit poor
Most of the alum dwelters works as works as works as works as well in local inclustries, others engaged in local areas as sweepers as sweepers and as as sweepers and as and as and as a sweepers and as and as and as a sweepers and as and as a sweepers and as and as and as a sweepers and asw	Most of the alm dwellers works as casual labour in local in local industries, others others as sweepers in local as sweepers in local areas, as cleaners at Municipal area and as vegetable sellers in nearly areas	Most of the works as casual labour in local in local industries, others others as weepen in local as weepens, in local areas as cleaners at Municipal area and as vegetable evegetable evelers in nearly areas and as a selers in local areas and as cleaners at medians in local areas and as cleaners and cleaner	Most of the learn dwellers works as casual labour in local in local industries, others others of the same as sweepers in local as sweepers in local areas, in local areas.
238	or s	P. 40	4
3	4	80.7.7	121
Own Land	Own Land	Own Land	Own Land
0004	0009	4,000	1000
More than to years	More than 10 years	More than 10 years	More than 10 years
The releasest relikely station at distance is 1.5 to 2 Km	The mearest reliberation at a distance is 1.5 to 2 Km	The nearest relevay station at a station at	The nearest rallway station at a distance is 1.5 to 2 Km
Silum Silum to major to major Arrase of Arrase of Arranicipality	Stum connects it connects areas of areas of Murshidabad Muricipality	Slum connects it to major arres of Munshidebed Municipality	Slum connects it to major areas of Murshidabad Municipality
Metal road is running in front of the slums	Metal road is running in front of the siums	Metal road is road is in front of the slums	Metal road is running in front of the slums
-	CN CN	es es	n
Finge area	Frings area	Area	Fringe area
DIGHI PARA 2	BINPARA(S.C009)	HAIPATGANJ BAGAN PARA	HAIPATGANJ THANAPARA(S.C 011)
n	*	ю.	60

Chairmar Chairmar Municipality

	Water supply is sufficient	water supply is sufficient	Water supply is sufficient	Water supply is sufficient
	Most of the dwelling units are karcha or dilapidated	Most of the chelling units are kaccha or dilapidated	Most of the the the chaining units are kaccha or dilapidated	Most of the dwelling units are kaccha or
damage to	Most of the	Most of the the population adopts unhygiseric method for disposing their wester, thereby causing thuse damage to health	Most of the population adopts unhygenic method for disposing their waste, thereby causing thing the population had beatth	Most of the population adopts unhyglenic
	There is 100% to 100%	There is the control of the control	There is 100% street lights present in the slum	There is 100% street lights
	Most of the roads within all within a semi metallic or kuchha road	Most of the roads within slums are semi metalic or kuchha road	Most of the roads within an shurs are serni metallic or kuchha road	Most of the roads within slums are serni
	The slum is partially covered with a surface drains but drains but drains are tilted and broken condition resulting clogging	The slum is partially covered with with with drains but drains are fritted and broken condition resulting clogging	The slum is partially covered with surface drains but drains but drains condition resulting clogging	The slum is partially covered with surface drains but
	The environmental condition in the sound little bit poor	The environmental condition in the slum is fittle bit poor	The condition in the slum is little bit poor	The environmental condition in the slum is little bit poor
as cleaners at Municipal area and as vegetable sellers in	Most of the waterly areas Most of the alum dwellers works as casual abour in local in local and steeping. As severe weekeping. As se sweepers as cleaners at as cleaners at wegetable word as wegetable weekeping in local areas.	Most of the submitted works as works as casual labour in local in local in local others others of as weepers in local areas, as cleaners at and as weepers and as veepers and as veepers and as veepers and as veepers and as others and as overgetable in local areas, and as overgetable and as veepers and as overgetable in local areas, and as overgetable in local areas overgetable in local areas overgetable in local areas overgetable and as overgetable in local areas overgetable in local area	Most of the salum dwellers salum dwellers sa casual abour in local abour in local abour local abour local abour local abour local areas as cleaners at shunlopel area and as vegetable seedlers in local areas as cleaners at wegetable seedlers in local areas as cleaners at wegetable and as and as and as and as and as and as a cleaners at and as and as and as and as a cleaners at and as a cleaners at and as and as and as and as and as a cleaners at and as and as and as a cleaners at and as a cleaners at an and as a cleaners at an and as a cleaners at a cleaners and as a cleaners and a cle	Most of the stum dwellers works as casual labour in local inclustries
	9	106	176	112
	8	20	68	24
	Own Land	Own Land	Own Land	Own Land
	00006	4000	0001	3000
	More than 10 years	More than 10 years	More than 10 years	More than 10 years
	The nearest railway station at a distance distance 2 Km	The relative trailway station at a distance is 1.5 to 2 Km	The reservest reservest station at a station at a distance is 1.5 to 2 Km	The nearest railway station at a
	Slum connects it to major arreas of Municipality	Sium connects it to major areas of Murshidabad Municipality	Slum connects it to major areas of Murshidabad Municipality	Stum connects it to major areas of Murnhidabad
	Metal is road is running in front for the stume	Metal road is running in front of the slums	Metal is road is running in front of the slums	Metal road is running in front of the
	4	NO.	Φ	60
	Fringe area	Area	Fringe area	Fringe area
	SAHANAGAR COURT. PALLY(BHAGIRATHI ASHRAM)(S.C012)	TIKATULIPARA(5 NO. TIKATULIĶS.C 014)	TIKATULI(4 NO.	FAKIRTULI BANSGOLA NAPIT PARA
	-	60	Φ	10

	Water supply is sufficient	Water supply is sufficient	Water supply is sufficient
	Most of the the the dwelling units are kacchs or dilapidated	Most of the factor of design of dispidated dispidated	Most of the character of dispidated dispidated or dispidated
disposing disposing waste; shereby causing huge damage to health	Most of the population adopts unhygianic method for clasposing their waste. Thereby causing they damage to health	Most of the	Most of the population adopts unhygienic method for their weste; waste; waste; hereby causing huge damage to health
Sing Sing	There is strong to the strong to the strong present in the sturn sturn.	There is the control of the control	is 100% street lights present in the slum
road	Most of the roads within slums are serti metalic or kuchha road	Most of the roads within slums are serti metallic of kuchha road	Most of the roads within selums are semi metallic or kuchha road
drains are titled and broken condition resulting clogging	The stum is partially covered with with surface drains but drains are titled and broken condition resulting clogging	The slum is partially covered with with surface drains are drains are broken condition resulting clogging	The slum is partially covered with with with with with surface drains but drains are titled and broken condition resulting clogging clogging
	The environmental condition in the skum is fittle bit poor	The condition and a subm is little bit poor	The confronmental condition in the alum is little bit poor
others angaged in local housekeeping, as sweepers in local areas, as cleaners at Munichal area and as and as for a	Most of the alm dwellers works as casual labour in local in local industries, others others as aweeper in local as aweepers in local as a weepers in local areas, as cleaners at and as weepers and as almost as elers in local areas and as a cleaners at and as as weepers and as a cleaners at and as a cleaners and as a cleaners at and as a cleaners at and as a cleaners at a cleaners and as a cleaners and	Most of the sam dwellers works as casual labour in local in local industries, others as weeper's in local as weepers in local as as weepers in local areas, as cleaners at and as wegetable sam as weepers as cleaners at and as a cleaners at a cleaners at a cleaners at a cleaners at a cleaners and a cleaners at a cleaners and a cleaners and a cleaners and a cleaners at a cleaners and a cleaners at a cleaners and a cleaners at a cleaners and a cleaners at a cleaners at a cleaners and a cleaners at a cleaners and a cleaners at a cleaners and a cleaners and a cleaners at a cleaners and a cl	Most of the sulface works as works as works as in local in local industries, others and against the contract of the contract o
	192		282
	83	3	25
	Own Land	Own Land	Own Land
	12000	9000	7000
	More than 10 years	More than 10 years	More than 10 years
2 Km	The nearest relivary station at a last station at a last station 2 Km	The means traitway station at a distance is 1.5 to 2 Km	The rearrest rathway station at a station at a station at a station at 2 Km
	Stum connects it to major aress of Murshidabad Municipality	Slum connects it to major areas of Murchidabad Muricipality	Slum connects it to major areas of Murshidabed Murshidabed Murshidabed
	Metal strong in front of the slums	Metal in road is in front of the sturns	Metal is road is runnling in front of the slums
	ep	40	¢p
	Area	Fringe area	Firing-
	UUBLITANK(S.C	BANGGOLAROAD,	KUTUBPUR HAZRAPARA
	ner per	27	£

MED Govt. of West Bengal

20



Water supply is sufficient	Water supply is sufficient	Water supply is sufficient	Water supply is sufficient
Most of the dwelling units are units are dispidated	Most of the the the dwelling units are kacchs of dispidated	Most of the the dwelling units are kacchs or dispidated	Most of the dwelling units are kaccha or dilapidated
Most of the population population adopts adopts unhygishlo disposing their waste, thereby causing things damage to health	Most of the population adopts adopts unhygishing method for disposing thereby causing huge damage to health	Most of the the population adopts unhygishic method for disposing their waste; thereby causing huge to health	Most of the population adoptis unhygienic method for disposing their waste, if thereby causing huge
There is 100% street street lights present in the sturn	There is a thought in the stum	There is 100% street ights present in the slum	There is 100% street lights present in the stum
Most of the roads within sre- serii metallic or kuchha road	Most of the roads within slums are serni metallic or kuchha road	Most of the roads within are sern: metallic or kuchha road	Most of the roads within slums are semi metallic or kuchha road
The sturn is partially covered with with surface drains but drains are illed and broken condition resulting clogging clogging	The stum is partially covered with with with drains are drains are broken condition resulting clogging	The slum is partially covered with with surface drains but drains are tilted and broken condition resulting clogging	The slum covered with surface drains but drains are littled and broken condition resulting cloggling
environmental condition in the slum is little bit poor	The environmental condition in the slum is little bit poor	The environmental condition in the slum is little bit poor	The principle of the poor in the poor
Most of the alum dwellers works as works as works as well-shour in local in local shorts others empaged in local shorts as sweepers as sweepers as cleaners at Municipal area and as wegetable and as sellers in reasoners in reasoners in reasoners in reasoners as and as	Most of the alm dwellers works as casual labour in local industries, others others as everepers in local areas, as channed and as channed and as channed and as vegetable sellers in local areas as cleaners at wegetable sellers in nearly areas	Most of the alm dwellers works as casual labour in local in local industries, others others as weepers in local areas as cleaners at a weepers in local areas as cleaners at and as vegetable and as vegetable lin local areas and as cleaners at minimant areas and as cleaners at mediate.	Most of the sum dwellers works as casual labour in local industries, others engaged in local local as awepers in local arsea, in local arseas, in local arseas,
404	77	88	178
92	24	92	88
Own Land	Own Land	Own Land	Own Land
12000	2000	3000	40000
More than the years	More than years	More than 10 years	More than 10 years
The mearest relikeay station at a distance is 1.5 to 2 Km	The mearest railway station at a station at is 1.5 to 2 Km	The neerest railway station at a distance is 1.5 to 2 Km	The nearest railway station at a distance is 1.5 to 2 km
Slum connects it to major areas of areas of	Sium connects it to major areas of Murshidabad Municipality	Shum connects it connects it connects areas of Murshidebad Murshidebad Murshidebad Murshidebad	Slum connects it to major arreas of Municipality
Metal road is runting in front of the slums	Metal in road is road is in front of the slums	Metal road is road is road is in front of the slums	Metal road is curning in front of the slums
r	-	h	7
Fringe area	Pringe area	Area	Fringe area
KALANDARBAGH	KALANDARBAGH BIHARIPARA	KALPUKUR RAIL BASTI(S.C025)	BAHADUR ALI CHOWRAHA(S.C 028)
4	10	ę.	

10	Water supply is sufficient	Water supply is sufficient	Water supply is sufficient	Water supply is sufficient
	Most of the dwelling units are kacchs or dispidated	Most of the the dwelling units are kaccha or dilapidated	Most of the dwelling units are kaccha or dilapidated	Most of the dwelling units are kacche or dilabidated
health	Most of the population adopts unhygianic method for disposing their waste, thereby causing huge damage to health	Most of the the population adopts unhygianic method for disposing their weste. Thereby causing fruge damage to health	Most of the the population adopts unhygiselic method for disposing their waste. Thereby causing thuse damage to health	Most of the population adopts unhygienic
	There is street of 100% street present in the stum.	There is 100% street ights jights in the skum	There is street in the stum	There is 100% street lights
	Most of the roads within slums are serni; metallic or kuchha road	Most of the roads within slums are serff metallic or kuchha road	Most of the roads within allow slums are sern metallic or kuchha road	Most of the roads within stums are semi
	The slum is partially covered with with with drains but drains are fulfied and broken condition resulting clogging	The stum is partially covered with with with drains are trains and broken condition resulting clogging	The stum is partially covered with with aurface drains but drains are tillied and broken condition resulting clogging	The slum Is partially covered with surface
-	The environmental condition in the slum is little bit poor	The confidence of the confiden	The condition in the alone is little bit poor	The environmental condition in the skun is little bit poor
Municipal area and as vegetable sellers in nearby areas	Most of the works at works at works at casual labour in local industries, others empaged in local as sweepers in local as sweepers in local and as cleaners at Municipal area and as negatible ellers in nearly areas	Most of the abundance of the abundance of the about in local in local in local in local in local angeged in local as sweepers in local as a sweepers in local areas as cleaners at and as vegetable sellers in charactus and	Most of the workelers works as the casual labour in local in local in local in local labour local as weekeeping, as sweepers in local areas, as cleaners at Mnicipal area and as elers in characty areas as elers in characty	Most of the slum dwellers works as casual labour in local individual
	372	909	050	901
	20	46	198	50
	Own Land	Own Land	Own Land	Own Land
	L	91000	108000	73000
	More than years	More than years	More than 10 years	More than 10 sears
	The nearest railway station at a distance is 1.5 to 2 Km	The nearest raiway station at a distance is 1.5 to 2 Km	The nearest railway station at a station at a station at a station at 1.5 to 2 Km	The nearest railway station at a
	Slum connects it to major areas of Murshidabad Municipality	Slum connects it to major areas of Murshidabad Municipality	Slum connects it to major areas of Murshidabad Municipality	Slum connects it to major areas of Murshidabad Municipality
	Metal is coad is running in front of the slums	Metal road is running in front of the slums	Metal is coad is curving in front of the slums	Metal road is running in front of the
	6 3	eo	ω	60
	Area	Frings	Fringe area	Fringe area
	RAIL PARA(S.C 031)	SABUKATRA	Nakurtala, ramkriahna paliy	RAILPARA MATHPARA
	60	•	50	21

MED Govt. of West Bengal

Chairman Chairman skurshidebad Municipality

	Water Supply is sufficient	Water supply is sufficient sufficient	Water Europiy is sufficient
	Most of the the the dwelling units are kaccha or dilapidated	Most of the dwelling units are kacchs or dilapidated	Most of Most of the dwelling units are kacchs or dilapidated
disposing waste: thereby causing huge huge health	Most of the population adopts unhygiseric method for disposing their waste, their waste, thereby causing huge damage to health	Most of the population adopts unhygienic method for disposing their waste; thereby causing huge damage to health	Most of the population adopts unhyglenic method for disposing their waste; thereby causing huge damage to health
slum slum	is is street in the silum silum	There is street lights present in the stum	There is the control of the control
roed	Most of the roads within siums are semi metallic or kurchha road	Most of the roads within stums are senti metalitic or kuchha road	Most of the roads within slums are sent metallic or kuchha road
drains are titled and broken candition resulting clogging	is partially covered with with a surface drains are thrists are broken condition resulting clogging	The slum is partially covered with with a surface drains but drains are broken condition resulting clogging	The atum is partially covered with with a surface drains are tritted and broken condition resulting clogging
	The environmental condition in the stum is little bit poor	The environmental condition in the poor	The evironmental condition in the slum is little bit poor
others outpead in local housekeeping, as sweepers in local areas, as cleaners at and as and as vegetable vegetable vegetable in nearby areas	Most of the alum dwellers works as casual labour in local in local industries, others others of as sweepers in local areas, as cleaners at and as wegetable and as wegetable and as wegetable sellers in local areas, as cleaners at and as ovegetable sellers in nearby areas	Most of the author develors works as casual labour in local in local industries, others as weeper in local as sweepers in local as sweepers in local areas, as cleaners at Municipal area and as vegetable selers in local areas.	Most of the alm dwellers works as casual labour in local industries, others others as sweepers in local areas as cleaners at and as vegetable and as vegetable seeders in local areas as cleaners at and as a
	180	523	442
	06	452	€0 €0
	Own Land	Own Land	Own Land
	21000	11000	14000
	More than 10 years	More than 110 years	More than 110 years
2 Km	The nearest railway station at a station at a distance is 1.5 to 2 Km	The relevant railway station at a distance is 1.5 to 2 Km	The reservest reservest reservest station at a distance is 1.5 to 2 Km
	Slum connects it mejor arress of Murchidabad Municipality	Slum connects it to major areas of Murshidabad Muridabad Muridabality	Slum connects it to major area of Murahidabad Municipality
	Metal is road is road is running in front of the stume	Metal road is road is running in front of the slums	Metal road is cunning in front of the stums
	ω	ω	Φ
	are a	area area	area area
	Station Para	Naginabegh, Ghoshpara	RAJABAZAR KHASPARA
	53	53	54

Cherman Urshidebed Municipal

Water supply is sufficient	Water sufficient sufficient	Water and Poly is sufficient	Water supply is sufficient	
Most of the the the dwelling dwelling units are kacchs or disapidated	Most of Most of Aveling Units are kacchs or dispidsted	Most of the the challing units are kacchs or dilapidated	Most of the dwelling units are kacchs or dilapidated	
Most of the population population adopts adopts unhygienic method for disposing their waste; thereby causing thuge causing their by the purple of the purple the pu	Most of the the population adopts and unhygiseric method for disposing their waste, thereby causing huge to health	Most of the population solotist or adopts unhygenic method for disposing their waste, thereby causing thuge damage to health	Most of the adoption adopts and adopts method for disposing their waste; thereby causing huge	
. There is a 100% street lights present in the elum	There is street in the stum	There is street in the shirm the shirm	There is 100% street lights present in the slum	
Most of the roads within are sent metallic or kuchha road	Most of the roads within are semi metallic or kuchha road	Most of the roads within slums are semi metallic or kuchha road	Most of the roads within sums are sem metallic or kuchha road	
The slum to partially covered with with surface drains but drains are litted and broken condition resulting chogging	The stum is partially covered with with with drains are drains are broken condition resulting clogging	The slum is partially covered with with with drains but drains but drains are broken condition resulting clogging	The slum is partially covered with surface drains but define are titled and bordition resulting clogging	
environmental condition in the alum is little bit poor	The condition in the structure of the st	The environmental condition in the stum is little bit poor	The environmental condition in the poor	
Most of the Sum dwellers such desired and desired labour in local industries, on the such desired as sweepers as sweepers as sweepers as clearers at Municipal area and as vegetable ellers in nearly areas in nearly areas	Most of the alum dwellers works as underly and in local as sweepers in local areas as cleaners at and as wegetable and as vegetable sellers in nearly areas and as wegetable and as reas and as wegetable and as reas and as reas and as and a	Most of the workelers workelers workelers as a casual labour in local industries, others others others as sweepers in local areas, as cleaners at Municipal area and as vegetable easelers in charactiva areas and as mand as mediers in martiv areas mand as a selers in martiv areas and as and as a selers in martiv areas and as and as a selers in martiv	Mast of the lam dwellers works as casual labour in local industries, orthers angaged in local and local as sweepers in local areas, in local areas,	
420	0.440	138	181	
20	200	R	ž	
Own Land	Own Land	Own Land	Own Land	
72000	32000	0006	28000	
More than than the years	More than 10 years	More than years	More than 10 years	
The meanest railway station at a detain at a detain 2 Km	The nearest relived as defence is 1.5 to 2 Km	The mearest railway station at a distance is 1.5 to 2 Km	The nearest railway station at a distance is 1.5 to 2 Km	54
Slum connects it to major areas of Murchidabed Murchidabed	Slum connects it connects it connects it areas of Murshidabad Murshidabad Muricipality	Slum connects it for major arress of Murshidebad Murshidebad Muricipality	Slum connects it to rejor to rejor to rejor Murshidebad Municipality	
Metal road is road is in front of the slums	Metal road is road in front of the slums	Metal road is road is in front of the slums	Metal road is numing in front of the slums	
on.	Φ.	3	0	engai
Frings area	Area	Arrea area area	Fringe area	West Be
BUDHAS PARA MANDAL PARA	Chandrapur	Nehal bagh	KILLA BASTI	MED Govt. of West Bengal
55	88	72	58	_

	Water supply is sufficient	Water supply is sufficient	Water sufficient sufficient	Water supply is sufficient	
	Most of the the the dwelling units are variety of dispidated dispidated	Most of the the the dwelling units are kacchs or dilapidated	Most of the the the dwelling units are kacchs or dilapidated	Most of the dwelling units are kaccha or dilapidated	
health health	Most of the population adopts unhyganic method for disposing their waste, their waste, thereby causing huge damage to health	Most of the the population adopts unhygisent method for disposing bheir weste. Thereby causing those demage to health	Most of the the population adopts unhyganic method for disposing their wests. Thereby causing huge to health	Most of the population adopts unhygienic method for	
	There is the street of the street is the street is present in the stum	is is too we street is too we street is present in the slum	There is street lights present in the stum	. There is 100% street lights present	
	Most of the roads within slums are serti metallic or kuchha road	Most of the roads within slums are sermi metallic or kuchha road	Most of the roads within slums are semi metallic or kuchha road	Most of the roads within slums are semi metallic or	
	The slum is partially covered with with drains but drains are broken condition resulting clogging	The slum is partially covered with with with drains are drains are tribled and broken condition resulting clogging	The slum covered with with with drains are drains are broken condition resulting clogging	The sturn is partially covered with surface drains but	
	The evironmental condition in the alum is little bit poor	The environmental condition in the sium is little bit poor	The evironmental condition in the stun is fittle bit poor if the bit in the poor in the po	The environmental condition in the slum is little bit poor	
Municipal area and as and as vegetable sellers in nearby areas	Most of the submitted works as works as casual fabour in local industries, others others as sweepers in local as sweepers in local as sweepers and as weepers and as vergetable wegetable wegetable seepers in local areas.	Most of the submitted for the	Most of the salum dwellers alum dwellers a salum dwellers works casual fabour in local industries, others other coal mousekeeping, as sweepers in local areas, as cleaners at Municipal area and as wegetable leaflers in how	Most of the slum dwellers works as casual labour in local industries,	
	238	207	128	318	
		© 69	82	8	
	Own Land	Own Land	Own Land	Own Land	
	0006	18000	10000	0008	
	More than years	More than 10 years	More than 10 years	More than 10 years	
	The mearest railway station at a distance is 1.5 to 2 Km	The nearest railway station at a distance is 1.5 to 2 Km	The nearest nearst stallway stallon at a grand distance is 15 to 2 Km	The nearest ration at a distance	55
	Slum connects it to major areas of Murshidebad Municipality	Slum connects it connects it connects it areas of Murshidabad Municipality	Slum connects it connects it areas of Murahidabad Municipality	Slum connects it to major areas of Murshidabad Muricipality	
	Metal road is continued in front of the slume	Metal road is road is in front of the stums	Mertal road is in front of the slums	Metal road is running in front of the slums	
	9	0	T.	F	jezua
	Area	Frings area	Fringe	Core	West B
	Naba Adarsha School Baetli	BASTI BASTI	DEBNATHPARA	RAI PARA	MED Govt. of West Bengal
	23	06	5	32	

	Water supply is sufficient	Water supply is sufficient	Water supply is sufficient
	Most of the grant of the Gwelling units are kacchs or dispidated	Most of the dwelling units are karchs or dispidated	Most of the the control of the control of the control of dispidated dispidated
disposing their waste; thereby causing huge damage to bealth	Most of the population adopts unhygienic muhygienic muhygienic pheir pheir waste; thereby causing huge to health	Most of the population adopts unhygienic unhygienic unhygienic their disposing their waste; thereby causing three damage to health	Most of the the population adopts adopts unhygiseric method for disposing their waste; thereby causing huge damage to health
slum slum	There is street in the slum	. There is 100% street lights present in the slum	There is the control of the control
road	Most of the roads with a sum are semi: semi: which a road road road	Most of the roads within sare sern; metallic or kuchha road	Most of the roads within slums are serrir metallic or kuchha road
drains are thred and broken condition resulting clogging	The slum is partially covered with with with surface drains but drains are broken condition resulting clogging	The slum is partially covered with surface drains but drains and condition resulting clogging	The stum is partially covered with with with drains are fulfed and broken condition resulting clogging
	The environmental condition in the slum is little bit poor	The environmental condition in the slum is little bit poor	The environmental condition in the slum is liftle bit poor
onthers ongaged in local housekeeping, as sweepers in local area as cleaners at Municipal area and as vegetable vegetable nearby	Most of the salun dwellers works as casual labour in local in local industries, others others of local industries, others as weepers in local areas as cleaners at municipal area and as vegetable sellers in chartly areas	Most of the works as casual labour in local and in local in local in local in local in local in local industries, others of engaged in local areas, as clearers at lin local areas, as clearers at and as and as every labour and and as learn as in local areas as clearers at and as and as learn as in local areas, as clearers at land as and as and as and as learn in local areas as clearers at land as and as an	Most of the lain dwellers works as casual labour in local sa sweepers in local as sweepers in local as sweepers as cleaners at and as and as and as and as selens in local and as and as selens in local and as and as meanty areas and as selens in local areas and as a cleaners at and as and as and as and as and as and as a selens in as and as a selens in a sele
	202	£ 88	207
	8	3	80
	Own Land	Own Land	Own Land
	12000	0009	0009
	More than years	More than years	More than 110 years
2 Km	The nearest nearest station at a distance is 4.5 to 2 Km	The nearest cellway station at a station at a distance is 1.5 to 2 Km	The meanest railway station at a distance is 1.5 to 2 Km
	Slum connects it to major areas of Murshidabad Municipality	Slum connects it to major areas of Murshidabad Municipality	Slum connects it connects it areas of Murchidebed Muricipality
	Metal in most is most is in front of the stume	Metal is road is road is in front of the slums	Metal road is runnling in front of the slums
	=	=	
	Pringe area	800 a a a a a a a a a a a a a a a a a a	Pringe area area
	KURMITOLA COLONY NO 2	NEHAL BAGH THAKUR PARA	RAIL COLONY KURMITOLA
	8	8	86

Chairman Chairman Muricipality

Water suppty is sufficient	Water supply is sufficient	Water supply is sufficient	Water supply is sufficient
Most of the Most of the develing develing are kacche dispidated dispidated	Most of the the the dwelling units are kacchs or dilapidated	Most of the the dwelling units are kacchs or dilapidated	Most of the cheeling units are kacche or dilapidated
Most of the population adopts adopts adopts mathod for disposing their waste; thereby causing their buge damage to health	Most of the the population adopts adopts method for disposing their waste; thereby causing huge damage to health	Most of the the population adopts unhygishic method for disposing their wests: thereby causing thuse damage to health	Most of the population adopts unhygienic method for disposing their waste; waste; thereby causing huge
There is 100% street street present in the slum	There is street lights present in the stum	There is 100% street lights present in the slum	ts 100% street lights present in the stum
most or the roads wiftin slums are semi metallic or kuchha road	Most of the roads within safe semi metallic or kuchha road	Most of the roads within sale salem metallic or kuchhe road	Most of the roads within skuns are semi metallic or kuchha road
The sturn is partially covered with a drains but drains but drains are titled and condition resulting clogging clogging	The sturn is partially covered with with a surface drains but drains but drains are condition resulting clogging	The slum is partially covered with with auriface drains but drains but drains are condition resulting clogging	The slum is partially covered with surface drains but drains are titled and broken condition resulting cloqging cloqging
environmental condition in the sium is little bit poor	The everyonmental condition in the slum is little bit poor	The environmental condition in the stum is little bit poor	The deviconmental condition in the stum is little bit poor
Most of the Most of the Works as works as In Iocal	Most of the atum dwelters works and dwelters works and casual fabour in local in local in local industries, others as weepers in local as weepers as cleaners at Municipal area and as weepetable and as weepetable and as weepetable and as a sellers in local areas and as and as a sellers in nearby areas	Most of the workelers works all about in local in local industries, others others as sweepers in local areas, as cleaners at Municipal area and an as wegetable wegetable energy wegetable	Most of the alm dwelfers worker a sum dwelfers worker casual labour in local in local confers others others as weeping, as weeping, in local areas, in local areas.
8	78.2	766	702
5	142	\$ \$ F	25
Own Land	Own Land	Own Land	Own Land
13000	151000	21000	47000
More than than years	More than 10 years	More than 10 years	More than 10 years
The meanest railway station at a distance is 1.5 to 2 Km	The mearest railway station at a station at a station at a station at a station at 2 Km	The nearest nearest stations at a station at a station at a station at 2 Km	The nearest ratiway station at a distance is 1.5 to 2 Km
Sum Sonnects it to major areas of areas of Murshidsbed Murshidsbed Murshidsbed areas of a major areas of a m	Slum connects it to major stress of Murshidebad Municipality	Slum connects it to major areas of Murshidabad Municipality	Slum connects it to major areas of Murshdabad Murshdabad
Metaj Turnaing In front of the siums	Metal is road is running in front in front of the stums	Metal road is running in front of the slums	Metal road is running in front of the slums
-	12	22	2
Firinge area	Arma	Fringe area	Area
KURMITOLA COLONY NO 3	CHHAGANJ	ICHHAGANJ MOGATULI	ICCHAGANJ- GARWANPARA
g.	31	8	08

	Water Bupby is sufficient	Water supply le sufficient	Water supply is sufficient	Water supply is sufficient
	Most of the the dwelling units are kacchs or dilapidated	Most of the of the own	Most of the the dwelling units are kacchs or dilapidated	Most of the dwelling units are kacche or dilapidated
Call	Most of the the population adopts unhygishic method for disposing their wests: thereby causing huge damage to health	Most of the the population adopts adopts adopts method for disposing their waste; thereby causing thuge to health	Most of the the sound of the so	Most of the population adopts unhygienic method pr
	There is 100% street by the present in the sturn	There 100% street lights present in the slum	There is 100% along the interest lights present in the silum	There is 100% street lights present
	Most of the roads within slums are semi metallic or kuchha road	Most of the roads within slums are semi metallic or kuchha road	Most of the roads within slums are semi metallic or kuchha road	Most of the roads within slums are servi metallic or
	The slum is partially covered with with drains are trilled and broken condition resuling clogging	The sturn is partially covered with with with drains but drains but drains are condition resulting clogging	The sturn is partially covered with with with the surface drains but drains are broken condition condition resulting clogging	The slum is partially covered with surface drains but
	The weromental condition in the alum is little bit poor	The environmental condition in the slum is little bit poor	The environmental condition in the alum is little bit poor	The environmental condition in the slum is little bit poor
Municipal area and as vegetable sellers in	Most of the Bull dwellers works as casual labour in local bull as sweepers in local as sweepers in local areas as cleaners at Multicipal area and as	Most of the sum dwellers works as casual fabour in local in local industries, others others as weepen in local as sweepers in local areas as cleaners at and as wegetable wegetable wegetable seems.	Most of the sum dwellers works as casual labour in local incountries, others others others housekeeping, as sweepers in local areas as cleaners at and as wegetable wegetable wegetable money and as mand as meanty areas me	Most of the slum dwellers works as casual labour in local industries,
	527	6.65 6.05 6.05 6.05 6.05 6.05 6.05 6.05	750	181
	59	585	141	\$
	Own Land	Own Land	Own Land	Own Land
	21000	372000	121000	92000
	More than 10 years	More than 10 years	More than 10 years	More than to years
	The needs to see that the see t	The reservest relivery station at a distance is 1.5 to 2 Km	The reservest railway station at a distance is 1.5 to 2 Km	The nearest railway station at a distance
	Stum connects it to major areas of Murshidabad Municipality	Slum connects it to major areas of Murchidabad Municipality	Slum connects it to major areas of Murshidabad Municipality	Stum connects it to major areas of Murshidabad Municipality
	Metal is road is road is road is front of the slums	Metai: road is road is in front of the slums	Metal in the control of the structure of	Metal road is running in front of the slums
	2	er -	e.	60
	Fringe area	F nnge area	area area	Fringe area
	CHAIPARA DEAR	KURMITOLA 4 NO COLONY	RANSAGAR MONDAL PARA	HOSSAIN DALAN, MONDAL PARA
	0	***************************************	24 EF S	1.7

	Water supply is aufficient	Water supply is sufficient	Water supply is sufficient
	Most of the dwelling units are kaccha or dilapidated	Most of the dwelling units are kaccha or dispidated	Most of the
disposing their waste; thereby causing huge damage to health	Most of the the population adopts and unhygenic method for disposing their wests, thereby causing huge damage to health	Most of the the population adopts and population adopts and provide in the provide in their waste, thereby causing huge damage to health	Most of She population adopts unhygiseric method for disposing their weste. I thereby causing these to health
slum slum	There is street street in the sium	in in the sium	There is street in the slum slum
road	Most of the roads within slums are sent metallic or kuchha road	Most of the roads within slums are serti metallic or kuchha road	Most of the roads within slums are semi metallic or kuchha road
drants are titled and broken condition resulting clogging	The slum is partially covered with with surface drains are drains and drains condition resulting clogging	The slum is partially covered with with surface drains are tried and drains are tribed and condition condition resulting clogging	The stum is partially covered with with with drains are trains and drains are condition resulting clogging
	The environmental condition in the stum is little bit poor	The condition in the structure is structured by poor	The evironmental condition in the atum is liftle bit poor
orbers engaged in focal housekeeping, as sweepers in local areas, as cleaners at as cleaners at and as and as evegetable evegetable evegetable	Most of the abun develers works as understand labour in local in local in local in local in local in local as severebering, as severebers as severebers as cleaners at Municipal area. And as as ellers in local as as ellers in local as as cleaners at man as as ellers in local as as cleaners at man as as ellers in local areas.	Most of the alm dwellers works as casual labour in local in local industries, others as sweepers in local as sweepers in local areas, as cleaners at Municipal area and as vegetable sellers in local areas as cleaners at man discount and as respectable sellers in local areas as cleaners at man discount and as respectable sellers in nearby areas	Most of the salm dwellers works a salm dwellers works casual labour in local industries, others others others as weepers in so sa cleaners at and as and as weepers and as and as every wegetable elerents at mediers in re
	88	800	4.00
6,00	181	50	78
	Own Land	Own Land	Own Land
	130000	167000	4000
	Mora than 10 years	More than years	More than 10 years
2 Km 2 Km 2 Km	The release railways station at a distance is 1.5 to 2 Km	The reservent reservent reservent reservent reservent et al. 18 to 2 Km	The nearest railway station at a distance is 1.5 to 2 Km
	Slum connects it to major areas of Murshdabad Municipality	Slum connects it connects it connects it areas of Murshidabad Murshidabad Murshidabad	Slum connects it to major areas of Murshidabad Murshidabad Muricipality
	Metal road is road is in front of the slume	Metal road is road is in front of the slums	Metal road is running in front of the slums
	9	00	4
	area area	Fringe area	Fringe area
	HATAATH COLONY	COLONY COLONY	NASHIPUR TAKEPARA
	4	ng a	8

Chairman Chairman Municipality

Water supply is sufficient	Water sufficient sufficient	Water supply is sufficient	Water supply is sufficient
Most of the Most of the dwelling units are kacchs or dilapidated	Most of the the the the the the dwelling units are kaccha or dilapidated	Most of the the the dwelling units are kacchs of dilapidated	Most of the dwelling dwelling twicks are kacchs or dilapidated
Most of the addition addopts addopts addopts addopts in method for disposing their waste; thereby causing the additing to health	Most of the property of the pr	Most of the	Most of the copulation adopts unhygienic method for disposing their waste, waste, thereby causing huge
ls 100% street 100% street 190% street 190% street present in the stum	There is street lights present in the stum	There is 100% street lights present in the stum	There is 100% street lights present in the slum
Most of the roads within see semi metallic or kuchha road	Most of the state	Most of the roads within slums are semi metallic or kuchhe road	Most of the roads within sturns are serni metallic or kuchha road
The slum is partially covered with a drains but drains but drains are litted and broken condition resulting clogging	The stum is partially covered with with auritice drains are drains are broken condition resulting clogging	The slum is partially covered with with with drains are trifled and broken condition resulting clogging	The slum is partially covered with surface drains but drains are filted and broken condition resulting cloquing
any condition in the sturn is little bit poor	The condition in the skim is little bit poor	The condition in the situation in the poor	The environmental condition in the slum is little bit poor
Most of the slum dwelfers works as works as works as works as in local in focal and as sweepers as sweepers as sweepers as sweepers as clearers at and as wegetable seelers in nearly areas	Most of the standard works as works as casual labour in local in local in local in local in local as seveepers in local as seveepers in local areas, as cheeners at and as una district wegetable ellers in local areas and as and as wegetable ellers in local areas and as	Most of the balm dwellers works as a casual tabour in local in local in local in local control in local as sweepers in local areas as sweepers in local areas as cleaners at Municipal area and as wegetable sweethy areas reas and as lores in local areas as cleaners at manicipal area and as allers in local areas as cleaners at manicipal areas and as a sellers in chaechy areas and as a sellers in chaechy areas	Most of the salam awellers works a salam awellers works casual tabour in local in local in local in local capaged in local sa sweepers in local as a weepers in local areas.
708	88 88 8	φ (Ω)	724
283	57	123	136
Own Land	Own Land	Own Land	Own Land
0000	3000	10000	10000
More 10 years	More than 10 years	More than 10 years	More than 10 years
The nearest ration at a station at distance is 1.5 to 2 Km	The meanest relevant relevant relevant relevant at a station at a station at 1.5 to 2 km	The nearest railway station at a station at a station at a station at 2 Km	The nearest railway station at a distance is 1.5 to 2.4 km
Sum Connects it to major areas of areas of Auricipality	Slum connects it to major areas of Murshidabad Murshidabad Murshidabad	Slum connects it connects it connects of gress of Murshidabad Muricipality	Slum connects it to major areas of Murshidabad Muricipality
Metal running in front of the slums	Metal is road is running in moning in front of the stums	Metal road is running in front of the slums	Metal road is running in front of the stums
4	*	4	4
Area	Fringe area	Fringe	Core Area
SATICHIRA	NASMIPUR GHOSH PARA	NASHIPUR RAJBATI	JAFRAGANJ
74	84	48	09

	Water aupply is sufficient	Water eupply is aufficient	Water supply is sufficient	Water supply is sufficient
HP COSCORDED	Most of the	Most of the the dwelling units are Karcha or dispidated	Most of the	Most of the dwelling units are kaccha or dilapidated
damage to	Most of the the population adopts adopts muhygienic muhygienic muhygienic muhygienic muhygienic glaposing their waste, thereby causing causing the mage to health health	Most of the	Most of the population adopts unhygenic method for disposing their waste, thereby causing things to health	Most of the population adopts unhygienic metgod for
	is 100% street in the slum	There is 100% street Ilights present in the slum	is is 100% at	There is 100% street lights present
	Most of the roads within situres are sermi metallic or kuchha road	Most of the roads within silving serni metallic or kuchha road	Most of the roads within alums are semi metallic or kurchha road	Most of the roads within slums are semi metallic or
	The slum is partially covered with with with saurface drains but drains are brittled and brittled and condition resulting clogging	The slum is partially covered with surface drains but drains but orbiting condition condition resutting clogging	The slum is partially covered with with with drains but drains but drains are broken condition resuthing clogging	The stum is partially covered with surface drains but
	The conditions in the sign is the poor in	The environmental condition in the slum is little bit poor	The environmental condition in the shun is little bit poor	The environmental condition in the sturn is little bit poor
as clearers at Municipal area and as vegetable sellers in nearby areas	Most of the later works as works as works as casual labour in local industries, others others others on local bousekeeping, as as sweepers as clearers at Municipal area and as wegetable sin head as wegetable in local areas.	Most of the sum over as a sum dwellers works as casual labour in local abour in local abour local engaged in local areas, sa veepers as clearers at the casual labour and as clearers at the casual labour and as clearers at the casual	Most of the sum dwellers sum dwellers sum dwellers sum dwellers casual abour in hocal abour in hocal apound in housekeeping, as sweepers in hocal areas as cleaners at in hocal areas as cleaners at and as vegetable seeping in hocal areas as cleaners at homely area and as homely areas and as homely areas homely are homely areas homely are homely are homely areas homely are homely areas homely are homely areas homely areas homely are homely areas homely areas homely are homely are homely are homely areas homely are homely areas homely are homely areas homely are homely areas homely are homely are homely are homely areas homely are homely are	Most of the slum dwellers works as casual labour in local industries,
	378	473	245	980
	*	8	8	124
	Own Land	Own Land	Own Land	Own Land
	12000	0009	000089	184000
	More than 10 years	More than years	More than 10 years	More than 10 years
	The nearest railway station at a distance is 1.5 to 2 Km	The nearest railway station at a station at	The nearest raiws a station at a station at a station at 1.5 to 2 Km	The nearest railway station at a distance
	Slum connects it to major areas of Murshidabad Municipality	Slum connects it to major areas of Murshidabad Municipality	Slum connects it to major sreas of Murshidabad Municipality	Slum connects it to major areas of Murshidabad Municipality
	Metal road is road is in front of the slums	Metai road is running in front of the slums	Metal is road is running in front of the slums	Metal road is running in front of the slums
	*	4	45	rī.
	Pringe area	Fringe area	Area	Fringe
	SHYAMPUR	CHAIPARA DEAR	BHATAPARA(S.C	MAILBASA
	10	25	89	3

	Water supply is sufficient	Water supply is sufficient	Water supply is sufficient
	Most of the the the dwelling units are kacchs or dispidated	Most of the the who will make the control or dispidated	Most of the dwelling units are karchs or dispidated
disposing their waste; thereby causing huge damage to health	Most of the the population adopts unhygiseric method for disposing their waste; thereby causing shuge damage to health	Most of the the population adopts adopts unhygiseric method for disposing their waste. Thereby causing the damage to health	Most of the population adopts unhygishic muthygishic muthygishic muthygishic filesposing their waste; thereby causing causing the damage to health
sum sum	is 100% street lights present in the slum	is 100% street lights present in the slum	is 100% street lights lights in the stum
road	Most of the roads within siums are semi metallic or kuchha road	Most of the roads within slums are sern in retails or kurchha road	Most of the roads within a slums are serni metallic or kuchha road
drains are tifted and broken condition resulting clogging	The slum covered with with with surface drains are drains are broken condition resulting clogging	The stum covered with covered with with drains are drains and drains and broken condition resulting clogging	The stum is partially covered with with with drains are drains and drains are condition resulting clogging
	The environmental condition in the stum is tittle bit poor	The condition in the situm is little bit poor	The conditions is a condition in the slum is little bit poor
orthers angaged in local housekeeping, as sweeper in local areas, as cleaners at Municipal area and as vegetable vegetable nearby	Most of the salum dwellers works as casual labour in local in local industries, others others as sweepers in local as sweepers in local areas, as cleaners at Municipal area and as vegetable sellers in nearly areas	Most of the authors works as works as casual labour in local in local industries, others others others in local areas as sweepers in local areas as cleaners at and a and as vegetable sellers in nearly wasset as cleaners at and a and as as weepers in local areas as cleaners at and and as a and as and as and as a and as and as a	Most of the standard of the standard st
	427	65.7	1064
	86	191	500
	Own Land	Own Land	Own Lend
	70000	75000	84,000
	More than 190 years	More Bhan 140 years	More to years
2 Km	The meanst rallway station at a distance is 1.5 to 2 Km	The meanest railway station at a station at station at station at station at station at the stat	The rearest relivery station at a distance is 7.5 to 2 Km
	Slum connects it to major areas of Murshidabed Municipality	Slum connects it connects areas of areas of Murshidebed Muricipality	Stum connects it connects areas of Murshidehed Muricipality
	Metal road is running in front of the siums	Metal road is running in front of the slume	Metal road is road is in front of the stums
	10 m	10 P	96
	Fringe area	Fringe area	Fringe area
	HARIGANJ BAGAN	KATHGOLA KHASPARA CHINI MOHAL NASHIPUR	RANSAGAR NORTH
	25	8	66

MED Govt. of West Bengal

Charman Charman Wisshidapad Municipality

Water sufficient sufficient	Water supply is sufficient	Water supply is sufficient	Water supply is sufficient
Most of the World of the Control of	Most of tree further dwelling units are kaccha or dilapidated	Most of the the dwelling units are kacchs or dilapidated	Most of the dwelling units are kaccha or dilapidated
Most of the adoption adoption adoption adoption method for disposing their thereby causing the adoption additional additi	Most of the population adopts and population adopts and population of disposing their wester; thereby causing huge to health	Most of the population adoption adoption adoption method for disposing their waste; thereby causing harmage to health	Most of the oppulation adopts unhygienic method for disposing disposing their waste; causing huge
is 100% street lights present in the sturn	There is 100% street lights present in the slum	there is street street in the slum	is 100% street street street present in the stum
Most of the roads within are selms are serin metallic or furchina road	Most of the roads within slums are semi metallic or kuchha road	Most of the roads within a sum a semi semi kuchha road kuchha road	Most of the roads within slums are serni metallic or kuchha road
The sturn is partially covered with with surface drains but drains but drains are liked and condition resulting cloquing cloquing	The slum is partially covered with with a surface drains are trillied and broken condition resulting clogging	The sturn is partially covered with with a surface arains are drains but drains and broken condition resulting clogging	The stum is partially covered with surface drains but drains are titted and broken condition closeling closeling closeling
The annual straight of the str	The environmental condition in the slum is little bit poor	The environmental condition in the studies plant is title bit poor	The configuration of the structure of th
Most of the slum dwellers works as as a satural labour. In local industries, others engaged in local satures, as cleaners at Murnicipal area and as a seellers in neathy steas.	Most of the sum dwellers works as casual labour in local industries, others others as weepers in local areas, as suepepers in local areas as cleaners at an das end as evegetable seellers in local areas, as cleaners at we	Most of the works works as a seem in local engaged in local areas as eveepers in local areas, as cleaners at Municipal area and as wegetable and as wegetable and as a sellers in local areas, as cleaners at wagetable and as and as an as wegetable and as an as wegetable and as an as an as an as wegetable and as an	Most of the workellers works about a seasual tabour in local in local industries, others others as eweeped in local as seweepers in local areas in local areas in local areas in local areas in local areas.
80	\$\text{\$\exitt{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\exitt{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\exitt{\$\text{\$\exitt{\$\text{\$\}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}	φ 4	378
33	25	123	7
Own Land	Own Land	Own Land	Own Land
128000	00009	283075	88538
More than then years	More than years	More than 10 years	More than 10 years
The nearest railway station at a distance is 1.5 to 2 Km	The meanest railway station at a distance addition at 2 Km	The mearst rathway station at a distance is 1.5 to 2 km	The nearest railway station at a distance is 1.5 to 2 Km
Summan Connects it to major areas of areas of Aurichality Munichality	Slum convects it convects it major Murshidabad Murshidabad Muricipality	Slum connects it to major areas of Murshidabad Muricipality	Sturn consects it to major areas of Murahidabad Municipality
Metal road is running in front of the slums	Metal is noad is nonling in front of the slums	Metal road is road is in front of the slums	Metal road is running in front of the slums
9	6	φ.	92
Area Area	Fringe area	Area	Fringe
KAMALBAGH	KAMALBAGH BAHUBEGUMBAGH	TALBAGAN- PUTIAPARA 1	TALBAGAN- PUTIAPARA 2
00	00 100	00	5

		Water Supply	Water supply is sufficient	Water sufficient	Water supply is sufficient
		Housing Condition	Most of the the the the white are kaccha or dilapidated	Most of the the the dwelling units are kaccha or dilapidated	Most of the the the dwelling units are kaochs or dispidated
health		SW	Most of the the population adopts adopts unhygienic method for disposing thereby causing thereby demage to health	Most of the population adopts adopts adopts method for disposing their waste; thereby causing huge damage to health	Most of the the population adopts unhygienic method for disposing their waste: thereby causing huge damage to health
		Street	There is 100% street lights present in the slum	There is 100% street lights lights in the skum	There is 100% etreet lights present in the slum
		Road	Most of the roads within are slams are seam; mustalic or kuchha road	Most of the roads within slums are seam! metallic or kurchha road	Most of the roads within shums are semi metallic of kuchha road
		Condition of Drain	The sturm is partially covered with surface drains are drains are broken condition resulting clogging	The slum is perfelly covered with with with drains are littled and broken condition resulting clogging	The elum is partially covered with with a surface drains are titled and broken condition resusting clogging
		Condition	The environmental condition in the slum is little bit poor	The forecast of the condition in the poor	The condition in the structure is stitle bit poor
Municipal area and as vegetable sellers in nearby areas		Slum Dwellers' Occupation	Most of the sum dwellers works as casual labour in local in local inclusivies, others others as weepeng, as weepeng in local areas as cleaners at in local areas as cleaners at and as weepetable sedilers in nearby areas	Most of the full whelers works as casual labour in local industries, others others as weepers in local areas, as cleaners at Municipal area and as veepetable and as veepetable sellers in reastly areas and as the minicipal area and as reastly and as registable sellers in reastly areas as delers in reastly areas and as the manufacture and as th	Most of the aum dwellers works as casual labour in local industries, others others as weepers in local as weepers in local as as weepers in local areas, as cleaners at Municipal area and as and as wegetable
		Population	4341	9256	1608
	Non Sium	Existing House Hold	1010	840	400
		Ownership of slum	Own Land	Own Land	Own Land
		Area In sqkm	€.	86.0	0.24
		Shirm Age	More than 50 % years	More So years	More than 550 years
		Distance of Nearest Rail Station	The nearest reliway station at a last of a last of 2 km.	The nearest railways station at a station at a station at 15 to 2 Km	The nearest calway station at a distance distance is 1.5 to 2 Km
		slum corrects it to major areas	Slum connects it to major areas of Murshidabad Municipality	Slum connects it to major areas of Murshidabad Municipality	Slum connects it to major areas of Murshidabad Municipality
		Roard Type Running In front of the Sium	Metal is road is road is in front of the siums	Metal some la control la la control la la control la la control la	Metal road is running in front of the slums
		Ward No	-	N	w
		The project stum site	Fringe area	Firtne	Fringe area
		Name of the Sturm	Non Slum	Non Sium	Non Stum
		# ²	+	N	eri

	Water sufficient	Water supply is sufficient	Weiter supply ls sufficient	Water sufficient
	Most of the the when the dweling units are kaccha or dilapidated	Most of Most of Aveiling dwelling units are karchs of dispidated dispidated	Most of the of the of the of the of the of the of dispidated or dispidated	Most of the dwelling units are karchs or dilapidated
	Most of the population adopts unhygienic method for disposing their weste, thereby causing huge damage to health	Most of the population of the	Most of the the doubt of the adopts unhygienic method for disposaling their wester; thereby causing huge to health	Most of the population adopts adopts method for disposing their waste;
	There is a street inghts present in the stum	There is 100% street lights present in the stum	Thera is 100% street street in the stum	. There is 100% street lights present in the stum
	Most of the roads within silms are seemi maskelli or kuchhe road	Most of the roads within are slums are slums are metallic or kuchha road	Most of the roads within are semi metallic or kuchha road	Most of the roads within shums are senti metallic or kuchha road
	The stum is partially covered with with surface drains but drains are filled and broken condition resulting clogging	The stum is partially covered with with with a surface drains but drains are tilled and broken condition resulting clogging	The slum is partially covered with surface drains but drains but drains but condition condition resulting clogging	The slum is partially covered with with drains are drains and drains and broken condition
	The condition in the slum is little bit.	The condition in the sum is little bit poor	The environmental condition in the slum is little bit poor	The environmental environmental schum is little bit poor
nearby areas		Most of the standards works as works as works as in local in local in local others angaged in local areas as cleaners at Municipal area and as vegetable and as vegetable and as vegetable and as sellers in	Most of the sale o	Most of the stum dwelters works as works as casual fabour in local industries, others engaged in local housekeeping,
	1847	2158	3673	5018
	464	488	854	1078
	Own Land	Own Land	Own Land	Own Land
	60.0	94.0	0.75	œ.
	More So years	More So years	More So years	More than 50 years
	The nearest railway staliway staliway a stalion at a stal	The nearcat rallway station at a distance is 1.5 to 2 Km	The nearest ratiway ratifion at a distance is 1.5 to 2 Km	The nearest railway station at a distance is 1.5 to 2 Km
	Slum connects it connects it or major stress of Murshidabad Municipality	Slum connects it to major areas of Murshidabed Municipality	Sium connects it to major neress of Muricipatity Municipatity	Slum connects it to major arrass of arrass of Murricipality
	Metal road is running in front of the slums	Metal road is ruming in front of the slums	Metal road is in front of the sturns	Metal road is running in front of the slums
	us	60	~	60
	Fringe area area	Fringe area	Fringe area	Arisa
	Non Slum	Non Slum	Non Slum	Non Slum
_	4	w	φ	h

MED Govt. of West Bengal

65

	Water supply is sufficient	Water supply is sufficient	Water sufficient	Water supply is sufficient
	Most of the dwelling dwelling units are karcha or dilapidated dilapidated	Most of the covering are white are karchs or dispidated	Most of the the dwelling units are kaccha or dilapidated	Most of the dwelling units are
damage to	Most of the population adolpts unhygentor method for method for the waste; waste; whereby causing thuge damage to health	Most of the	Most of the the population adopts and unhygiseric method for disposing their waste; thereby causing huge damage to health	Most of the population adoots
	There 100% street lights lights in the skum	There is street lights present in the sturn	There is 100% street ights present in the elum	There is 100%
	Most of the roads within slams are senti metallic or kuchha road	Most of the roads within surins are sern/imetallic or kuchha road	Most of the roads within slums are semi metallic or kuchha road	Most of the roads within
clogging	The slum is partially covered with with a with surface drains but drains are titled and broken condition resulting clogging	The atum is partially covered with surface drains but drains and broken condition resulting clogging	The slum is partially covered with with with drains are drains are broken condition resulting clogging	The stum is partially covered
	The condition in the slum is ittle bit poor	The environmental environmental condition in the salum is tittle bit poor	The everyonmental condition in the stum is little bit poor	The environmental condition in the skirm is liftle bit
as sweepers in local areas, as cleaners at Municipal area wegetable sellers in nearby areas	Most of the selfm dwellers works as works as works as in focal abour in local inclustries, or works as engaged in local decapped in local sees, as cleaners at Municipal area and as vegetable in local areas, as delers in order to the works when the works we have a cleaners at which areas, as dearners at works we would be a work or work work or work work work wor	Most of the salum dwellers a slum dwellers a slum dwellers a works as casual labour in nocal labour in nocal labour in casual saveepers in local areas, as cleaners at and as wegetable sellers in casual sand as wegetable	Most of the all movelers works as casual labour in local in local in local in local in local in local but as severebers in local as severebers in local areas, as cleaners at Municipal area and as vegetable sellers in nearly areas	Most of the sturn dwellers works as
	3013	1882	4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	1743
	159	150	364	383
	Own Land	Own Land	Own Land	Own Land
	25.0	1.00	12	0.38
	More than 50 years	More than SO years	More than 550 years	More than 50
	The nearest railway station at a distance is 1.5 to 2 Km	The nearest ratiway stateon at a distance is 1.5 to 2 Km	The nearest raiway station at a distance is 1.5 to 2 Km	The nearest railway
	Slum connects it to major areas of Murchidabad Murchidabad	Sium connects it in major areas of Murshidabad Municipality	Slum connects it to major areas of Murshidabad Municipality	Slum connects it to major
	Metal is road is running in front of the slums	Metai road is running of the slums	Metal is coad is cursting in front of the slums	Metal road is running
	Ob.	01	£	12
	Pinge area	area area	Area	Fringe
	Non Slum	Non Slum	Non Slum	Non Sium

Chairman Chairman saurahidaban Manicipality

	Water supply is sufficient	Water supply is sufficient
kaccha or dispidated	Most of the whost of welling units are kacche or dilapidated	Most of the the dwelling units are kaccha or dilapidated
un'hyglenic method for disposing their waste: thereby causing huge damage to healith	Most of the the population adopts adopts unhygianic method for disposing their waste. Thereby causing huge to health	Most of the the population adopts and population adopts and population method for disposing thereby causing huge damage to health
lights present in the sum	There is strong the present in the stum	There is the street in the shum
semi metallic or kuchha road	Most of the roads within slums are serni metallic or kuchha road	Most of the roads within slums are serti metalic or kuchhe road
surface drains but drains are litted and broken condition resulting clogging	The atum is partially covered with with drains are drains are broken condition resulting clogging	The stum covered with with surface drains are drains are broken condition resulting clogging
poor	The environmental condition in the stum is little bit poor	The environmental condition in the poor
in local industries, others others others cost as as veepers in local areas as cleaners at and as vegetable and as vegetable and as vegetable feeling in local	Most of the abundance and an area as weekers as casual labour in local in local in local in local bushaged in local buskeeping, as sweepers in local areas as cleaners at and as vegetable seellers in howerthy areas regetable	Most of the sellun dwellers works as works as casual labour in local in local industries, others as weepers in local areas, as cleaners at Municipal area and as evegetable sellers in nearby areas
	3094	1856
	6637	375
	Own Land	Own Land
	866.0	0.82
	More than years	More than 5.5 years
distance distance 2 Km	The nearbst raiway station at a last station 2 Km	The nearest railway station at a station at a station at a station at 1.5 to 2 Km
Municipality Municipality	Slum connects it to major areas of Murshidabad Municipality	Slum connects it to major areas of Murchidabad Municipality
of the slums	Metal road is runting in front of the slums	Metal is road is running in front of the slums
	<u>w</u>	8
	Finge area	Area
	Non Slum	Non Slum
	5	<u>e</u>



Details of Social Infrastructure at a Glance:

Table-19: Details of Social Infrastructure at a Glance

ě																	
Women Washing Manual Ma	NA.	¥.	NA NA	NA	NA	ž	%	ž	\$	NA M	NA.	NA	2	2	2	2	¥
Associ atom		-	-	-	-	+	-	-	+	-	**	-	-	-	-	-	-
diester e Associ	NA	¥	NA	NA	NA	NA	¥.	NA NA	NA	NA	¥N.	NA	NA	NA	NA	ž	AN AN
No of Neighbour Neighbour hood Groups (NHGs) In stum	NA	NA NA	NA	NA	ž	NA	NA NA	NA	N.	NA	NA	NA	NA	NA	¥	NA NA	NA NA
Self Help Groups/D Groups in Slum	NA	NA	NA	NA	¥.	N.A.	NA	NA	NA	NA	NA	NA	NA	N	NA	NA	NA
82.21	ž	NA.	ž	¥	¥	§	AN.	AM	NA	*	¥.	¥.	¥.	¥.	¥.	¥.	A.
	ž	AN	ž	N.	NA	ž	Š	2	ž	NA	ž	ž	AN AN	N.	NA NA	NA NA	NA NA
Street Children Rehabilit atton Centre	NA	N.A.	NA.	NA	NA	¥.	Y.	¥.	¥.	N N	NA	NA	NA	NA	ž	SA.	NA
Vocabonal Training/Tr aining cum Production Cantre	NA.	NA	NA NA	NA	¥2	NA NA	NA	2	NA.	ž	NA.	¥.	NA	NA	NA	NA	NA
Comme	NA.	N N	NA	¥.	¥.	NA NA	A A	NA NA	V.	NA	NA	₹N	V.	ΨN.	NA NA	NA NA	¥N.
Deventopments Weetlare	NA	ž	NA	NA	NA	N.	NA NA	NA	NA	\$	NA.	N.	NA	NA	×.	NA NA	ž
Ayuresta Doctoriv aidya	NA	NA.	¥N	N.A.	NA.	ž	5	NA.	NA	ž	ş	5	NA	NA	NA	N N	YY.
Register red Medical Medical Practiti Oner (RMF)	NA	ž	NA	Y _N	NA	¥	\$	NA N	NA	N.	NA NA	₹ Z	NA	A	NA	V.	₹ X
>e_e0==_u	> 0 0		> 0 =		>- 0 0	> 0 m	> 0 a	> 0 a	> 0 10				-	> • m		> 0 a	> = =
Magh School nit	Within Ye distance less s than 10 km		Within Ye distance less s		Within Ye distance less s than 10 km		Within Ye distance less s than 10 km	Within Ye distance less a than 10 km	Within Ye distance less s than 10 km		Within Ye detance less s than 10 km		Within Ya distance less s than 10 km				Within Ye distance less s than 10 km
E Saz 582 a	NA	ž	NA	Ā	××	2	N.	ž	NA	ž	¥	ž	ž	ž	NA.	ž	ž
T S S S S S S S S S S S S S S S S S S S	ž	₹ 2	NA NA	X X	N.	ž	¥	¥	NA	ž	NA	ž	NA	N.	2	¥2	¥ Z
EssEev-M25	N.	S.	NA	¥.	NA	ž	2	ž	NA.	ž	2	2	NA NA	ž	ž	A.	₹.
States Sovernment Prinary School	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km					
ma = 2 2 20 5	NA	N.	NA	¥.	₹ X	₹ X	A.	NA NA	ž	NA	ž	₹Z	AN.	¥N.	NA	NA	NA
E 5 2 2 4 2 2 2	NA	¥	ž	NA	NA NA	¥.	ž	¥.	N.	¥	¥	2	NA NA	₹ Z	≨	ž	ď.
Pra- edbe	2	2	ž	ž	NA NA	ž	2	NA A	ž	ž	2	2	ž	ž	ž	N.	ž
	Within distance less than 1 km	Within distance less than 1 km	Within distance less than 1 km	Within detance less then 1 km	Within distance less than 1 km	Within detance less than 1 km	Within distance less than 1 km	Within distance less than 1 km	Within distance less then 1 km	Within distance less than 1 km	Within distance less than 1 km	Within distance 1998 than 1 km					
Signin Name Anganwadi	-	-	-		HAIPATGAN J BAGAN PARA	HAIPATGAN J THANAPAR AS C011)		TIKATULIPA RA(5 NO. TIKATULIXS	TIKATULI(4 NO. TIKATULI	FAKIRTULI BANSGOLA NAPIT PARA		BANSGOLA ROAD, BASTI		KALANDAR BAGH	KALANDAR BAGH BIHARIPAR A	or 1	BAHADUR AU CHOWRAH
-0	-	14	0	4	10	40			-	-	-	27	13				



	\$	Ž.	NA	NA	½	NA,	¥.	NA NA	ž	Y.	NA A	NA	ž	NA NA	52	ž	N.	NA	ž	NA.	2	ž	T.
	-		*	-	-	-	F	+	-	+	-	+	-	-		**		-	-	-	-	-	+
	¥	NA.	N.A.	5	NA NA	A.	Ž	NA	¥.	NA	Ψ.	NA A	ž	NA	¥.	NA	₹	NA	*	NA	¥X	NA	NA
5	ž	ž	¥	¥2	«K	NA A	Υ _χ	NA	NA	¥.	NA	2	AA.	2	A.	¥	NA	NA	ž	NA	NA NA	NA	NA
w.	NA	NA	NA	NA	NA	NA	N.	NA	NA NA	NA	NA	NA.	ď.	¥	NA.	NA	NA	NA NA	NA	NA	NA	¥	NA.
	¥.	NA	Ž.	NA	NA	NA	NA NA	NA	ž		¥2	NA NA	ž	≨	MA	NA	N.	NA	MA	ž	NA.	4 N	NA
	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA	¥N.	NA NA	¥	NA	NA	¥	NA	NA	¥N.	¥.	NA.	NA
5	NA.	NA	NA	NA	NA	N. A.	N A	NA	N.A.	2	ž	NA NA	ž	NA A	NA.	A	ž	NA	NA	NA	V.	A	NA
5	N.	NA	NA	AM	NA.	ž	NA	MA	NA	NA	NA	NA	₹ Z	N.	NA	A	Ψ.X	NA	SA.	ž	ž	ž	NA
K	¥.	NA	NA	NA N	NA.	Ψ.	N.A.	¥2	X X	¥¥.	A.	2	AM	¥.	ž	NA	NA	NA	₹ 2	¥.	N.	Y.	₹Z
5	NA	NA	NA.	NA	Ž.	NA NA	NA	NA	¥.	NA NA	NA NA	NA	NA	NA	NA A	NA	AN .	NA	NA	NA	NA.	NA	N.A.
5	NA	NA	NA	NA.	NA	₹ X	NA	NA	NA	NA	NA NA	NA	AN.	NA	NA	NA.	NA	NA	N.A	NA	N.	NA NA	NA NA
5	NA.	A.	NA.	NA	NA	N.A.	¥2	NA	NA	Ψ.	KZ.	NA	Y.	VN.	₹2	NA A	NA	NA	NA	AN AN	×	NA	AN AN
- 0 4	> o «	> = s	> + +	> = a	>- 0 u	> 0 0	> 0 a	> 0 p	> 0 0	>- e e	> 0 0	> o =	> 0 0	> 0 a	> 0 0	> 00 at	> 0 a	> u a	> e e	> 0 0	> o a	> 0 0	> 0 (
												° -			S 8			-	8 · •	-		-	, s
distance tess than 10 km	Within distance less than 10 km	Within distance less than 10 km	Within distance less than 10 km	Withyn detance less than 10 km	Within distance less than 10 km	Within distance less then 10 km	Within distance less than 10 km	Withen distance less than 10 len	Within distance less than 10 km	Within distance less													
	NA.	NA NA	¥.	N.	ž.	X.	ž		×	ž	ž	NA	NA.	ž		×	≨		NA	¥	2	5	¥.
N.	NA NA	¥N ¥N	2	ž	2	NA NA	NA	ž	NA	NA.	NA	NA	ξ.	ž	NA	NA,	NA NA	NA	NA.	ž	¥	NA.	NA
5	NA NA	NA NA	A.	ď.	Z.	ž	ž	ž	¥Z	ž	§.	ď.	NA NA	ž	NA NA	NA NA	NA NA	ž	₹N	ž	¥	NA NA	2
vernin detrance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km
V.	N.	₹ Z	NA	N.A.	NA NA	₹ Z	¥ N	2	₹N	NA.	ź	ž	ž	ž	AN	AN.	5	A A	N.	2	NA NA	5	ž
	NA	2	NA.	ž	MA	₹N	₹.	¥.	Y.	NA NA	Ý.	NA NA	Ψ.	¥.	N.A.	ž	ž	N.A.	Y.	NA	NA	ž	AN.
38	¥	N.	NA.	2	N.	MA	¥X	MA	NA NA	NA	N.	ž	¥.	NA.	MA	¥	NA	NA	¥	2	₹.	¥.	¥
distance less than 1 km	Within distance loss than 1 km	Within distance less than 1 km	Within distance less than 1 km	Within distance less then 1 km	Within distance less than 1 km	Within distance less than 1 km	Within distance less than 1 km	Within distance less than 1 km	Within distance less than then	Within distance less than 1 km	Within distance less than 1 km	Within distance less than 1 km	Within distance less than 1 km	Within distance less than 1 km	Within distance less than 1 km	Within distance less than 1 km	Within distance less than 1 km	Within distance less than 1 km	Within distance less than 1 km	Within distance less than 1 km	Within distance less than 1 km	Within distance less than 1 km	Within distance less
_			RAILPARA	Station Para			BUDHAS PARA MANDAL PARA		ußec.	KILLA BASTI		FARASKHA NA BASTI	ICCHAGANJ DEBNATHP ARA	_	NY TO	NEHAL BAGH THAKUR PARA	_	KURMITOL A COLONY NO 3	-	ICHHAGANJ	_	CHAIPARA	KURMITOL A 4 NO

MED Govt. of West Bengal

5			ž	NA	¥.	NA	NA	ž	Ϋ́Z	NA NA	-	-	A.	ă.	NA	Y.	ď.	AN N	NA.	NA.	1 NA	NA	3
	70 0	-		_							-	-											
-	YY.	*	Ž.	NA	NA	NA NA	NA	NA	NA	NA	¥.	NA	NA	NA	NA.	NA	ž	NA	NA.	NA	NA.	NA	NA
5	NA	NA NA	NA	NA.	NA	NA	NA	Y.	NA	NA.	ž	ž	NA	NA	NA	NA	NA	W.	NA.	¥	≨	NA.	NA.
5	MA	NA	NA.	NA	NA	NA.	N.A.	¥.	NA	NA	NA A	NA	NA	NA	W	NA	NA.						
5	ž	NA	ž	NA	NA	NA,	Ψ.	Y Y	NA	NA	NA	ž	ž	NA.	NA	¥.	ž	NA	N.	NA	ž	NA NA	NA
Š	N.A.	¥.	MA	N/A	¥2	NA NA	A.	NA	NA.	NA	Y.	ž	ž	₹ Z	NA	¥	NA	NA	AN.	¥	NA.	N.	ž
ž	AM	NA	NA	NA	NA	N.A.	ž	AN.	2	N.	ž	N.	¥	NA.	V.	NA	NA	NA	¥	NA	ž	NA.	ž
NA NA	K.	*	NA.	NA	NA NA	NA	NA.	NA NA	NA	NA	NA	NA NA	NA	ž	NA.	NA	NA.	¥.	NA	NA NA	NA	NA	NA
Š	NA NA	NA	NA	NA	√N ∀N	AN	Y.	¥2	NA.	NA	NA NA	NA	NA	NA.	NA	NA	NA	AN.	NA	NA	NA	NA	NA
ž	NA	NA.	× ×	¥	¥	¥	×	NA	NA NA	A.	NA	AN	AN	₹ X	NA.	NA NA	NA.	AN A	AN	¥	¥	NA	NA
Š	NA	ž	NA.	NA	NA NA	¥	NA.	NA NA	NA.	ž	NA	NA	NA	4	NA	NA.	2	NA	N.	NA NA	NA.	NA	NA.
«C	NA	NA	NA	N.A.	NA	AN	NA	NA	A A	MA	NA	₹X	₹N	4 X	NA	NA NA	¥.N	AN.	NA	NA	NA	¥×	S.
		-				-	-						-						-			> 0 10	-
	\$ ±	e ×	e ×	e «	8 4		e ×	* ·		e ≻ es	- m			° «	©	s Ye	e ≻ •	e > **	0 × 0	S 40	e <	8 ×8	9 a
Within distance less than 10 km	Within distince less than 10 km	Within distance less than 10 km	Within detance less than 10 km	Within detance less than 10 km	Within distance less than 10 km	Within distance less than 10 km	Within distance less than 10 km	Within distance less than 10 km	Within distance less than 10 km	Within distance less than 10 km	Within distance less than 10 km	Within distance less than 10 km	Within detance less than 10 km	Within distance less than 10 km	Within distance less								
N.	NA.	ď.	¥.	ž		ž	2	NA A	K.	ž	N.	ž	NA NA	¥.	ž	ă	NA NA	ž	NA.	2	NA NA	ž	AN.
ž	NA	5	ž	X.	NA.	ž	NA NA	NA NA	NA.	NA	NA.	¥	N.	2	≨	ž	M	NA	NA	NA NA	NA	NA	N.
≨.	¥.	ď.	¥.	ž	¥	N.	ď.	ž	e Z	2	NA.	N.	¥N.	∌	ž	ž	ž	A.	ž	NA	¥.	¥	ž
Within distance less than 0.5 km	Within distance less than 0.5 ism	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less then 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km	Within distance less than 0.5 km								
ž	ž	NA A	W	ž	2	ž	ž	ž	ž	≨	ž	ž	₹	××2	¥.	¥.	¥	¥ Z	ž	NA NA	NA NA	ž	K.N.
ž	ž	¥	NA NA	N.	N.	N.	¥.	ž	N.	Z Z	2	ž.	¥N.	2	ž	ž	¥.	ž	NA	N.	ž	ž	¥
₹ E	ž	NA NA	ž	¥	¥.	¥.	NA	Ν	M.	NA	¥	ž	ž	ž	ž	ž	ž	A N	NA	NA.	N.	NA.	ž
Within distance less than 1 km	Within distance less than 1 lon	Within distance less than 1 km	Within chatance less than 1 km	Within distance less than 1 km	Within distance less than 1 km	Within distance less than 1 km	Within detance less than 1 km	Within distance less then 1 km	Within distance less than 1 km	Within distance less than 1 lon	Within distance is than 1 km	Within distance less than 1 km	Within distance less										
RANSAGAR MONDAL PARA		HATAATH	KURMITOLL	NASHIPUR TAKEPARA	SATICHURA		NASHIPUR RAJBATI	JAFRAGAN	SHYAMPUR CHINIMAHA L	CHAIPARA	SHATAPAR A(S.C071)	UCHUTALA MAILBASA	HARIGANU	KATHGOLA KHASPARA CHINI MOHAL NASHIPUR	RANSAGAR	KAMALBAG H	KAMALBAG H BAHUBEGU MBAGH	FALBAGAN- PUTIAPARA	TALBAGAN- PUTIAPARA	Non Stum	Non Stum	Non Stum	Non Slum



MED Govt. of West Bengal

s lees	NA.	o leeps	1		CID	-		the car	NA	e less	cm	×	e less	cm	NA		cm			CD CD	NA	o form	than 1 km
	ž		V d	5		- NA			NA			NA			MA			NA			NA		
	NA		\dagger			N.A.			NA			NA			NA		1	NA		Street, Street	NA	4000	
less than U.5 km	Within distance	leas than 0.5 km	Lift Sibility of probances	face than 0.5 term	1000	Within distance	less than 0.5 km		Within distance	less than 0.5 km		Within distance	less than 0.5 km		Within distance	leas than 0.5 km		Within distance	less than 0.5 km		Within distance	less than 0.5 km	
	NA.	1	+	-		-			NA			NA			NA			NA.			NA.		
	-		t	_	_	-									-					1	-		
than 10 l	NA Within	distance	+	_	Of nard	NA. Within	distance	than 10	NA, Within	distance	-	-	distance	than 10	NA WITHIN	distance	than 10	NA WITHIN	distance	Ot neut	NA Within	Clistance	than 10 km
671	-		\dagger			H	8		-		-	-	_		-	_	km .	H		-	-	10	, ES
(D (D	× *	0 0	+	_	-	H	_	•	4 0		100	× 4	0		-	-	0	-		-	H	-	90
	NA		Ŧ	_		-	_		NA.			NA		-	-		-	H		-	_		
	NA		NA			NA			NA			MA			N.A.			MA			AN.		
	NA					NA			NA			NA			AM			NA.	1000	171111	NA		
	NA		MA			NA			NA			×××			NA			NA			NA NA		_
	NA NA		NA			NA			NA			NA.			NA		2000	NA			NA NA		
	NA		NA.			NA			Z.			NA			¥		1000	NA			NA		
	NA		NA			AN			ž			ž			¥			NA			NA		
	× ×		NA			NA NA			¥.			NA NA			Y.		1	NA			Ž.		
	NA		NA			NA			NA			NA			NA			NA			NA		
	NA.		NA			ž			NA			MA		-	NA			NA			×		
	NA.		NA			N. N.			NA.			NA.			NA NA	_		NA			NA		
1	-		-						,		1	-	_		-		1	-		1	-		
	teles Than U.S.Krit (Markal Vice Kims & b b control of the control	NA NA WRitin distance NA NA Within Ye Y NA	See NA NA NA Within displance NA NA Within M NA Within See NA				NA NA NA NA NA NA NA NA	MA MA MA MA MA MA MA MA	Mark Mark Markin distance Mark Markin Markin	May May	NA	NA	Mail	MA	Mail	Mark Mark Markin O S S Markin O S Mar	NA	Mark Mark Markin O Skm Marki	NA	Mail	NA	Mark Mark Mark Mark Mark Mark Mark Mark	NA



Section 4 - Description of Proposed Project and Planning

4.1 Provision of Housing

The Supply Demand Gap and Requirements

Particulars		Requirements
Housing: Dwelling Unit provision for H	louseholds	s with standard provisions:
		1 Multipurpose Room
		1 Bed Room
		1 Kitchen
		1 Toilet
		1 W.C
Physical Infrastructure Requirement:	Standa	ard Infrastructure Provision for
		Water Supply
		Drainage
		Roads
		Electricity
Project Development Option In-situ redevelopment and whole of the p	project will	l be addressed in the project
Proposed Development		
Based on preliminary understanding, the	following	components are being proposed
☐ Housing Units [Single storied	l in situ].	
 Standard Physical Infrastructu Drainage, Roads and Electricity 	ire to be p	provided in the form of Circulation of Water Supply
Innovations proposed in Project Plann	ning	

Background

Housing activities are known to have the capacity to play a significant role in social-economic development, because they help not only in creation of shelter for the people by also in generating employment opportunities for a large variety skilled and unskilled work force which is a prerequisite for growth and development of settlement. A considerable section of the people without land are in a still worse position as housing schemes for the poor have hither to been targeted on paper but not applied in practice. Both the serviced land and shelter have become beyond the reach for half of the population-hence formation of slums, encroachments, informal colonies and unauthorized constructions. No land is earmarked for

MED Govt. of West Bengal

72

S.A.E.

Murshidabad Municipality



Economically Weaker Sections and Low Income Groups in Master Plan. The population density norms are required to re-look to enable better utilization of valuable land, as certain areas in the city. This growing slum population and the lack of basic facilities like water and sanitation will badly impact on overall development and prosperity of urban centres like Municipality.

- To overcome the existing situation and to promote planned development the following innovative strategies can be adopted for the improvement of the city.
- To ensure that housing, along with the supporting services is treated as a priority and at par with the infrastructure sector.
- Forging strong partnerships between private, public, and cooperative sectors to enhance the capacity
 of the construction industry.
- Organizing public consultations to meet the special needs of slum dwellers.
- Promotion of livelihood for the slum dwellers.

Financial Implementation:

Beneficiary led Participation:

Implies development of housing by involvement of Beneficiary

Tasks:

- · Composition of beneficiaries and organizing the area meetings.
- Involvement of community and sustainable livelihood framework (SLF) in decision making and prioritization of needs of the slum.
- Understating of Social-economic profile

Post Project Monitoring

A Monitoring & Evaluation team has to be formed to know the post project impact on the slums and to document the best practices.

Physical Infrastructure


Background

The National Sample Survey Organization (NSSO) in the Ministry of Statistics and Programme Implementation, Government of India has released the report of a nation-wide survey carried out by it during July 2008 to June 2009 (65th round) on the condition of urban slums.

The aim of the survey was to collect information on the present condition of the slums and on recent changes, if any, in the condition of facilities available therein. Both 'notified slums' – areas notified as slums

MED Govt. of West Bengal

73





by the municipalities, corporations, local bodies or development authorities – and non-notified slums were surveyed – a non-notified slum being any compact urban area with a collection of poorly built tenements, mostly of temporary nature, crowded together usually with inadequate sanitary and drinking water facilities in unhygienic conditions. The present report gives the condition of urban slums, covering ownership, area type, structure, road within and approaching the slum, living facilities like electricity, drinking water, latrine, sewerage, drainage, garbage disposal, and distance of slums from the nearest primary school and government hospital/health centre. It also estimates the proportion of slums where certain specific facilities have improved/ deteriorated over the five years preceding the date of survey.

Comprehensive data on this subject was last collected by NSSO in its 58th round (July - December 2002). The present report provides key indicators from the 58th round as well, for comparison. Some important findings of the survey are given below.

- About 49 thousand slums were estimated to be in existence in urban India in 2008-09, 24% of them
 were located along nallahs and drains and 12% along railway lines.
- About 57% of slums were built on public land, owned mostly by local bodies, state government, etc.
- In 64% of notified slums, a majority of the dwellings were pucca, the corresponding percentage for the non-notified ones being 50%.
- For 95% slums, the major source of drinking water was either tap or tube wells.
- Only 1% notified and 7% non-notified slums did not have electricity connection.
- About 78% of notified slums and 57% of the non-notified slums had a pucca road inside the slum.
- About 73% notified and 58% non-notified slums had a motorable approach road.
- About 48% of the slums were usually affected by water logging during monsoon 32% with inside
 of slum waterlogged as well as approach road to the slum, 7% where the slum was waterlogged but
 not the approach road, and 9% where only the approach road was waterlogged in the monsoon.
- The sanitary conditions in the slums in terms of latrine facility during 2008-09 showed considerable improvement since 2002. Latrines with septic tanks (or similar facility) were available in 68% notified and 47% non-notified slums (up from 66% and 35% respectively in 2002). At the other extreme, 10% notified and 20% non-notified slums (down from 17% and 51% in 2002) did not have any latrine facility at all.
- About 10% notified and 23% non-notified slums did not have any drainage facility. The
 corresponding proportions in 2002 had been 15% for notified and 44% for non-notified slums.
 Underground drainage systems or drainage systems constructed of pucca materials existed in about
 39% notified slums (25% in 2002) and 24% non-notified slums (13% in 2002).
- Underground sewerage existed in about 33% notified slums (30% in 2002) and 19% nonnotified slums (15% in 2002).

MED Govt. of West Bengal

Chairman Municipalit

74

- Government agencies were collecting garbage from 75% notified and 55% non-notified slums.
- Among these slums, garbage was collected at least once in 7 days in 93% notified and 92% nonnotified slums. About 10% notified and 23% non-notified slums did not have any regular mechanism for garbage disposal.
- Over the last five years, facilities had improved in about 50% of notified slums in terms of roads (both within-slum road and approach road) and water supply. The incidence of deterioration of any of the existing facilities in notified slums during the last five years was quite low (about 6% or below).
- In case of most slum facilities sewerage and medical facilities being exceptions the facility was
 reported to have improved during the last five years in more than 20% of non-notified slums.
 Deterioration of any of the existing facilities in non-notified slums, like notified slums, was rare (about
 9% or below).
- Facilities such as street light, latrine, drainage, sewerage and medical facilities were each reported by more than 10% of notified slums to be non-existent both at the time of survey and five years earlier. In case of non-notified slums, facilities like street light, latrine, drainage, sewerage and garbage disposal were each reported by more than 20% of the slums to be non- existent, both during the survey and five years earlier. Where improvement had been brought about during the last 5 years, it was due to the
- Government's efforts in about 80-90% of slums, both notified as well as non-notified and for all the
 facilities. Improvement in educational facilities at primary level was attributed to NGOs in 13% of
 the notified slums where such improvement was reported. NGOs were also found to have played a role
 in the improvement of latrine and sewerage system in non-notified slums.

Topographical survey and GIS mapping

The preparation of base map of Wood Industries slum has been prepared with Global Positioning Stations (GPS) and temporary Benchmarks (TBM) for Georeferencing and accurately locating the slum. These points have been selected and located at well defined locations on the ground after discussion with the ULB officials. The existing topographical features have been represented to the actual terrestrial position.

Based on the Total Station survey and Socio-economic survey GIS based thematic maps were generated. This helped in accurate representation of the ground scenario with that of the socio-economic conditions of the people. The following GIS maps were generated for inclusive planning:

	Map showing existing Land use Map	
	Map showing Household Size	
	Map showing House Type/Structure, I	Flooring, Cooking
	Map showing Minority Status	
MED	Govt. of West Bengal	75

S.A.E.

Murshidabad Municipality

Charman Muminidabad Iviunicipality

	Map showing existing toilet facility
	Map showing existing road type in front of house
	Map showing existing source of drinking water
	Map showing existing source of house lighting
Water	Supply
Propos	sal Rationale
Votor	and poverty are inextricably linked. Poor access to water and insufficient sanitation affect the health
	poor, their food security, and their prospects for making a living especially for vulnerable
	such as children, the elderly, and women in general. Safe and adequate quantities of water and food
	y are recognized as preconditions for an acceptable development standard.
ecurit	y are recognized as preconditions for an acceptable development standard.
In alm	ost whole of Asia and the Pacific region - home to nearly 900 million of the world's poorest people -
one in	three people does not have safe drinking water and one in two lacks adequate sanitation. Water is a
ritical	resource for the poor and plays a key role in many aspects of their livelihoods.
oor p	eople depend on or are affected by water resources in four key ways:
	As direct inputs into production
	For health, welfare, and food security
	For ecosystems viability
	For combating water-related hazards
Ceepin	ng the above in mind, a water scheme for the urban poor needs to be drawn up which shall Improved
Access	to Quality Water Services and also build up institutions accessible to the poor that can efficiently
nanag	e water resources. These institutions need to be responsive to the poor and should have an adequate
pport	unity for the poor to raise their views.
The m	anagement of water resources must take place within the wider ecosystems context, and all actions
hould	be based on an understanding of the flows of water resources within river basins and how they affect
he poo	or.
n viev	of this, the water scheme needs to take into account the following broad objectives:
	To provide adequate Treated Water
	To ensure access for the Urban poor
	To develop institutional framework taking into account the requirements of the Urban Poor
2-4	
Outco	me
Water	is a basic requirement of life. Absence of adequate water is a major issue for health as well as
omfor	rt for the poor. With the implementation of the project, the slum dwellers will have access to safe
MED	Govt. of West Bengal 76

Americabed Municipality

Chairman Chairman Municipality drinking water, which will greatly help their personal health, and hygiene. Quality of life would improve significantly and the multiplier effect due to this investment would reap significant benefit to the economy of this region within a considerable short period of time.

Water supply includes sources of supply, features of collection and distribution system, water demand and availability, quality of surface and groundwater source, reuse and recycling of water including conservation of water at the household level. The endeavour for all the proposals is to optimize the total cost of the system.

Assessment of Overall State of Infrastructure

In line with the City Development Plan for Kolkata Metropolitan Area (Pg 11-28), it has been resolved that the entire KMA are will be switched over to surface water.

The following norms have been fixed for the region:

Kolkata Municipal Corporation Area 200 lpcd Howrah Municipal Corporation Area 150 lpcd Municipal & Non-Municipal Area

Previously the area was largely dependent on ground water. The status of ground water availability is as follows:

135 lpcd

Keeping in mind the reduced rate of aquifer, traces of Arsenic Contamination and presence of Iron on the water, it has been decided to switch over to surface water from River Damodar.

Accordingly, the plant design is adequate to cater to the future requirement of the entire region and no augmentation of supply is required for the present project

Situation Appraisal & Key Intervention for Identified Slum

Presently accessibility to water supply facilities in the slum pocket is inadequate. The major source of water is from the common tap water available in the slums. The slum is partially connected to the municipal water supply main.

It is now proposed that water pipeline shall be provided in each household with requisite number of taps, as computed during the survey as felt needs shall be provided under this Project. However, considering that the houses are being provided with water, the provisions of multiple taps have not been encouraged and kept to the minimal level.

77

Design of distribution system was carried out on the following basis:

Population projection

Project horizon years

MED Govt. of West Bengal

Municipality

Design period for various project components
Per capita water supply
Factors affecting consumption
Existing water supplies
Pipeline pressure requirement
Supply of water on 24 x 7 basis
Economical size of conveying main
Choice of pipe materials
Peak factor
Residual pressure
Hydraulic zoning

Design Period for various Project Components

Water supply projects are designed normally to meet the requirements over a period of 30 years after their completion. The time lag between design and completion of the project should also be taken into account which should not exceed two to five years depending on the size of the project. CPHEEO guidelines have been followed has suggested the design period for various water supply components.

Service Plan

The pipelines needs to be regularly and kept in full working conditions. It is proposed that operation and maintenance of these pipelines and other assets be done in conjunction with the maintenance programme of the Municipal Corporation. The Bustee Working Committee shall be the first level of responsibility for ensuring that the pipelines etc are kept in good order. The overall operation and maintenance shall be carried out by the project cell of the Municipal Corporation.

Proposed Interventions

According to the above, the water supply design requirement for Municipality has been fixed at 135 lpcd (Domestic Requirement) + 15% (head loss) + $100*(p^0.5) = 163.25$ lpcd (approx).

There is existing water supply scheme which has the capacity for meeting the requirement. Thus there is no additional requirement of any reservoir. There are street stand posts for the slum proposed. But to achieve house connection at slum 100 mm dia. DI pipes are proposed.

The details of water supply lines provide are as follow:

Transmission of Water

Murshidabad Municipality has water supply through ESR having (24x7) water supply. For the proposed multi-storied buildings sump and pump with OHR is provided for each building. The water supply network for this slum will be connected to the citywide water supply network.

78

MED Govt. of West Bengal

Americal Mandy S.A.E. Murchidabad Municipality Charman Charman Municipality

Water supply system broadly involves transmission of water from the water supply main to the area of consumption normally through pipelines. Pipelines normally follow the profile of the ground surface quite closely, normally at 1 metre below ground.

Following design criteria are adopted for this Project:

	Gravity pipelines have to be laid below the hydraulic gradient.
	Pipes are of Ductile Iron, Mild steel, GRP, HDPE, PVC, Plastic etc.
	The design of water supply conduits is dependent on pipe friction, available head, velocity
	allowable, etc.
П	Minimum sizes of 100mm for towns having population up to 50,000 and 150mm for those above
	50,000 are recommended.
	There are a number of formulae available for use in calculating the velocity of flow. However,
po	Hazen William's formula for pressure conduits and Manning's formula for free flow conduits are pularly used.

Drainage and Solid waste management

Proposal Rationale

The status of adequate Drainage has a close and direct link with environment, water supply and its cleanliness, health and hygiene. The problem of adequate drainage associated with steep influx of population in urban areas, therefore needs to be addressed forth with, debated and deliberated at length, by the policy planners for the development of urban/city areas. Inadequate Drainage results in accumulation of stagnant water and is a major health hazard for the people living in the region.

In the slums there is no proper drainage system and hence stagnation of water is a common occurrence for the slums. In order to improve the situation, there is a need for constructing pucca drains, which will dispose of the stagnant water to the main drains.

Outcome

The proposed drainage system by means of construction of new drains and improvement of existing will help to provide relief to the slum dwellers by means of efficient and effective disposal of storm water through the outfall channels. The outcome of this scheme will by and large enhance the quality of civic life by way of promotion and safeguarding the public health and environmental pollution.

Assessment Overall State of Infrastructure

One of the priority area identified for Wood Industries slum has been absence of adequate drainage. Most of the drainage is kutcha and inadequate for covering the slums which had led to water logging which in turn affected the environment and health of the people on an overall basis.

As mentioned above poor drainage system and consequently chronic water logging are the major issues of 79

MED Govt. of West Bengal

Americal Hendy Murshidabad Municipality



concern. There is hardly any pucca drain. The state of drain also affects the condition of the road.

Though there are storm water drains on the main road around the slums, but there is no systematic connection with the internal areas of the slum, thereby leading to acute water logging within the slum. It is worth mentioning that apart from lack of drainage network in several slum pockets, major challenge lies with its maintenance. In numerous cases drains in slums gets choked due to improper disposing of solid

waste and other hazardous materials into the existing drains.

Situation gets beyond control particularly during monsoon season like July and August. Accumulated water causes to generate public health problems. Haphazard growth and settlement in the slum area has blocked the natural drainage courses, which in turn causes water logging and stagnation in different parts of the

slum.

Proposed Interventions

It is thus proposed to have an integrated drainage programme covering the slum pocket. programme shall envisage construction of pucca drain throughout the road length and installing a maintenance programme to ensure that the drains are kept free from clogging from plastics and other materials. Depending on the availability of space and requirement, a sections have been designed, Designs

of which have been provided in the relevant sections.

Road Infrastructure

Proposal Rationale

A key component of the Proposal is a focused initiative to provide strong connectivity and provision of movement in the slums. This will enable the poor people to benefit from greater mobility and would increase their employment opportunities, open up trading and marketing of products, and important improve access to health, education, and other social services.

Roads in the slum are highly undeveloped and ill maintained. Poor roads are strong barrier to the development of the slums. Poor road condition and absence of road facility in several slums makes life difficult for all slum dwellers, especially, women and children. It also hampers prompt movement of sick; particularly those who require urgent medical attention. Lack of maintenance, coupled with poor drainage makes life even worse during monsoon season. Road are rarely re-built or re-paired periodically due to several reason. Provision of basic quality road is thus an important element of slum development. The existing road network system of the slum has become inadequate to cope up with the present and ever increasing needs. In order to bear the additional pressure due to enhanced civic, economic and commercial activities of the slum, existing road network system in several places are required either to be up-graded or winded and new roads are also be constructed in a number of places where the network is inadequate.

Proposed status and strategy

MED Govt. of West Bengal

80

rahidabad Municipality

marnatt Mandy

The existing condition of the road is poor and cause great hardship to the slum dwellers particularly women and children. The existing roads in the slum areas are predominantly made of brick pavement. These roads are substantially worn out. The lane roads are Kutcha roads. These roads are highly vulnerable and are in a poor condition particularly in rainy season

One of the major issues is absence of proper maintenance. In view of this it is proposed that the entire road network is to be converted to concrete pavement as concrete pavements are durable and easy to maintain.

The Road needs to be maintained. It is proposed that operation and maintenance and servicing of these roads be done by the Municipality. The Bustee Working Committee shall be the first level of responsibility for ensuring that the pipelines etc. are kept in good order. The project cell of the Municipal Corporation shall carry out the overall operation and maintenance.

Proposed Intervention

All the proposed roads are rigid pavement-cement concrete roads. Rigid pavements are those which posses note worthy flexural strength. The concrete pavement slab can very well serve as a wearing surface as well as effective base course. Therefore usually rigid pavement structure consists of a cement concrete slab, below which a granular base or sub base course may be provided. Rigid pavements are generally designed and the stresses are analyzed using elastic theory, assuming pavement as an elastic plate resting over elastic or a viscous foundation.

Construction of granular sub-base (GSB) 200 mm thick. Construction of 150 mm thick cement concrete pavement, as per Clause 1501.2.2 M30 (Grade), as per drawing and Technical Specification Clause 1501.

Outcome

After successful implementation of the scheme the slum dwellers will have facilities like pre-school education, adult education, non-formal education and social, recreational activities in the slum area. The community centres would provide the people to gather in, to meet and discuss their problems. It is not just a physical location but a space; where poor people could own, develop their thoughts and also could contribute their own skill and labour to make their dream come true. It will also provide the Municipal Corporation in networking with the urban poor communities in order to exchange information and views.

Proposed Intervention

In view of the above, it is proposed that a Community Centre is established to cater the slum population. For community development a community centre is proposed. The one storied community centre has total plinth area of 223.4 sq m.

There will be Multipurpose hall which may be used as skill development centres or livelihood centre, health centres and Crèche are provided.

81

The Community Centres act mainly as a supporting unit for livelihood and for revenue generation for O&M.

MED Govt. of West Bengal

rapid flandy

Americal Hursly S.A.E.



Materials of construction:

PCC (1:3:6) for foundation
RCC M-20 for substructure & superstructure (Column, Beam, Slab)
HYSD Steel
1st Class Brick Masonry
1:6 (Cement: Sand) plaster - 10 mm on soffit of beam & slab, 15 mm on internal walls & 20 mm
on external walls
IPS flooring

Definition of Slum for Housing

Different definitions of a slum exist in different statutes and in urban poverty literature. For the purpose of HOUSING SCHEME, it is proposed to adopt the definition given in the 2001 Census, which is as follows:

- a. All areas notified as 'Slum' by State/Local Government and UT Administration under any Act;
- b. All areas recognized as 'Slum' by State/Local Government and UT Administration, which have not been formally notified as slum under any Act;

Slum or *Slum Area*— is a compact settlement of at least 20 households (For NE & Special Category States it is 10-15 households) with a collection of poorly built tenements, mostly of temporary nature, crowded together usually with inadequate sanitary and drinking water facilities in unhygienic conditions.

Situation Appraisal

The people living in the slums mostly have kutcha (10) and semi-pucca (186) housing. In certain cases where pucca housing is available, they are usually in dilapidated condition. The kutcha houses are in very poor condition and require extensive repairs. Most of the houses have tiles on roof. While during the survey some of the houses have been noted to be in average condition, the quality of these houses is also speedily deteriorating.

Proposed Intervention

In line with the vision to Housing for All an integrated housing programme is proposed to be implemented. The target will be all the slum dwellers in the pocket. In situ single dwelling units are proposed.

Table-22: Dwelling units

Number of DU				
1152 within slums and non slums				

MED Govt. of West Bengal

Chairman
Chairman
Murshidebad Municipality



Building Plan

The buildings are proposed to cover an area of approximate 32 Sq.mt along with provision of 2 rooms, kitchen and sanitation facility. The layout, size and type design of housing dwelling units depends on the local conditions and the preferences of the beneficiary. The houses, has been designed in accordance with the desire of the beneficiaries, keeping in view the climatic conditions and the need to provide ample space, kitchen, ventilation, sanitary facilities, etc. and the community perceptions, preferences and cultural attitudes. In line with the scheme, carpet area of the house will be not less than 25 sq. mts and preferably two room accommodation plus kitchen and toilet should be constructed.

Bu	ıild	ing material
		PCC (1:3:6) for foundation
		RCC M-20 for substructure & superstructure (Column, Beam, Slab)
		HYSD Steel
		1st class Brick Masonry
		1:6 (Cement: Sand) plaster - 10 mm on soffit of beam & slab, 15 mm on internal walls & 20 mm on
		external walls
		IPS flooring
St	ruc	tural Design
		Following are the general considerations in the analysis/design.
		For all structural elements, M20 grade concrete and Fe 415 grade of steel is used.
		Plinth beams passing through columns are provided as tie beams.
		Pedestals are proposed up to ground level.
		Beam Centre-line dimensions are followed for analysis and design.
		For all the building, walls of 250 mm and 125mm thick with 20 mm External plaster and 12 mm thick
		internal plaster are considered.
		Seismic loads are considered acting in the horizontal direction along either of the two principal
		directions.
De	esig	n data
		Live load: 2.0 kN/m2 at typical floor
		1.5 kN/m2 on terrace (With Access): 0.75 kN/m2 on terrace (without Access)
		Floor finish $50 \text{mm} (0.05*24) = : 1.2 \text{ kN/m2}$
		Ceiling plaster 12mm (0.012*20.8): 0.25 kN/m2
		Partition walls (Wherever Necessary): 1.0 kN/m2
		Terrace finish: 1.5 kN/m2
		Earthquake load: As per IS-1893 (Part 1) - 2002
		Depth of foundation below ground: ,0.7 m
1	MEI	D Govt. of West Bengal 83

Murshidabad Municipality

Americal Hendry Murchidabaci Municipality ☐ Walls: 250 mm thick brick masonry walls at external and 125mm walls internal.

Reference codes:

- IS 456: 2000 Code of practice -Plain and Reinforced concrete.
- IS:1893:2002 Criteria for Earthquake resistant design of structures(Part-1)
- IS: 13920: 1993 Ductile detailing of Reinforced concrete structures subjected to seismic forces.
- SP: 34 Hand Book on Concrete Reinforcement and Detailing.
- S: 875: 1987 Code of practice for design loads (other than earthquake) for buildings and structures. (Part-2)
- NBC:2005

Identification of Beneficiaries

Municipality Municipal Corporation, in consultation with State Urban Development Agency (SUDA), will approve the phasing of the beneficiaries in the region. The beneficiaries so identified and the projects so prepared shall be done in consultation with the committees and community development societies already existing in that particular city. The identification of beneficiaries will be on the basis of the baseline survey already conducted under PMAY Demand Survey.

Allotment of Houses

Allotment of dwelling units will be in the name of the female member of the household. Alternatively, it can be allotted in the name of husband and wife jointly. Ownership of land required for every Beneficiary.

Town Planning Norms

Up-gradation of existing constructions and construction of new houses shall only be taken after approval of the lay out by the urban local body. Respective State Govts. may relax some town planning norms for sanction of such layout Plans, to facilitate HOUSING SCHEME, however, minimum acceptable standards of Town Planning will need to be set and followed.

All planning are done as per UDPFI & CPHEOO guidelines and local Municipal Bye-laws.

Compliance with Municipal Bye laws

All designs & drawings are created keeping in line with the municipal bye laws.

Tenure

Unlike rural areas, land is scarce in urban areas particularly in large metropolises. Under HOUSING SCHEME, the responsibility for providing land for the project rests with the State Government or its agencies.

Summary of Investment

MED Govt. of West Bengal

Americal Handy

84



Project Costing

The costing for the individual sectors has been made on the basis of applicable Schedule of Rates. The details of each of the sub-projects have been provided in the respective sections.

The cost components include:

Infrastructure: Cost of infrastructure development/up-gradation including water supply, sewerage, storm water drainage, solid waste management, roads & drainage, street lights, etc.

Housing: Construction Costs would need to be arrived from the various components that are proposed to be implemented and would vary depending on the development option identified.

GOI Contribution:

PMAY scheme guidelines stipulate that, 1.5 lakhs of the unit cost of dwelling unit.

The Central share would be available as per milestones set out in Memorandum of Agreement (MoA).

Beneficiary Contribution:

In order to ensure beneficiaries interest, financial contribution by the beneficiaries is critical.. The share of beneficiary contribution in housing is proposed to be a minimum of 25000/-. As per PMAY guidelines no contribution from the beneficiaries is expected in infrastructure improvements

State Contribution:

The decision would be left to the remaining share would have to be arranged by the State. State will contribute 5% of total Dwelling cost for infrastructure.

ULB Contribution:

ULB have no contribution on dwelling unit cost. ULB will contribute 5% of total Dwelling cost for infrastructure.

In the 1st Meeting of SLSMC of West Bengal it has been decided that the flowing funding pattern should be adopted for implementation of PMAY until further revision.

Table-23: Share of Fund

Type of City/Towns as per 2011 census	Component	Contribution of					
		Central Rs.(Lakhs)	State Rs.(Lakhs)	ULB Rs.(Lakhs)	Beneficiarie s Rs.(Lakhs)		
Total cost of Beneficiary LED Construction	Housing	1.5	1.93	Nil	0.25		
	Infrastructure	Nil	5 %	5 %	Nil		

85

MED Govt. of West Bengal

Ameriate Mandal
S.A.E.
Murshidabad Municipality

Chairman Chairman Municipality

4.2. Disaster Management and Mitigation

Most of the citizens admit the necessity of elimination of hazards arising out of collapse of ill maintained buildings of temporary nature during periods of heavy rains and storms and immediate renovation of drainage system by construction of drains of adequate size and re-sectioning of the channels for increasing their carrying capacities by following appropriate design for the same. The structural design of the building is made by the MED, Govt. of West Bengal considering the norms of disaster management.

4.3. Statutory approval including environmental clearance (as applicable)

Table-22: Statutory approval including environmental clearance

	IMPACT &	REMEDIES
1.	Utilization of alternative material Characteristics and availability of alternative material	Locally available bricks etc. will be used.
2.	Rehabilitation of water bodies & measures for maintaining surface runoff smoothly	No water body is affected by the alignment of road. The road side open C. C. / Brick masonry drains have been provided for free flow of storm water.
3.	Measures for Erosion Control	Not applicable for the slum area.
4.	Conservation of Topsoil a. Extent of loss of topsoil b. Area requirement for topsoil conservation c. Inclusion of conservation of topsoil d.	Not applicable for the slum area.
5.	Impact on Heritage & Culture a. Identification of locally significant cultural properties b. Assessment of likely impacts on each cultural property due to project implementation c. Possible measures for avoidance i) Identification of alternative routes ii) Relocation of Culture property in consultation with the local community iii) Common Property	Question does not arise.
6.	Location of Natural Habitants	It will not be disturbed
7.	Construction of site office / Camp	Temporary construction of camp / office shall be established by contractor and since the project is small and scattered, the temporary impact on environment for Construction Camp / office at the time of execution of work is negligible.
8.	Quarrying of Materials	
	a. Sourcing of materials from quarriesb. Lead from various existing quarriesc. Adequacy of material for the project in these	The construction materials require for the project shall be procured from: a) Stone metal: from the existing.

MED Govt. of West Bengal

Ansnatt Mudy S.A.E. urshidabad Municipality Chairman Municipality

	quarries	 b) Bricks: From the existing brick fields nearby the project site. c) Sand: From the nearest source. All the materials are sufficiently available.
9.	Water Requirement; Identification of potential sources of water	Water required for the construction of work will be available from ground water. There is no scarcity of water in the region.
10.	Location of Waste Water Disposal :	
	a. Location for disposal of waste water	The surface drain have been proposed in the slum for disposal of waste water.
	b. Outfalls locations for longitudinal drains	
	i) Outfall level and back flow	Natural slope of the ground will be maintained for waterways for discharge of surface runoff. No possibility of back flow except in the case of heavy flood.
	ii) The outfall is in natural stream; measures shall be taken to prevent sediment into the stream.	The storm water drain of the slums will discharge the water to the main high drain of the town.
11.	Air Pollution during construction work	Work shall be carried out by equipments like concrete mixer machine vibrator etc. at this time of concerting work only for which air pollution will be negligible.
12.	Identify locations susceptible to induced development	Locations vulnerable to induced development: In such location the Municipality has committed not to allow building construction activity. a. Lands within 50 m of junctions b. Agricultural lands with enforce restriction on building activity on either side of road. Stretches within 100m of worship places, weekly fairs and locations of community mass gatherings.
13.	Roles and responsibilities of municipality in regulating development	The municipality shall lay down restrictions on building activities along the by-pass roads: 1. Municipality will enforce restriction on building activity on either side of road. 2. Development of Residential sites outside Existing Settlement. Appropriate measure towards the removal of encroachments onto the public land to be taken.
14.	Traffic Congestion and related air & noise pollution	As the road passes through the slum area of the town and two wheelers, Three wheelers, light vehicle will move hence there will not be any traffic congestion, related air & noise pollution.
15.	Opportunity in economic activities due to ease of transportation system	The benefits due to this project are: 1. Generation of Man days

MED Govt. of West Bengal

Amenath Hundry S.A.E. Murshidabad Municipality Chairman Chairman Municip

2.	Improvement in Household or population sector i.e. Improvement of personal health, hygiene, socio- economic condition, education etc.

Section 5 - Project Cost Estimate

5.1. Detailed Estimates

5.2.1. Detailed Estimate of Provision of Housing

Table-24: Detailed Estimate of Provision of Housing

DETAILED ESTIMATE FOR THE CONSTRUCTION OF SINGLE UNIT DWELLING HOUSE

Pradhan Mantri Awas Yojana Housing For All (Urban) Total Covered Area- 32.58 sq.m (With Electrical Works)

Reference of Schedule of Rates: PWD (W.B.), Schedule of Rates Building & Sanitary w.e.f-01.07.2014 & Corrigenda

Floor Area 25.77 sqm

SL No.	Description of Works	Quantity	Unit	Rate (Rs.)	Amount (Rs.)
1	Earthwork in excavation in foundation trenches or drains, in all sorts of soil (including mixed soil but excluding laterite or sandstone) including removing spreading or stacking the spoils within a lead of 75 m as directed including trimming the sides of trenches, levelling, dressing and ramming the bottom, bailing out water etc. as required complete. a) Depth of excavation not exceeding 1500mm.	13.000	%cu.m.	12047.00	1566.11
	SOR, PWD, P-1, I -2 a				
2	Earth work in filling in foundation trenches or plinth with good earth in layers not exceeding 150 mm. including watering and ramming etc. layer by layer complete. (Payment to be made on the basis of measurement of finished quantity of work)				
	a) With earth obtained from excavation of foundation.	11.120	%cu.m.	7831.00	870.81
	SOR, PWD, P-1, T/3 a				
3	Supplying Laying Polithin Sheets etc. SOR, PWD, P-45, T - 13	22.000	sqm	25.00	550.00
4	Cement concrete with graded Stone ballast (40 mm.) excluding shuttering.a) In ground floor and foundation.6:3:1 proportion Pakur variety SOR, PWD, Page 24; Item -10 a	3.500	cu.m.	5823.00	20380.50
5	25 mm. thick damp proof with cement concrete (4:2:1) (with graded stone aggregate 10 mm. Normal size) and painting the top surface with a coat of bitumen using 1.7 kg. per sq.m. including heating the bitumen and cost and carriage of all materials complete.	6.810	sqm,	297.00	2022.57

MED Govt. of West Bengal



Pradhan Mantri Awas Yojana Housing For All (Urban)

Total Covered Area- 32.58 sq.m (With Electrical Works)

Reference of Schedule of Rates: PWD (W.B.), Schedule of Rates Building & Sanitary w.e.f-01.07.2014 & Corrigenda

SL	Description of Works	Quantity	Unit	Rate (Rs.)	Amount (Rs.)
I	SOR, PWD, P-45, T-12			11111	(Astro)
6	Brick work with 1st class bricks in cement mortar (6:1)				
	a) In foundation and plinth.	10.430	cum	5719.00	59649.17
	b) In super structure SOR, PWD, P-29, T -22(a), (b)	15.240	cum	5943.00	90571.32
7	125mm thick brick work with 1st. class bricks in cement mortar (4:1). a) In ground floor SOR, PWD, P-73, I-29	23.220	sq.m.	783.00	18181.26
8	Ordinary Cement concrete (mix 1:1.5:3) with graded stone chips (20 mm nominal size) excluding shuttering and reinforcement if any, in ground floor as per relevant IS codes.	3.940	cu.m.	6851.66	26995.54
	(i) Pakur Variety				
	SOR, PWD, P-14, T -7(i)				
9	Reinforcements for reinforced concrete work in all sorts of structures including distribution bars, stirrups, binders etc. including supply of rods, initial straightening and removal of loose rust (if necessary), cutting to requisite length, hooking and bending to correct shape, placing in proper position and binding with 16G black annealed wire at every inter-section, complete as per drawing and direction. (a) For works in foundation, basement and upto roof of ground floor / upto 4m. (i) Tor steel/Mild steel.	0.309	MT	60705.93	18775.74
	SOR, PWD, P-27, T -15(i)				
10	Hire and labour charges for shuttering with centreing				
	and necessary staging upto 4 m. using approved stout props and thick hard wood planks of approved thickness with required bracing for concrete slabs, beams, columns, lintels curved or straight including fitting, fixing and striking out after completion of works. (upto roof of ground floor). (When the height of a particular floor is more than 4 m. the equivalent floor ht. shall be taken as 4 m. and extra for works beyond the initial 4 m. ht. shall be allowed under 12(e) for every 4 m. or part thereof.)SOR, PWD, P-66, T-12(a)				
	25 mm. to 30 mm. thick wooden shuttering as per decision & direction of Engineer-in-charge. Ground Floor	37.063	M ²	360.00	13342.68
11	Plaster (to wall, floor, ceiling etc.) with sand and cement mortar including rounding off or chamfering corners as directed and raking out joints or roughening	116.940	sq.m.	181.00	21166.14

MED Govt. of West Bengal





Pradhan Mantri Awas Yojana Housing For All (Urban)

Total Covered Area- 32.58 sq.m (With Electrical Works)

Reference of Schedule of Rates: PWD (W.B.), Schedule of Rates Building & Sanitary w.e.f-01.07.2014 & Corrigenda

	Floor Area 25.77 sqm						
SL No.	Description of Works	Quantity	Unit	Rate (Rs.)	Amount (Rs.)		
	of concrete surface, including throating, nosing and drip course where necessary. In ground floor. A) With 6:1 cement mortar. a) Inside wall 20 mm thick plaster SOR, PWD, P-151, T -2 (i)(b)						
	b) Out side Wall, 15mm th. SOR, PWD, P-151, I -2 (i)(c)	111.950	sq.m.	156.00	17464.20		
	B)10mm th celling plaster (4:1) SOR, PWD, P-151, I -2 (i)(c)	23.330	sq.m.	140.00	3266.20		
12	Neat cement punning about 1.5mm thick in wall, dado, window, sills, floor, drain etc. SOR, PWD, P-152, I -8	26.700	sq.m.	38.00	1014.60		
13	Artificial stone in floor,dado, staircase etc. with cement conctrete (4:2:1) with stone chips laid in panels as directed with topping made with ordinary or white cement (as necessary) and marble dust in proportion (2:1) including smooth finishing and rounding off corners and including application of cement slurry before flooring works, using cement @ 1.75 kg./sq.m. all complete including all materials and labour. In ground floor. 3 mm. thick topping (High polishing grinding on this item is not permitted) with ordinary cement. 20mm thick SOR, PWD, P-40, I-3 (i)	26.490	sq.m.	265.00	7019.85		
14	Supplying, fitting & fixing MS clamp for fixing door and window frame made of flat bent bar, end bifurcated, fixed in cement concrete with stone chips (4:2:1)a fitted and fixed omplete as per direction. 40mm x 6mm x 125 mm length. (Cost of cement concrete will be paid separately) SOR, PWD, P-90, I-18 (c)	34	each	22.00	748.00		
15	Wood work in door and window frame fitted and fixed complete including a protective coat of painting at the contact surface of the frame other Local wood SOR, PWD, P-85, T-1(i)	0.213	cu.m.	46171.00	9834.42		
16	Panel Shutter of door & Window (each Panal Consisting Of single Plan without Join) 25 mm thick shutter with 12 mm thick Panal of size 30 to 45 cm. Other Local wood SOR, PWD, P-105, I -84 (iv)c	8.520	sq.m.	1567.00	13350.84		
17	Iron butt hinges of approved quality fitted and fixed with steel screws, with ISI mark. a)75mm x 47mm x	32.000	each	34.00	1088.00		

90

MED Govt. of West Bengal

Americal Harday Murshidabad Municipality



Pradhan Mantri Awas Yojana Housing For All (Urban)

Total Covered Area- 32.58 sq.m (With Electrical Works)

Reference of Schedule of Rates: PWD (W.B.), Schedule of Rates Building & Sanitary w.e.f-01.07.2014 & Corrigenda

SL No.	Ploor Area Description of Works	Quantity	Unit	Rate (Rs.)	Amount (Rs.)
	1.70mm SOR, PWD, P-91, T -20(iv)				
18	Iron Socket Bolt of approved quality fitted and fixed complete. i) 150 mm long x 10 mm dia SOR, PWD P-93, I-25,c	11.000	each	71.00	781.00
19	White washing including cleaning and smoothening surface thoroughly (5 parts of stone lime and 1 part of shell lime should be used in the finishing coat). Two Coats SOR, PWD, P-155, I -3 (b)	124.960	%sq.m.	1887.00	2358.00
20	Colour washing with ella with a coat of white wash priming including cleaning and smoothing surface thoroughly external surface One Coat SOR, PWD, P-155, I - 4(ii)(a)	100.560	%sq.m.	1514.00	1522.48
21	Priming one coat on timber, plastered or on steel or other metal surface with synthetic enamel/oil bound primer of approved quality including smoothening surfaces by sand papering etc.				
	 On timber surface SOR, PWD, P - 162, I - 7(a) On Steel Surface SOR, PWD, P - 162, I - 7(b) 	21.690 2.700	sq.m.	41.00 31.00	889.29 83.70
22	Painting with best quality synthetic enamel paint of approved make and brand including smoothening surface by sand papering etc. including using of approved putty etc. on the surface, if necessary: With super gloss (hi-gloss)-With any shade except white.				
	a) On timber or plastered surface Two Coats	21.690	sq.m.	89.00	1930.41
	b) On Steel surface Two Coats SOR, PWD, P - 162, - 8A(aii),(bii)	2.700	sq.m.	86.00	232.20
23	Iron hasp bolt of approved quality fitted and fixed complete (oxidised) with 16 mm diad with center bolt and round fitting. 300 mm long SOR, PWD, P-93, I - 27c	2.000	each	193.00	386.00
24	Precast piered concrete jally work as per design and manufacture's specification including moulding etc. with stone chips and necessary reinforcement shuttering complete including fitting, fixing in position in all floors. (a) 37.5 mm th. panels Cement & steel required for this item will not be issued by deptt. SOR, PWD, P-32, I - 38 (b)	1,690	sq.m.	351.00	593.19

MED Govt. of West Bengal

Americal Harda I Murshidabad Municipality



Pradhan Mantri Awas Yojana Housing For All (Urban)

Total Covered Area- 32.58 sq.m (With Electrical Works)

Reference of Schedule of Rates: PWD (W.B.), Schedule of Rates Building & Sanitary w.e.f-01.07.2014 & Corrigenda

SL	Ploor Area Description of Works	Quantity	Unit	Rate	Amount
No.				(Rs _t)	(Rs.)
25	Supplying, fitting and fixing UPVC down pipes A type and fittings conforming to IS 13592-1992 with necessary clamps nails including making holes in walls, etc. and cutting trenches in any soil, through masonry concrete structure etc. if necessary and mending good damages including jointing with jointing materials (Spun yarn, valamoid / bitumen / M. seal etc.) complete. P-173, I-21 A (ii), C(ii), D(ii)				
	SOR, PWD, P173, I - 21 A (ii), C(ii), D(ii)	2.000	2.6	201.00	072.00
	i) UPVC Pipe 110 mm dia	3.000	Mtr.	291.00	873.00
	ii) UPVC Bend 87.5 degree 110 mm dia	2.000	each	162.00	324.00
	iii) UPVC Shoe 110 mm	1.000	each	128.00	128.00
26	M.S.or W.I. Ornamental grill of approved design joints continuously welded with M.S, W.I. Flats and bars of windows, railing etc. fitted and fixed with necessary screws and lugs in ground floor. Grill weighing 10 kg/sq m to16 kg/m2 SOR, PWD, P - 76, I - 10 (i) (2.70sqm @ 10.5kg per sqm = 28.35 kg)	0.284	Qntl	8247.00	2342.15
27	Shallow water closet Indian pattern(I.P.W.C.) of approved make in white vitreous chinaware supplied ,fitted and fixed in position (excluding cost of concrete for fixing). 450 mm long SOR, PWD, (Sanitary) P - 65, I - 1 (iii)	1.000	each	1062.00	1062.00
28	Foot rest for water closet of size 275 mm X 125 mm with Artificial stone(4:2:1) with 6 mm stone chips and chequered including adding colour as necessary. SOR, PWD, (Sanitary) P - 66, I - 9	1.000	Pair	70.00	70.00
29	Supplying, fitting and fixing cast iron 'P' or 'S' trap conforming to I.S. 3989 / 1970 and 1729 / 1964 including lead caulked joints and painting two coats to the exposed surface. S Trap 100 mm SOR, PWD, (Sanitary) P - 54, I - 14(B-iii)	1.000	each	923.00	923.00
30	Supplying, fitting fixing CI Round Gratings 150mm dia SOR, PWD, (Sanitary) P - 55, I - 18(ii)	1.000	Each	100.00	100.00
	Construction of 2 circular leach pit of inside diameter 1000 mm. & a depth of 1000 mm. With a layer of 250 mm. Thick brick work with cement morter (6:1) & honeycombed brick wall (4:1) at every alternate layer	1	Item	7544.00	7544.00

MED Govt. of West Bengal

Americal Hundry S.A.E. Murshidabad Municipality



Pradhan Mantri Awas Yojana Housing For All (Urban)

Total Covered Area- 32.58 sq.m (With Electrical Works)

Reference of Schedule of Rates: PWD (W.B.), Schedule of Rates Building & Sanitary w.e.f-01.07.2014 & Corrigenda

SL No.	Description of Works	Quantity	Unit	Rate (Rs.)	Amount (Rs.)
	upto a height of 925 mm. From bottom and then 125 mm. thick brick wall (4:1) for a height of 300 mm. and covered with 75m. RCC slab (4:2:1) with 8mm tor steel @ 150 mm. centre to centre both ways including plustering and neat cement punning on top of the slab and making hooking arrangment on slab for lifting of the slab if require as well as jointing the connection with the inspection pit (450 x 450) covered with 50mm thick RCC slab (4:2:1) with stone chips and necessary renforcement and connected with 100 mm dia PVC pipe laid over rammed earth and then covered the pipe properly with powder earth including supplying fitting fixing fibre glass pan P-tap & polythene pipe as per requirement to connect with the inspection pit complete with all respect as per direction of EIC.(ANNEXURE-II)				
	TOTAL AMOUNT		Rs.		350000.3
	Say		Rs.		350000.00
	Add for Electrical Works (ANNEXURE-I)		Rs.		17858.00
	TOTAL AMOUNT		Rs.		367858.00
	Say	•	Rs.		368000.00

Table-27: ESTIMATE FOR ELECTRICAL WORKS FOR ONE DWELLING UNIT UNDER PMAY

(ANNEXURE-I)										
No	ltem of works	Tinf-	Date	Quantity	Amount					
1	Supplying & fitting polythene pipe complete with fittings as necessary. Under celing /beam/bound with 22SWG GI wire inclusive S & Drawing 1x18 SWG GI wire as fish wire inside the pipe & fittings and providing 55 mm dia disc of MS sheet (20SWG) having colour paint at one face first ended at the load point end of the polythene pipe with fish wire (synchronizing with roof/beam casting work of building construction) 19 mm dia 3 mm thick polythene pipe	RM	39.00	25.00	975.00					
2	Powerckt wiring supplying and drawing 1; 1KV grade single core stranded FR PVC insulated & unseathed single core stranded Copper wire (Finolex make) 2 x 2.5 sqmm (PH & N) +1x1.5 sqmm (ECC) per laid polythene pipe and by the prelaid GI fish wire & making necessary connections as required.	RM	76.00	50.00	3800.00					
3	Concealed Distribution wiring in in 2x1.5 sqmm single core standard *FR* insulated and unseathed cop per wire Finolex make & 1x1.5 sq mm single core stranded PVC cinsulated and unseathed cop per (Finolex make) wire used as	points	828.00	10.00	8280.00					

MED Govt. of West Bengal



Cheirman Murshidebad Municipality

MED Govt. of West Bengal

Murchidabad Municipality

Table-28: Cost Estimate for 2 Nos Leach Pit for single unit Dwelling Unit

P.W.D Schedule of Rates effect from 1st July 2014 (ANNEXURE-II)									
SI No	Description of Items	Quantity	Unit	Rate	Amount				
1	Earth work in excavation of foundation trenches or drains in all sorts of soil (including mixed soil but excluding or stacking the spoils within a lead of 75 m. as directed. The item includes necessary trimming the sides of trenches leveling dressing and ramming the bottom boiling out water as required complete. Depth of exavation not existing 1500mm P.No-1, 1-2(a)	2.500	%Cu.M	12047.00	301.18				
2	Cement concrete with graded jhama Khoa ballast (30 mm size) excluding shuttering. In ground floor and foundation (a) 6:3:1 proportion.	0.050	Cu.M	5803.06	290.15				
3	Brick work with 1st class bricks in cement mortar (6:1). a) In foundation & Plinth P.no-29, I-21(a)	0.010	Cu.M	5719.00	57.19				
4	125 mm. thick brick work with 1st class bricks in cement mortar (4:1) G.Floor P.no-31, I-29	3.000	SqM	714.00	2,142.00				
5	Controlled Cement concrete with well graded stone chips (20 - mm nominal size) excluding shuttering and reinforcement with complete design of concrete as per I: 456 and relevant special publications submission of job mix formula after preliminary mlx design after testing of concrete cubes as per direction of Engineer-in charge Consumption of cement will not be less than 300 Kg of cement -with Super plasticiser per cubic meter of controlled concrete but actual consumption will be determined on- the basis of preliminary test and job mix formulaI n ground floor and foundation. [Using concrete mixture] M 20 Grade P.no-12, I-6(a)	0.145	Cu.M	6871.54	996.37				
6	Reinforcemnet for reinforced concrete work in all sorts of structures incl. Distribution bars, stirrups, binder etc. incl. supply of rods, initial straightening & removal of loose rust (if necessary), cutting to requisite length, hooking etc P.no-27, I-15(a)(i)	0.010	М.Т	68508.00	685.08				

MED Govt. of West Bengal

Chairman Murshidebad Municipality



				Tota⊨	7,544.00
			Cost of 2	no leach pit	7,543.97
8	Jaffri brick work 125 mm. thick with 1st class bricks in cement mortar (4:1) including 12 mm. thick cement plaster (4:1) in all faces in ground floor .P.no-32, I-35	2.000	SqM	792.00	1,584.00
	ii) UPVC Bend 87.5 degree 110 mm dia P.no-174, I-21(B)C(ii)	2.000	Each	162.00	324.00
	i) UPVC Pipe 110 mm dia P.no-173, I-21(A)(ii)	4.000	Mtr	291.00	1,164.00
7	Supplying, fitting and fixing UPVC down pipes A type and fittings conforming to IS 13592-1992 with necessary clamps nails including making holes in walls, etc. and cutting trenches in any soil, through masonry concrete structure etc. if necessary and mending good damages including jointing with jointing materials (Spun yarn, valamoid / bitumen / M. seal etc.) complete.				

Table-29: Detailed Estimate for Single Dwelling unit

		3.	Detailed Estin Floor area 25.7						
	C/L of main oute	r wall		B	125 mm	Partitionwall	1000	Varandah	C/L
		4.65			3.375			1.275	
		0.8			1.15		40.	0.9	
		1.15			1.15	2.3		2.175	
		3.45			2.187				
		1.15		MANUFACTURE OF THE	1.9				
		1.7			1.387	5.474			
		3.375			11.149				
		1.275							
		2.825							
		3.125							
		23.5							
	X wall	1.25							
Sl.no.					-				
1	Earth workin exc	Earth workin excavation							
	250 mm wall								
	1	23.5	0.75	0.7	12.34				
		0.875	0.75	0.7	0.46				
		24.375			12.8	m3			
	125 mm Wall								
		2.625	0.4	0.225	0.24				
551555N	WC	0.4	0.4	0.225	0.04				
	Bath	0.65	0.4	0.225	0.06				
	5.474	0.75		0.225					

96

MED Govt. of West Bengal

Amenatt Handy S.A.E. Murshidabad Municipality



				stimate for Sin 5.77 sqm Built				
NO.	C/L of main o	uter wall			125 mm	Partitionwall	Varandah	C/1
		4.724	0.4	0.225	0.43			
	Varanda	1.425	0.4	0.225	0.13			
					0.88			
		0.5	0.0		0.001			
	Step	0.5	0.9	0.075	0.034			
					13.715	m3		_
2	Soling							
4	Bolling	24.375	0.75	_	18.281			
		11.45	0.4		4.58			
		1			22.861			
3	Polythene she	et						
		2.575	3.125		8.047			
		2.875	2.625		7.547			
		2	1.65		3.3			
	passage	0.625	2.375		1.484			
	Bath&WC Varndah	1.025	0.9		2.43 0.615			
	step	0.9	0.5		0.613			
	step	0.7	0.5		23.873			
					20.075			
4	Jhama concrete							
			18.28	0.075	1.371			
			4.58	0.075	0.344			
			23.93	0.075	1.795			
					3.51			
5	Earth work in	filling 1/5 exc	cavation					
			13.715	5	2.743			
			23.48	0.375	8.805			
					11.548	m3		
								-
6	B.W (6:1) in F	oundation of	plinth		+			
	, , ,	23.5	0.625	14.6875	1			
		23.5	0.5	11.75				
	+	23.5	0.375	8.8125	1			
		25.5	3.313	35.25	0.15	5.288		
		23.5	0.25	33.43	0.13	3.084		
		43.3	0.23		0.525	3.004		
	V	0.020	0.626	0.007				
	X wall	0.938	0.625	0.586				
		1	0.5	0.5				
		1.063	0.375	0.399				
				1.485	0.15	0.223		
		1.125	0.25		0.525	0.148		

MED Govt. of West Bengal

Amount Hardy S.A.E. Wurshidabad Municipality



	CA - C - 1			5.77 sqm Buil			1	132 11	630
A STATE OF THE PARTY OF THE PAR	C/L of main ou 125mm	3.125	0.25		0.525	Partitionwall 0.41		Varandah	CI
	Bath&WC	2	0.23	0.25	0.523	0.41			
	Kit	5.224	0.25	0.23	0.525	0.686			
	Vard	1.925	0.25		0.525	0.253			
	Steps	0.5	0.23		0.323	0.253			
	Зирз	0.25	0.9		0.15	0.034			
		0.23	0.9		0.15	10.427	m3		
					-	10.727	111.5		
7	DPC	23.5			-	-			
	Dic	1.125			+	1			
		24.625		0.25	+	6.156			-
		3.125		0.23	+	0.150			-
		1.8			+				
		5.224			+				
		10.149		0.125		1.269	-		
		10.117		0.125	-	7.425			
	Less	0.9		0.25	0.225	77725			
-	Dead	0.9		0.125	0.113				
	3			0.125	0.281				
		0.75		0.125	0.201	0.619	-		
	-	-			-	6.806	sqm		
		-				0.000	politi		
8	BW in super str	ucture (6:1)							
	D W III Super Su	23.5			-				
		1.125			+				
	+	24.625	2.75	0.25	16.93				
	Parapet	23.8	0.075	0.25	0.446		-		_
	T da depor	23.0	0.075	0.25	0.110	17.376			
	Less opens				+	17.570	-		
	Dess opens	0.9	2.1	1.89	+			-	
	4		0.9	3.24					
			0.9	0.675					
	3		0.75	1.688					
	+	1		7.493	0.25	1.873	-		
	Lintel	+		,,,,,,	-		-		
	Diliter	1.525	1.525						
	4		4.8			-			
			1.05					+	
	1	1	7.375	0.25	0.1	0.184			
	Wo2		e see E se	0.00	7.7	V1V1			
	1	3.05	3.05	0.25	0.1	0.076		+	
		0.00	5.00	Canal Control	(-)	2.134			

98

MED Govt. of West Bengal

Americal Mandy
S.A.E.

Murchidabad Municipality



1000	C/L of main oute	r wall			125 mm l	1	Varandah	60	
	Net brick work	r wan			125 mm	Parutionwan	15.242	m3	*
	THE OHER WORK						13.242	III	
9	125 th. Brick wo	rk (6·1)			-			1	
_	room	14 (0.1)	3.125	2.6	8.125			-	
	kit		2.125	2.75	5.844				
			1.65	2.75	4.5375				
			1.45	2.65	3.8425				
	2		0.9	2.1	3.78				
	-				1	26.12875			
	Less opening	1			-				
	1	0.9	0.9		1				
	3	0.75	2.25		+				
			3.15	2.1	6.615				
	Lintel							1	
	1	1.3	1.3		+				
	1	1.025	1.025						
			2.325	0.1	0.2325				
					6.8475				
						19.28125			
	Parapet				1				
	*	23.5		0.15		3.525			
						22.806			
	passege	0.75		0.55		0.4125			
					1	23.219	sqm		
10	Conc M-20								-
	Roof slab								
	32.15	1.1475	31.003		0.1	3.1			
	Beam		3.625	0.25	0.15	0.136			
			2.575	0.25	0.1	0.064			
	Lintel						3.301		
	Di	- 1	1.525	1.525					
	WI	4	1.2	4.8					
	W2	1	1.05	1.05					
	WO2	1	3.05	3.05					
				10.425	0.25	0.1	0.261		
	D1	1	1.39	1.39					
	D2	1	1.025	1.025					
	D2	2	1.4	2.8					
	02	1	0.875	0.875					
	D2	2		6.09	0.125	0.1	0.076		

99

MED Govt. of West Bengal

Amerial March!
S.A.E.
Murshidabad Municipality



	Louis a		Floor area 25.77					170 11 71
	C/L of main oute	r wall	1.2	4.8	125 mm	Partitionwall	P 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Varandah C/
	W2	1	1.03	1.03			-	
	D1	- 2	1.275	1.275				
	W02	1	3.05	3.05				
	W 02	1	3.03	10.155	0.3	0.075	0.228	
				10.155	0.3	0.073	3.866	m3
							3.800	m3
11	Reinforcement							
11	Reinforcement	3.866	0.80%	1	7850	0.243	MT	
		3.600	0.0076	1	7630	0.243	IVII	1
12	Shuttering							
	31	23.5	1.125					
			24.63	0.25				
	31			6.156	24.844			
	Side beam	2	3.125	0.15	0.9375			
		2	2.325	0.1	0.465			
	side slab	1	25.3	0.1	2.53			
	Lintel	1	0.9	0.25	0.225			
	-	1	1.525	0.1	0.153		1	1
		1	1.275	0.35	0.446		1	
		1	0.3	0.05	0.015	1		
						29.615	sqm	
	4W1	4	0.9	0.25	0.9			
		4	1.2	0.1	0.48			
		4	1.2	0.35	1.68			
	2	4	0.3	0.05	0.12			1 1
	1W2	1	0.75	0.25	0.188			
		1	1.05	0.1	0.105			
		1	1.05	0.35	0.368			
	2	1	0.3	0.05	0.03			
	WO2	3	0.75	0.25	0.563			
	1	1	3.05	0.1	0.305			
		1	3.05	0.35	1.068			
	2	1	0.3	0.05	0.03		-	
	Lintel 125 Wall							
	D1	1	0.9	0.125	0.113			
		2	1.3	0.1	0.26			
	D2	2	0.75	0.125	0.188			
	2	2	1.15	0.1	0.46			
	D2	2	0.75	0.125	0.188			
		2	1.9	0.1	0.38			

Americal Hardy



N.			Floor area 2	5.77 sqm Buil	t up area 32	2.58 sqm			
	C/L of main out	ter wall			125 mm	Partitionwall	1	Varandah	C/
						7.423			
		ļ				37.038	sqm		
13	Plaster (6:1)								
	Out side 15 mm	th.							
		T	2.85	1.125	0.45				
		25.3			4.425	111.953	sqm		
	Inside 20 mm th	1.							
	2	2.7	3.125	2.75	32.038				
	2	2.875	2.625	2.75	30.25		 		
	2	2	1.65	2.75	20.075				
	2	2.075		2.75	11.413				_
	Above lintel						+		
	1	0.75		0.65	0.488				_
	Bath								
	2	0.9		2.75	4.95				
	WC								
	1	2.95		2.75	8.113				
	1			2.75	6.188				
	4			0.9	7.92	+	1		
	T. 125 wall					100000000000000000000000000000000000000			_
	2	0.9		0.125	0.225	-	+		
						121.658			
	Open out side le	ess						+	
	3			2.1	4.725				
	-				(-)	4.725	+		
						116.933	sqm		
	Celling Plaster				24.47	110000	- Square	1	
	Less	1			1.14	_	-		
		+				23.33	Sqm		
14	Neat cement pu								
	Out side	Plinth							
		25.3	0.45			11.385	Sqm	11.385	
	Inside		2.7	3.125					
		2		5.825	0.1	1.165	Sqm		
			2.875	2.625					
		2		5.5	0.1	1.1	Sqm		
	Kithen		2	1.65					
		2		3.65	0.45	3.285	Sqm		
		1		1.65	0.45	0.743	Sqm	1	

Charman Murshidabad iviunicipality

Anographic Municipality

			Detailed Estin Floor area 25.7						
	C/L of main outer w					Partitionwall		Varandah	C/I
		2		2.075	0.1	0.415	Sqm		
	Varanda			1.775	0.1	0.178	Sqm		
	step WC	1		3	0.45	1.35	Sqm		-
	Bath			3.5	2	7	Sqm		
		572		0.75	0.1	0.075	Sqm		
	In side punning						15.31	15.31	
	Total							26.695	Sqn
15	Art. Stone flooring								
	Floor area					25.37	sqm		
	Step	2	0.9	0.25		0.45	•		
	WI	4	0.9	0.1		0.36			
	W2	1	0.75	0.1		0.075			
	W3	3	0.75	0.1		0.225			
							26.48	Sqm	
16	Ms Clamp for door	& winde	DW W					-	
	D1+D2	4	6			24			
	W1+W2	5	2			10			
							34	nos.	
17	Wood work in Door	& wind	low frame	1					
	D1	2	5.1	10.2					
	D2	2	4.95	9.9					
	W1	4	3.6	14.4					
	W2	1	3.3	3.3					
				37.8	0.075	0.075	0.213	m3	
18	Z batten shutter								
	D1	2	0.775	2.025		3.139			
	D2	2	0.625	2.025		2.531			
	W1	4	0.775	0.775		2.403			
	W2	1	0.775	0.625		0.484			
				1 2 2			8.557	sgm	
19	Iron Butt Hinges			1					
	D1+D2					12			
	W1	4	4			16			
	W2	1	4			4			
							32	nos.	
20	Iron soket bolt								
	Door			6					
	Window			5					
		-		1			11	nos.	

Amenath Mandy
S.A.E.
Murshidabad Municipality



0	C/L of main outer v	wall	1000000		125 mm	Partitionwall		Varandah	C/1
21	White wash								
	Inside+Celling Plas	ster- insid	de punning						
			116.933	23.33	15.31		124.953	sqm	_
22	Colour wash								
	Out side Plaster- ou	ıt side pu	nning						
			111.953	11.385			100.568	sqm	
23	Priming on timber	surface					-		
	2	2	0.9	2.1		7.56			
	2	2	0.75	2.1		6.3			
	4	2	0.73	0.9		6.48			
	1	2	0.75	0.9		1.35			
	1		0.73	017		1100	21.69	sqm	
	1							1	
24	Painting best qualit	y on woo	oden surface						
	same sl.no. 23						21.69	sqm	
25	MS ornamental gri	110Kg	-16 Kg						
	W1	4	0.75	0.75	2.25				
	W2	1	0.75	0.6	0.45				
					2.7				
					@12Kg	/sqm	32.4	Kg	
26	Priming on Steel st	ırface					2.7	sqm	
27	Painting best qualit	y on stee	l surface				2.7	sqm	
	same sl.no. 24								
28	R.C.C. Shelf								
		1.75	0.5				0.875	sqm	
29	Roof treatment with cow dang								
				32.18					
	Deduct	1.14	(varanda)	1.14					
	Cornice	25	0.125	3.125					
				27.915			27.915	sqm	

Amarratt Hardy

103



5.2.2. Detailed Estimate of adoption of Concrete Road:

Table-30: Detailed Estimate of adoption of technology for Concrete Road

Reference of Schedule of Rates: PWD (W.B.), Corrigenda PWD BUILDING SCHEDULE 2014									
SI No	Description of Items	Length	Breadh	Depth	Quantity	Unit	Rate	Amount	
1	Earth work in excavation of foundation trenches or drains in all sorts of soil (including mixed soil but excluding or stacking the spoils within a lead of 75 m. as directed. The item includes necessary trimming the sides of trenches leveling dressing and ramming the bttom boiling out water ags required complete. Depth of exavation not existing 1500mm P.No-1, I-2(a)	1.00	2.5	0,400	1.000	%Си.М	12047.00	120,47	
2	Filling foundation or plinth by silver sand in layer not exceeding 150 mm. as directed and consolidating same by through saturation with water rammingcomplete. Including the cost of supply of sand. (a) by fine sand P.No-2, I-4(B)	1.00	2.5	0.200	0.500	%Cu.M	110422.00	552.11	
3	Single brick flat soling of picked jhama bricks including ramming and dressing bed to proper level and filling joints with powdered earth or local sand P.no-11, J-1	1.00	2.5		2.500	Sq.M	377.00	942.50	
4	Ordinary Cement concrete (mix 1:1.5:3) with graded stone chips (20 mm nominal size) excluding shuttering and reinforcement, if any, in ground floor as per relevant IS codes P.no-24, 1-10(a)	1.00	2.5	0.125	0.313	Cu.M	6802.74	2,125.86	
5	Brick edging 75 mm. wide with picked jhama bricks, laid true to line and level including cutting necessary trench in sopil or in hard metalled surface, laying the bricks and repacking the trench (on both sides of the edgeing) with spoils and ramming the same throughly, complete as per direction. (b) Brick-on-end edging (250 mm) depth. P.No-189, I-3(b)	2.00			2.000	%Mtr	9392.00	187.84	
6	Removal of rubbish, earth etc. from the working site and disposal of the same beyond the compound in conformity with the Municipapal /Corporation Rules forsuch disposal, loading into truck and cleaning the site in all respect as per direction of Engineer - in -Charge P.mo-9, I-13	1.00	2.500	0.400	1.000	Cu.M	168.00	168.00	
							Toat=	4,096.78	
							Total=	4,097,0	

Rate Analysis Brick Work 4:1 in foundation & plinth

Step - 1	Schedule Rate	Rs	6068.00(A)
Step - 2	Deduct cost of cement=(Quanty of cement)x(Iissue rate of cer no-1 column-4 Table1-1 of Annexure-1 0.055x8100	nent vide item	672.30(B)
Step - 3	Add cost of cement supplied by cost contractor including 10% 1.1x(Quanty of cement)x(Basik price of cement vide item notable-1-1 of annexure -1		672.33 (C.)

MED Govt. of West Bengal

104



		ONSTRUCTION On Antri Awas You Schedule of Ra	jana Hou	sing For	All (Urba	n)		
		PWD BUILDIN	G SCHEDI	ILE 2014				
SI No	Description of Items	Length	Breadh	Depth	Quantity	Unit	Rate	Amount
	Note;- Quantity of cement shall be s - Rs B + Rs C = Rs D	same as step-2 Fina	Rate of ite	m = Rs A	Rs	6068.0	3 (D)	

Rate Analysis

Ordinary Mix Concreate 1:1.5:3

Step - 1	Schedule Rate	Rs	6802,63 (A)
Step - 2	Deduct cost of cement=(Quanty of cement)x(lissue rate of cement) no-1 column-4 Table 1-1 of Annexure-1 0.286x8100	ent vide item Rs	2316.6 (B)
Step - 3	Add cost of cement supplied by cost contractor including 10% p 1.1x(Quanty of cement)x(Basik price of cement vide item no -1 table-1-1 of annexure -1		2316.71 (C.)
	Note;- Quantity of cement shall be same as step-2 Final Rate of - Rs B + Rs C = Rs D	item = Rs A	6802.74 (D)

Rate Analysis

P.C.C 1:3:6 With Jhama Khoa

Step - 1	Schedule Rate	Rs	5803.00 (A)
Step - 2	Deduct cost of cement=(Quanty of cement)x(lissue rate of cement v no-1 column-4 Table 1-1 of Annexure-1 0.16x8100	vide item	1296.00(B)
Step - 3	Add cost of cement supplied by cost contractor including 10% profit 1.1x(Quanty of cement)x(Basik price of cement vide item no -1 coltable-1-1 of annexure -1 1.1x.16x7	umn- 5	1296.06 (C.)
	Note; Quantity of cement shall be same as step-2 Final Rate of iten - Rs B + Rs C = Rs D	n = Rs A Rs	5803.96 (D)

Annexure - I				
Format - A				
(Format for Rate Analysis of Cen	nent Concrete Item)		
Item 7. Ordinary Cement concrete (mix 1:1.5:3) with graded stone chip reinforcement if any, in ground floor as per relevant IS codes. (i) Pakur Variety	es (20 mm nominal	size) exclu	ding shuttering	and
Consumption of Stone aggregate (Page B-59)	20 mm =	0.573	Cum	
	10 mm =	0.287	Cum	
Distance of site considered =		10	Km	
Steps	Quantity	Unit	Rate	Amount
Step - 1 Rate of item as per relevant section of this Schedule A =	1.00	CUM	5389.00	5389.00
Step - 2 Add cost of stone aggregate of different grading as per consumption required for one cum of concrete.				
(As per table:T-1)				
Station : kalyani				
20mm Nominal Size:	0.573	CUM	1463.00	838.30
10mm Nominal Size:	0.287	CUM	1296.00	371.95
Total B =				1210.25

MED Govt. of West Bengal

Amanalt Mandal S.A.E. Murshidabad Municipality




Step - 3 Add cost of carriage of stone aggregate as per consumption required for one cum of concrete.				
(As per table:T-2)				
20mm Nominal Size:	0.573	CUM	178.50	102.28
10mm Nominal Size:	0.287	CUM	178.50	51.23
Total C =				153.51
Step - 4 Add cost for loading and unloading of stone aggregate				
(As per table:T-3)				
20mm Nominal Size:	0.573	CUM	58.00	33.23
10mm Nominal Size:	0.287	CUM	58.00	16.65
Total D =				49.88
Final Rate of Item = $[Rs. A - Rs.B + Rs.C + Rs.D] = Rs.$		}		6802.64

5.2.3. Detailed Estimate of adoption of Water Connection:

Table-31: Detailed Estimate of adoption of technology for Water Connection

	MURSHIDABAD MUR COST ESTIMATE OF THE INTERIO			SINGL	E	
	DWELLING					
	P.W.D S.O.R Sanitary and Plumbin	g Work from	m 1 st Jul	y-2014		
SL NO	DESCRIPTON	QUANTITY	UNIT	RATE	AMOUNT	
1 P-11 I-19(I)	Supplying fitting fixing PVC pipes of pproved quality conforming to ASTMD-1785 and threaded to mach with GI pipes as per IS:1239 (Part-I) wit all necessary accessories specials viz.socket, beny,tee,union,cross,elbow,nipple,long screw, reducing socket, reducing tee, short piece, etc. complete in all respect including cost of all necessary fittings as required jointing materials and two coats of painting with approved paint in any position above ground. (a) For exposed work PVC Pipes 15mm dia	12.00	Meter	106.00	1272.00	
2 P- 6 I (f)(i)	Supplying fitting and fixing polythene Bib Cock with metal inlet (EMCO / ATLAS or equivalent)	3.00	Each	100.00	300.00	
Total=						



Amonalt Mandal

Murshidabad Municipality

Section 6 - Project Implementation & Management Framework

6.1. Institutional Framework for implementation

Central Sanctioning and Monitoring Committee (CSMC)

 An inter-ministerial committee under Chairpersonship of Secretary (HUPA) for implementation of the Mission, approvals there under and monitoring.

Indicative Functions of CSMC

- · Overall review and Monitoring of the Mission
- Assessing resource requirement based on HFAPoA and AIP submitted by States/UTs
- Approval of central releases under various components of the Mission
- Approval of Capacity Building Plans of States/UTs
- Devising financial and other norms for various activities undertaken as part of the Mission
- Approval of Annual Quality Monitoring Plans, Social Audit plans etc.
- Any other important issues required for implementation of the Mission.

State Level Sanctioning and Monitoring Committee (SLSMC)

Indicative functions of SLSMC

- Approval of Housing for All Plan of Action (HFAPoA)
- Approval of Annual Implementation Plan
- Approval of DPRs under various components of the Mission
- Approval of Annual Quality Monitoring Plans
- Reviewing progress of approved projects in the State and cities
- Monitoring of implementation of Mission
- Any other issues required for effective implementation of the Mission.

Cheirman Murshidebed Municipality

MED Govt. of West Bengal

Amorrhalt Mande)
S.A.E.

Murehidebad Municipality

Murshidabad Municipality

Murshidabad Municipality shall be the nodal agency for implementation of DPR under HFA and has set up a robust administrative structure for implementation. The roles and responsibilities of the key stakeholder are as follows:

- Housing for All Nodal Officers: Executive Officer of the Murshidabad Municipality has been
 designated as the HFA Nodal Officer for the Murshidabad Municipality demonstrating the commitment
 and willingness of the Murshidabad Municipality to implement the DPR under HFA.
- II. Housing for All Working Group: Murshidabad Municipality has created a HFA working group with departmental heads of all key departments including PWD, Revenue, Health, Water Supply, Planning, Poverty and BSUP. The working group was instrumental in preparing the DPR under HFA and going forward will be responsible for the implementation of DPR under HFA.
- III. Slum level federation at city level and slum dweller association at slum level: Murshidabad Municipality has two CDS covering 16 wards and plan to establish a slum level federation at city level and slum dweller association at slum level for smooth implementation of HFA and ensuring that the detailed project reports are prepared in consultation with the community. The slum dweller association would also implement the O&M plan, which community had agreed upon, by collecting the contributions amongst themselves and formation of group housing societies as may be required.

6.2. Implementation schedule

- Tendering and process for award of work must be completed within one month from the date approval of the Project.
- Quarterly fund requirement to match the project schedule will be followed as per guideline of the State Government.
- 3. Slum-wise project delivery will be done within six months from the date approval of the Project.

6.3 Quarterly component wise investment schedule vis-a-vis means of finance (Central/State/ULB/Beneficiaries share)

Table-30: Quarterly component wise investment schedule vis-a-vis means of finance (Central/State/ULB/Beneficiaries share

Fund Type	Total Proj	ect cost		DU for 11	52 nos		Physical	Infrastructi	ure
	DU for 1152 nos	Physical Infrastructure	Total	1st Quarter	2nd Quarter	Total	1st Quarter	2nd Quarter	Total
Central	1728.00	0.00	1728.00	864.00	864.00	1728.00	0.00	0.00	0.00
State	2223.36	211.97	2435.33	1111.68	1111.68	2223.36	105.98	105.98	211.97
ULB	0.00	211.97	211.97	0.00	0.00	0.00	105.98	105.98	211.97
Beneficiaries share	288.00	0.00	288.00	288.00	0.00	288.00	0.00	0.00	0.00
Total	4239.36	423.94	4663.30	2263.68	1975.68	4239.36	211.97	211.97	423.94

MED Govt. of West Bengal

108





6.4. Monitoring mechanism at State, ULB and Community level.

Mission will be monitored at all three levels: City, State and Central Government. CSMC will monitor formulation of HFAPoA, Annual Implementation Plans (AIPs) and project implementation. Suitable monitoring mechanisms will be developed by the Mission. States and cities will also be required to develop monitoring mechanism for monitoring the progress of mission and its different components.

6.5. Quality Control & Quality Assurance Plan.

The implementation and management arrangement should mention the role of the State Level Nodal Agency (SLNA), State Level Technical Cell (SLTC), City Level Mission Directorate, City Level Technical Cell (CLTC) and Project Management Consultant (PMC).)

Section 7 - Operation & Maintenance Plan

The Road needs to be maintained. It is proposed that operation and maintenance and servicing of these roads should be done by the Municipality. The Bustee Working Committee shall be the first level of responsibility for ensuring that the pipelines etc. are kept in good order. The project cell of the Municipality shall carry out the overall operation and maintenance.

Section 8 - Project Financials

Table-31: Project Financials

Component	Central share	State share	ULB share	Beneficiary Share	Total project cost
Housing	1728.00	2223.36	0.00	288.00	4239.36
Infrastructure	0.00	211.97	211.97	0.00	423.94
*O&M charges	0.00	0.00	0.00	0.00	0.00
*DPR Preparation, PM, TPIM, Social Audit Charges	0.00	0.00	0.00	0.00	0.00
Others	0.00	0.00	0.00	0.00	0.00
Total	1728.00	2435.33	211.97	288.00	4663.30

Future Provision for construction of Housing

Amarrott March 1

The poor people, who are residing on the land of Railway, the housing will be constructed on the railway land by Murshidabad Municipality if the Railway Dept. Govt. of India gives any permission.


Cherman Murshidabad Municipality

MED Govt. of West Bengal

109

Drawing of DU, Road etc.

Chairman Murshidebed Municipality



S.A.E.
Murahidabad Municipality

Murshidabad Numinipality

Chairman

MURSHIDABAD MUNICIPALITY

MURSHIDABA

TYPICAL CROSS SECTION OF CEMENT CONCRETE ROAD

BRICK ON EDGEING NOTE: CEMENT CONCRETE SHOULD BE LAID IN ALTERNATE PANNEL OF AN AREA NOT MORE THAN 7.50 SQM. PROVISION FOR PAPER JOINT AT THE END OF EACH PANNEL IS TO BE MADE P.C.C (1:1.5:3) AVG TH. 125 -WIDTH OF ROAD 2500-200 TH. SILVER SAND FILLING -SINGLE BRICK FLAT SOLING BRICK ON EDGEING

Murshidebad Municipality Amornolly Manchy S.A.E.

Murshideced Municipality Chairman

Annexure for Slum and non-slum proposed maps

Chairman

Murshidebad Municipality

SLUM CODE - 006

OF BLLIM: 4000.0 BCM

LATION: 239 NOTS

LEGEND

MOESE 95.8 M. RSHIDABAD MUNICIPALITY SYMBOL SYMBOL OTY 41 200 41 20 SYMBOL SYMBOL OTY IIm 11 200 BLUM CODE - 002 SLUM CODE - 001 PROPOSED PROPOSED M NAME: MOTUHIL DAARGA PARA • PROPOSED LAND USE WARD NO - 1 LEGEND LEGEND EXTG EXTIG NAME : DIGHI PARA - 2 4 • NAME: MOTUME DABPARA OF BLUM: 14000.0 SOM OF 8LUM: 14000.0 8QM LATION: 1117 NO'S LATION: 404 NOTS X TOPPED BOAD ER CONNECTION X TOPPED BOAD R CONDUCTION LING BOUTE LEAST HOUSE BETE BOAD DECTE BOAD EMS EMS

SELUM ANGA POPUL	DWELL BLACK CONCS WATES BLACK POPUL DWELL BLACK WATES BLACK WATES BLACK WATES BLACK WATES
GLUM NAME: DIGH! PAPA-2	BLUGS HAME: MOTARIL DARWAN
S SLUM NAME: MOTUHIL DAARGA PARA	

z * 00

MURSHIDABAD MUNICIPALITY WARD NO - 2

+8

SLUM NAME: BINPARA


	SYMBOL SYMBOL		AREA OF SLUM: 0000.0 8GM SLUM CODE-0	SLUM NAME: BINPARA	PROPOS	LEGE	ITEMS
DWILLING BOURS	The state of the s	SYMBOL SYMBOL	LEGEND EXTG PROPOS SYMBOL SYMBOL	LEGEND PROPOS SYMBOL SYMBOL		4	BANGE SNITTEMA
	No. of Lot of Lo	SYMBOL SYMBOL	ECTO PROPOS SYMBOL SYMBOL	LEGEND EXTG PROPOS SYMBOL SYMBOL	-		DANETING BODE
The state of the s	•	SYMBOL SYMBOL	EXTG PROPOS SYMBOL SYMBOL	LEGEND EXTG PROPOR SYMBOX SYMBOX	The state of the s		
		SYMBOL SYMBOL	LEGEND EXTG PROPOS SYMBOL SYMBOL	LEGEND PROPOS SYMBOL SYMBOL		The second second second	
SYMBOL SYMBOL			POPULATION: 224 NOS LEGEND	EGEND		EXT	TTENTO
SYMBOE SYMBOL	EXTG	EXTG	POPULATION: 224 NO'S	SCM	ON:	LEGE	
EXTG SYMBOL	LEGEND	LEGEND		AREA OF SLUM: 0000.0 SCM SLLM CODE-009		90	
GEND PROPOR	SEND GEND	GEND	SLUM NAME: BINPARA		SLUM CODE - DO	PARA 0 8CM	SLUM NAME: BIN AREA OF SLUM: 8000. POPULATION: 224 NO

TTEMS SYMBOL SYMBOL OTY
DWELLING BOURS
SYMBOL SYMBOL OTY
DWELLING BOURS
SYMBOL SYMBOL OTY
DWELLING BOURS
SYMBOL SYMBOL OTY
SYMBOL SYMBOL OTY
SYMBOL OTY
SYMBOL SYMBOL OTY
SYMBOL

Amonath March

Marehidebed Municipality





Aurahidebad Municipality

MURSHIDABAD MUNICIPALITY
WARD NO - 4

SLUM NAME: SAHANAGAR COURT PALLY

413.0 K SYMBOL SYMBOL OTY * PROPOSIED SLUM CODE - 012 SLUM NAME: SAHANAGAR COURT PALLY PROPOSED LAND USE LEGEND EXTO Ŧ AREA OF SLUM: 3000.0 SCM POPULATION: 319 NOTS SEACK TOPPED BOAD DAMELLING BOUNE CONCRUTT ROAD ITEMS

Amenost Verely


Marie Midebad Municipality

Chartman Chartman

•

WATER CINEBECTION

z * 0



MURSHIDABAD MUNICIPALITY
WARD NO - 5

SLUM NAME: STRATULI PARA AREA OF SLUM: 1000.0 SOM POPULATION: 106 NO'S T DATE OF SLUM: 1000.0 SOM


	こうこうごう	2	
THE PARTY	EXTG	PROPOSED	CHEC
IIEMS	SYMBOL.	SYMBOL	QT.
DWELDIG BOUR	•	Control of the contro	10
BLACK TOPPED BOAD			
CONCRETE BOAD	1		215.0 M.
WATER CORRECTION		•	N

Americal Heady

8.A.E.

707

.



34.0 M

,

4 Mas

M0.00

1

Meurahidabad Municipality

Chairman Chairman



MURSHIDABAD MUNICIPALITY WARD NO - 6

	AREA OF BLUM: 12000.0 8CM SLLM CODE - 017	BLUM NAME: JUBLI TANK	PROPOSED LAND USE
--	---	-----------------------	-------------------

	LEGEND	А	
Tricipa (Co	RXTG	PROPOSED	GEED
II EWS	SYMBOL	SYMBOL	QTA
DAMELING BOOKS	•		
MLACK TOPPED BOAD	ı		
CONCERTS ROAD	ı		SZOM
WATER CONNECTION		*	

BLIJM NAME: KUTUBPUR HAZPA PARA
AREA OF BLIM: 7000,0 90M SLIM CODE - 019
POPULATION: 287 NO'S

	LEGEND	Д	
PARTER SCI	EXTG	PROPOSED	CHEC
HEMD	SYMBOL	SYNEDOL	ATO.
DWIN LDAG SECURE	•		19
MACK TOPPED BOAD			
CONCRETE ROAD	I		NO25
WATHER CORNINGENION		4	9

Americal Wandy

S.A.E. Merahidabad Municipality

BLOM 21 200 77.0 ML SYMBOL SYMBOL OTY SYMBOL SYMBOL OTY 6 -PROPOSED SLUM CODE - 082 PROPOSED SELLMI CODE - 081 MURSHIDABAD MUNICIPALITY
WARD NO - 8 + PROPOSED LAND USE BLUM NAME: SABJIKATRA COLONY LEGEND CEGEND EXTG Ŧ AFEA OF SLUM: 51000.0 SOM AREA OF 811M: 13000.0 80M SLUM NAME: RAIL PARA POPULATION: 806 NO'S POPULATION: 372 NO'S BLACK TOPPED ROAD BLACK TOPPED BOAD WATER CONDUCTION WATER CONNECTION DWELLING BOURS DWELLING HOUSE CONCRETE BOAD CONCRETE ROAD ITEMS ITEMS BLUM NAME: RAIL PARA BLUM NAME: BABJIKATRA COLONY

S.A.E.

Amond Hardel

Murchidebad Municipality

26.0 M. SYMBOL SYMBOL OTY SYMBOL SYMBOL OTY 101 SLUM CODE - 083 SLUM CODE - 054 PROPOSED MURSHIDABAD MUNICIPALITY
WARD NO - 8 SLUM NAME: NAKURTALA RAMKURISHNA PALLY 0 PROPOSED LAND USE SLUM NAME: RAILPARA MATH PARA LEGEND LEGEND EXTO AREA OF SLUM: 100000.0 SQM APEA OF SLUIM: 73000.0 SCM POPULATION: 1068 NOTS POPULATION: 108 NO'S BLACK TOPPED BOAD BLACK TOPPED BOAD WATER CONNECTION WATER CONNECTION DWILLING BOURS CONCRETE ROAD DWELLDAR BOUND CONCRETE ROAD LIEMS THEMS SLUM NAME: NAKURTALA RAMKRISHNA PALLY SULIM NAME: RALLPARA MATH PARA ě, Smoonett Mardy

DWELLED BOAD

BLACK TOPHED BOAD

CONCERTS BOAD

WATER CONSECTION

Chairman

Chairman

Chairman

S.A.E.
Murshidabad Municipality

SLUM NAME: RAJABAZAR KHASPARA AREA OF SLUM: 72000.0 SCM ANEA OF BLUM: 14000.0 BOM POPULATION: 442 NOS POPULATION: 420 NO'S BLIM NAME: BUDHASA PARA MONDAL PARA SLUM NAME: RAJABAZAR KHASPARA

MURSHIDABAD MUNICIPALITY
WARD NO - 9

PROPOSED LAND USE

DJ Contain	EXTO	PROPOSED	
II EMD	SYMBOL	SYMBOL	VID
DWILLIAM HOUSE	•		12
BLACK TOPPED BOAD			
CONCRETE BOAD		I	MOCOL
WATER CONNECTION		*	12

SELUMI CODE - 039 SLUM NAME: BUDHASA PARA MONDAL PARA

	LECEND	7	
DI TOLAL	EXTO	PROPOSED	CHR
IIEMS	SYMBOL	SYMBOL	ATO.
DWILLING HOUSE	=		2
BEACE TOPPED BOAD	I		
CONCRETE ROAD			39E.0 M.
WATER CYBANGETYPICAL		4	28.00

Manicipality Chairman.

Americal Warred

Marshidabad Municipality

The principle of the state of t Chemman

95.0 M. 11.

•

WATER CONNECTION

CONCRETE ROAD

SYMBOL SYMBOL OTY

•


DWELLING BOURS

BLACK TOPPED BOAD

PROPOSED

EXTO


ITEMS




ě,

Americat Woodel

Marehidebed Municipality



Anarchidabad Municipality



17.0 M.

2 100

BLUM CODE - 049

PROPOSED

2

PROPOSED

SLUM CODE - 548

120.0 M

14 mm

BLUM CODE - 061

Marehidebad Municipality

26.0 M.


3.

•

SYMBOL OTY


PROPOSED

3




Murahidabad Municipality

Chairman Chairman




deministration with incipality

Chairman Chairman



Murchidebed Municipality



S.A.E. Murshidabad Municipality

Chamman Chammide

SLUM NAME: KURMI TOLA COLONY

BLUM NAME: HATAATH COLONY

SLUM NAME: HOSBAIN DALAN MONDAL PARA

Murshidabad Municipality

Amenal Handry

White Start Mannicipality

WATER CORNECTION


146.0 ML 17.00

17.

09.0 M

Į.

1



26.0 M.

100

31


Municipality Municipality

8.0 k MO.00 SYMBOL SYMBOL OTY SYMBOL SYMBOL QTY i SLUM CODE - 088 SLUM CODE - 067 PROPOSED PROPOSED MURSHIDABAD MUNICIPALITY
WARD NO - 14 PROPOSED LAND USE LEGEND LEGEND BLUM NAME: NASHIPUR RAJBATI EXCIG Ŧ SILLIM NAME: JAFFAGANJ ANEA OF SLLM: 10000.0 SQM AVEA OF SLIM: 19000.0 SCM POPULATION: 724 NOTS POPULATION: 664 NOS MACE TOPPED BOAD MACK TOPPED BOAD WATER CONNECTION WATER CONDINGENOR DWELLING BOURS DWELLING HOUSE CONCERTE ROAD CONCERTE BOAD ITEMS ITEMS SLUM NAME: JAFRAGANJ SLUM NAME: NASHIPUR RAJBATI America Warder

Municipality Municipality

Williamstoriousky Commission of the Commission o

Chairman Chairman





warehidabad Municipality

26.0 M. 60.0 M. SYMBOL SYMBOL OTY SYMBOL SYMBOL OTY SLUM CODE - 072 7.00 PROPOSED PROPOSED BLUM CODE - 071 MURSHIDABAD MUNICIPALITY
WARD NO - 15 • PROPOSED LAND USE SLUM NAME: LICHUTALA MAILBASA LEGEND LEGEND EXTG BLUM NAME: BHATA PARA AREA OF SLUM: 184000.0 SQM APEA OF SLLIM: 69000.0 SCM POPULATION: 880 NO'S POPULATION: 245 NOTS MEACE TOPPED BOAD BLACK TOPPED BOAD WATER CONDUCTION WATER CONDUCTION DWINLING BOUNE DWILLING HOUSE CONCERTS ROAD CONCRETE BOAD ITEMS TTEMS SLUM NAME: BHATA PARA SULM NAME: LICHUTALA MAILBASA Amonald Woody

S.A.E.

Chalman





Averagebad Municipality

Chairman cipality

172.0 M. 7K 0'60 30 me SYMBOL SYMBOL OTY SYMBOL SYMBOL QTY 20 ... PROPOSIED SALUM CODE - 023 PROPOSHD MURSHIDABAD MUNICIPALITY SLUM NAME: TALBAGAN-PUTIA PARA 1 4 BLUM NAME :TALBAGAN-PUTIA PARA 2 PROPOSED LAND USE **WARD NO - 16** LEGEND LEGEND EXTG EXTG Ŧ AREA OF SLUM: 263075.0 SCM AVEA OF BLUM: 66538.0 SQM POPULATION: 378 NOS POPULATION: 864 NOTS BLACK TOPPED BOAD BLACK TOPPED ROAD WATER CONDUCTION WATER CONDESCRICE CONCESTS ROAD DWELLING BOUNE DWELLING HOUSE CONCRETE ROAD **ITEMS** ITEMS ā. 8. SLIM NAME: TALBAGAN-PUTIA PARA 1 SLUM NAME: TALBAGAN-PUTIA PARA 2 ā, 8. 8. ā. Amarcally blander

Marchidebed Municipality

Chairman Chairte

71





MURSHIDABAD MUNICIPALITY WARD NO - 01


		M-01			9	QTY	H		181.034	12
787		NON SELLIN - 01			PROPOSED	SYMBOL				*
PROPOSED LAND USE	NO-01	PCM.		LEGEND	EXTO	SYMBOL	4	I		
PROF	HON SEUM WARD NO - 01	AMEA OF BLUK: 1.10 BayCM.	CPULATION: 4814 NOS	I	TOTAL SEC	ILEMS	Depart and Rocks	MILACIE TOPPRIO NOAD	CONCRETE BOAD	WATER COMMUNICATION



Americal Hordey

Municipality Municipality





WARD NO - 01	MURSHIDABAD MUNICIPALITY





SLUM SLUM

7K 6'188 21 100

AVIDE COMPETCION CONCRETE BOAD

BLACK TURNED BOAD MINOR BRETTERNO ITEMS POPULATION: 4814 NOS AREA OF BLUH: 1.30 Back.M. NON BLUM WARD NO - 01


HOHELLEN - 01

EXTIG PROPOSED

SYMBOL SYMBOL QTY

PROPOSED LAND USE







SLUM



172.0 M

Charmen cicios

AVALE CONSTITUTOR

CONTRACT LOSSED BOYD

ETVOX LOSSED

ETVOX LOSSED BOYD

ETVOX LOSSED

ETVOX LOSSED BOYD

ETVOX LOSSED

ETVOX LOSSED BOYD

ETVOX LOSSED BOYD

ETVOX LOSSED BOYD

ETVOX

NON SILUM WARD NO - 02
AREA OF BLUM: 0.38 Sec.M.
POPULATION: 3689 NOS

NON SLUM - 02

LEGEND

DEXE

PROPOSED

PROPOSED LAND USE

ITEMS

SYMBOL SYMBOL QTY

1