Housing For All by 2022 – DPR – 2019-2020 Under Pradhan Mantri Awas Yojana (PMAY): Urban



Prepared By

Municipal Engineering Directorate
Department of Municipal Affairs
Government of West Bengal
Beneficiary Led Construction

Rishra Municipality DISTRICT HOOGHLY WEST BENGAL

Introductory Note By The Chairman



When the Municipality has designed to take up one and only agendum, that is, augmenting the basic amenities of urban life to economically backward

segments of the urban population and to give a kinetic direction and momentum thrust to the same, in the second phase of work (2019-20) 1100 nos dwelling units in different slums situated in different wards have been selected as the slums are inhabited with the people of down trodden classes of the society who are in need of shelters and infrastructural development to make connectivity in between the wards and gradually overall development of the town and alleviation of the urban poverty by way of creating employment to the urban poor and deprived for their financial upliftment let us tie hand with us to usher in a new era of development of the Urban area.

Chairman Rishra Municipality

Chairman Rishra Municipality

PREFACE

Pradhan Mantri Awas Yojana (PMAY) aims at Providing Housing for All (HFA) by 2022 when the Nation Complete 75 years of its independence.

The urban homeless persons contribute to the economy of the cities and thus the Nation as cheap labour in the informal sector; yet they live with no shelter or social security. The urban homeless service with many challenges like no access to elementary Public Services such as health, education, food, water and sanitation. Pradhan Mantri Awas Yojona (PMAY) also aims at providing a pucca house to every family with water connection, toilet facilities, 24 X 7 electricity supply and access.

The Mission seeks to address the housing requirement of urban poor including slum dwellers through "In Situ" Slum Redevelopment, Affordable Housing through credit linked subsidy, Affordable Housing in partnership and subsidy for beneficiary led individual house. Under the mission, beneficiaries can take advantage under one component only.

Total beneficiaries of the scheme are 1100 nos from 46 nos slum projected for the year 2019-20.

Total cost of the project is **Rs. 4452.8 lakhs** as per relevant department & P.W.D. schedule of rates.

Abbreviations

| | | 7 | |
|--------|--|--------|--|
| A&OE | Administrative and Other Expenses | LIG | Low Income Group |
| АНР | Affordable Housing in Partnership | MD | Mission Directorate |
| AIP | Annual Implementation Plan | MoA | Memorandum of Agreement |
| BMTPC | Building Materials & Technology Promotion Council | MoHUPA | Ministry of Housing and Urban Poverty Alleviation |
| CDP | City Development Plan | MoU | Memorandum of Understanding |
| CLS | Credit linked subsidy | NA | Non Agricultural |
| CNA | Central Nodal Agencies | NBC | National Building Code |
| СРНЕЕО | Central Public Health and Environmental Engineering Organisation | NHB | National Housing Bank |
| CSMC | Central Sanctioning and Monitoring Committee | NOC | No Objection Certificate |
| DIPP | Department of Industrial Policy and Promotion | NPV | Net Present Value |
| DPR | Detailed Project Report | PLI | Primary Lending Institution |
| EMI | Equated Monthly Installment | RWA | Residents' Welfare Association |
| EWS | Economically Weaker Section | SECC | Socio Economic and Caste Census |
| FAR | Floor Area Ratio | HFAPoA | Slum Free City Plan of Action |
| FSI | Floor Space Index | SLAC | State Level Appraisal Committee |
| HFA | Housing for All | SLNA | State Level Nodal Agency |

| HFAPoA | Housing for All Plan of Action | SLSMC | State Level Sanction and Monitoring Committee |
|--------|---------------------------------------|-------|--|
| IEC | Information Education & Communication | TDR | Transfer of Development Rights |
| IFD | Integrated Finance Division | TPQMA | Third Party Quality Monitoring Agency |
| пт | Indian Institute of Technology | ULB | Urban Local Boday |
| IS | Indian Standard | UT | Union Territory |

DPR SCRUTINY REPORT FOR THE PROJECT UNDER AFFORDABLE HOUSING IN PARTNERSHIP (AHP)COMPONENT OF PRADHANMANTRI AWAS YOJANA (PMAY)
NAME OF SCRUTINY AGENCY:

SCRUTINY REPORT (BASED ON FORMAT NO 7C) FOR THE PROJECTS UNDER BENIFICIARIRS LED INDIVIDUAL HOUSE CONSTRUCTION/ENHANCEMENT COMPONENT OF PRADHANMANTRI AWAS YOJANA (PMAY) REFERENCE NO.:

DATE

| ATE: | | | |
|---------|---|------|---------------------|
| ASIC IN | IFORMATION: | | |
| 1 | NAME OF THE STATE | 10 | WEST BENGAL |
| 2 | NAME OF THE CITY | - 10 | RISHRA MUNICIPALITY |
| 3 | PROJECT NAME | 23 | HOUSING FOR ALL |
| 4 | PROJECT CODE | 10 | |
| 5 | IMPLEMENTING AGENCY | 183 | ULB |
| | i)APPROVED PROJECT COST (Rs. IN LAKHS) | : | 4452.80 |
| | ii) GOI GRANT REQUESTED (Rs. IN LAKHS) | 1 | 1650.00 |
| 6 | iii)STATE GRANT (Rs. IN LAKHS) | : | 2325.40 |
| 0 | iv) ULB/IMPLEMENTING AGENCY SHARE (Rs. IN LAKHS) | 20 | 202.40 |
| | v) BENIFICIARY SHARE (Rs. IN LAKHS) | : | 275.00 |
| | vi)OTHERS, IF ANY (Rs. IN LAKHS) | : | |
| 7 | PROJECT DURATION (IN MONTHS) | : | 06 Months |
| 8 | NO OF ELIGIBLE BENIFICIARIES FOR GOI GRANT | : | 1100 |
| | i) NO OF BENIFICIARIES (NEW CONSTRUCTION) | : | 1100 |
| | ii) NO OF BENIFICIARIES (ENHANCEMENT) | : | 0 |
| | ELIGIBLE GOI GRANT (Rs. 1.5 LAKHS PER ELIGIBLE BENIFICIARY)(Rs. | | 1650.00 |
| 9 | IN LAKHS) | : | 1000.00 |
| 10 | DISCREPANCY IF ANY (w.r.t. ITEM NO 6(ii) AND 9) | : | NIL |
| DMINI: | STRATIVE DETAILS | 7 | |
| | WHETHER THR PROJECT IS PART OF ANNUAL IMPLEMENTATION | | |
| 11 | PLAN(AIP) | : | YES |
| 12 | DATE OF SLSMC APPROVAL FOR THE PROJECT | : | |
| | WHETHER THE FORMAT AS PER ANNEXURE 7C OF PMAY SCHEME | | |
| İ | | | |
| 13 | GUIDELINES HAS BEEN SIGNED BY THE COMPETENT AUTHORITIES? | : | yes |
| CHNIC | CAL DETAILS | | |
| | WHETHER BUILDING PLANS FOR ALL HOUSES HAVE BEEN | | |
| 14 | | : | yes |
| | WHETHER TECHNICAL SPECIFICATION / DESIGN OF HOUSING HAVE | | |
| 15 | BEEN ENSURED AS PER INDIAN STANDARDS /NBC/STATE NORMS | : | yes |
| | WHETHER DISASTER (EARTHQUAKE, FLOOD, CYCLONE, LANDSLIDE | | -1 |
| | ETC.) RESISTANT FEATURES HAVE BEEN ADOPTED IN CONCEPT | | |
| 16 | DESIGN AND IMPLEMENTATION OF THE PROJECT? PLEASE SPECIFY. | : | yes |
| | WHETHER THE DETAILED PROJECT REPORT (DPR) HAS BEEN | | • |
| | SCRUTINISED CENTRAL AGENCY? IF YES, ATTACH THE DPR SCRUTINY | | |
| | REPORT(ANNEXURE C) | : | NO |
| 18 | | : | |

OBSERVATIONS OF THE SCRUTINY AGENCY:

1

2

3

DPR SCRUTINY REPORT FOR THE PROJECTS UNDER BENIFICIARIRS LED INDIVIDUAL HOUSE CONSTRUCTION/ENHANCEMENT COMPONENT OF PRADHANMANTRI AWAS YOJANA (PMAY)

NAME OF SCRUTINY AGENCY:

REFERENCE NO.:

DATE:

| | FORMATION: | | |
|--------|--|------|----------------------|
| 1 | 1.00 | : | WEST BENGAL |
| - 4 | | 27 | RISHRA MUNICIPALITY |
| | | - 1 | HOUSING FOR ALL |
| 4 | | -10 | |
| | | 0.00 | |
| (| | 10 | ULB |
| | i)APPROVED PROJECT COST (Rs. IN LAKHS) | 1 | 4452.80 |
| | ii) GOI GRANT REQUESTED (Rs. IN LAKHS) | - 1 | 1650.00 |
| 7 | iii)STATE GRANT (Rs. IN LAKHS) | 1 | 2325.40 |
| | iv) ULB/IMPLEMENTING AGENCY SHARE (Rs. IN LAKHS) | 1 | 202.40 |
| | v) BENIFICIARY SHARE (Rs. IN LAKHS) | ; | 275.00 |
| | vi)OTHERS, IF ANY (Rs. IN LAKHS) | 10 | |
| | SOURCE OF AVAILABILITY OF BENE FICIARY SHARE (SELF/ LOAN/ANY | | |
| | OTHER) | 19 | SELF |
| | PROJECT BRIEF: | 1 | |
| 10 | | 10 | 1100 |
| 11 | | 1 | 06 MONTHS |
| DMINI | STRATIVE DETAILS | | |
| | DATE OF STATE LEVEL APPRISAL COMMITTEE (SLAC) APPROVAL OF | | |
| 12 | THE PROJECT | : | |
| | | | |
| 13 | WHETHER OBSERVATION OF SLAC HAVE BEEN INCORPORATED? | | |
| 14 | DATE OF SLSMC APPROVAL FOR THE PROJECT | : | |
| | WHETHER THE FORMAT AS PER ANNEXURE 7C OF PMAY SCHEME | | |
| 10 | GUIDELINES HAS BEEN SIGNED BY THE COMPETENT AUTHORITIES | | |
| | ETAILS | | - |
| AIND D | | | |
| | WHETHER SELECTED BENIFICIARIES HAVE RIGHTFUL OWNERSHIP OF | | |
| | LAND? | | |
| CHNIC | CAL DETAILS | | |
| | No OF PROPOSED HOUSES | | 1100 |
| | i)NEW CONSTRUCTION | : | 1100 |
| 17 | ii) ENHANCEMENT | : | 0 |
| | | | |
| | WHETHER THE CARPET AREA OF THE PROPOSED HOUSE IS UPTO | | |
| | | | |
| 10 | 30Sqm? IF MORE, WHETHER CONSULTATION WITH THE MINISTER HAS BEEN DONE FOR DETERMINING THE SIZE OF HOUSES? | | VEC |
| 10 | WHETHER BUILDING PLANS FOR ALL HOUSES HAVE BEEN | ः | YES |
| 19 | | | VEC |
| 20 | | : | YES Pwd. SOR 2014 |
| 20 | SCHEDULE OF RATES (SOR) ADOPTED (YEAR) | : | rwa. 30K 2014 |
| | WHETHER COST INDEX HAS BEEN TAKEN OVER THE SOR RATES? IF | | |
| | YES, WHETHER SUPPORTING DOCUMENTS APPROVING THE SAME | | |
| 21 | IS FURNISHED | ; | NO |
| | | | |
| | WHETHER TECHNICAL SPECIFICATION / DESIGN OF HOUSING HAVE | | |
| 22 | BEEN ENSURED AS PER INDIAN STANDARDS/NBC/STATE NORMS | 1 | YES |

| 23 | WHETHER DISASTER (EARTHQUAKE, FLOOD, CYCLONE, LAND SLIDE ETC.)RESISTANT FEATURES HAVE BEEN ADOPTED IN CONCEPT, DESIGN AND IMPLEMENTATION OF THE PROJECT? PLEASE SPECIFY | - | YES |
|----|---|---|--|
| 24 | WHETHER STATUTORY APPROVALS FROM COMPETENT AUTHORITIES HAVE BEEN OBTAINED? IF REQUIRED | : | YES |
| 25 | WHETHER ANY INOVATIVE /COST EFFECTIVE /GREEN TECHNOLOGY ADOPTED IN THE PROJECT? IF YES PLEASE SPECIFY | | NO |
| 26 | WHETHER BENIFICIARIES HAVE ACESS TO BASIC CIVIC AND SOCIAL INFRASTRUCTURE FACILITIES? | : | YES |
| 27 | HOW QUALITY ASSUARANCE IS PROPOSED TO ENSURED FOR BENIFICIARY LED CONSTRUCTION? SPECIFY | : | STRICT SUPERVISION BY ULE ENGINEERS |

OBSERVATION OF THE SCRUTINY AGENCY:

1.3. City Profile and Overview

Rishra is located in Eastern India at in the Ganges Delta at an elevation ranging between 1.5m to 9m. It is spread linearly along the banks of the River Hooghly in a North – South direction. Much of the town was originally a vast wetland, reclaimed over the decades to accommodate the town's burgeoning population. The Sunderban National Park separates the town from the Bay of Bengal, which is located about 154 KM to south.

Like most of the Indo – Gangetic plains, the predominant soil type is alluvial. Quaternary sediments consisting of clay, silt, various grades of sand and gravel underlie the town of Rishra. These sediments are sandwiched between two clay beds, the lower one at depths between 250 and 650m and the upper one ranging between 10 and 40m in thickness. According to the Bureau of Indian standards, the town falls under Seismic Zone III, in a scale of I to V (in order to increasing proneness to earth quakes) while the wind and cyclone zoning is "very high damage risk", according to UNDP report.

Rishra Municipality is surrounded by Serampore Municipality in north, Konnagar Municipality in south, River Hooghly in the east and Nabagram, Rishra and Rajyadharpur gram Panchayat in the west.

Rishra has a tropical climate. The annual mean temperature is $26.8.^{\circ}$ C (80° F); monthly mean temperature ranges from 19° C to 30° C (67° F to 86° F), summers are hot and humid and maximum temperature often exceeds 40_{\circ} C (104° F) during May and June. Winter tends to last for only two and a half months, with seasonal lows dipping to 12° C to 14° C between December and January. The highest recorded temperature is 43° C (111° F) and the lowest is 5° C (41° F). Often during the early summer, dusty squalls followed by spells of thunder storm and heavy rain lashes the city, bringing relief from the humid heat. These thunder storms are locally known as KalBaishakhi (Norwesters).

Rishra is one of the industrial units, and has India's largest jute product manufacturing hub in the periphery of its municipal limits. There are also a number of engineering and manufacturing firms and industries. The Jute mills are mainly located in the banks of river Hooghly. There are other industrial units dealing in the production and processing of chemicals, paints, textiles, steel/iron products etc.

Table 1: Population of Rishra Municipality

| Sl. No. | Item | Rishra |
|---------|----------------------------------|--------|
| 1 | Total population (Census 2011) | 124527 |
| 2 | Decadal Growth (Census 2011) (%) | 9.95 |
| 3 | Density | 19225 |

Source: Census of India, 2011

Table 1 : City at a Glance

| Sl.no | Indicator | 2001 | 2011 | 2015 |
|-------|--|--------|--------|--------|
| 1 | Area (inSqKm) | | | |
| 1.1 | Planning Area (Sq. Km) | 6.48 | 6.48 | 6.48 |
| 1.2 | Municipal Area (Sq. Km) | 6.48 | 6.48 | 6.48 |
| 1.3 | Area of Slums(Sq. Km) | 4.38 | 4.38 | 4.38 |
| 2 | Number of Municipal Wards | 23 | 23 | 23 |
| 3 | PopulationandHouseholds | | | |
| 3.1 | TotalPopulation (no'sinmillions) | 113259 | 124527 | 129483 |
| 3.2 | Number of Households | 27194 | 30069 | 31290 |
| 3.3 | Density of Population | 17478 | 19217 | 19982 |
| 3.4 | Slum households as percentage of total Households in city | 44.77 | 44.78 | 44.79 |
| 3.5 | Current (2015) Population(Year of Survey) (no'sinmillions) | | | 129483 |
| 3.6 | Current Number (2015) of Households(Year of survey) | | | 31290 |
| 3.7 | Slum populationaspercentageof totalpopulationincity | 49.49 | | |

HFAPoA and Prodhan Mantri Awas Yojana (Housing for All)

To give pucca house for every family is currently on the global agenda. One of the Millennium Development Goals (MDGs) is to 'achieve significant improvement in the lives of slum dwellers, by 2022. Similar goals are set forth by Pradhan Mantri Awas Yojana within year 2022, to create pucca house for every family.


ULB undertake a demand survey through suitable means for assessing the actual demand of housing. While validating demand survey, Cities consider possible temporary migration from rural areas to the city just to take advantage of housing scheme and exclude such migrants from list of beneficiaries. On the basis of demand survey and other available data, cities prepare Housing for All Plan of Action (HFAPoA). HFAPoA contain the demand of housing by eligible beneficiaries in the city along with the interventions selected out of four verticals. The information regarding beneficiaries is collected by ULB in suitable. While preparing HFAPoA, ULB and Implementing Agencies also consider the affordable housing stock already available in the city as Census data suggests that large numbers of houses are vacant.

Bank account number and Aadhaar number/Voter ID card/any other unique identification details of intended beneficiaries or a certificate of house ownership from Revenue Authority of beneficiary's native district integrate in the data base of HFAPoA for avoiding duplication of benefit to one individual family. Beneficiaries are validated by ULBs thereby ensuring their eligibility at the time of preparation of the projects and approval of projects.

On the basis of HFAPoA, States/Cities subsequently prepare the Annual Implementation Plans (AIPs) dividing the task upto 2022 in view of the availability of resources and priority. For larger cities, HFAPoA and AIPs is prepared at sub-city (ward/zone etc.) level with the approval of concerned State/UT Government. The result of demand survey, draft HFAPoA and draft AIP is discussed with the local representatives including MLAs and MPs of that area so that their views are adequately factored in while finalizing the plans and beneficiary list.

Cities which have already prepared Slum Free City Plan of Action (SFCPoA) or any other housing plan with data on housing, utilize the existing plan and data for preparing "Housing for All Plan of Action" (HFAPoA). Houses constructed under various schemes should be accounted for while preparing HFAPoA

Urban Population Living in Slums and the Indian Scenario (source: UN-HABITAT)



The preparation of HFAPoA broadly involve Slum Development/Rehabilitation Plans based on

- a. Survey of all slums notified and non-notified;
- b. Mapping of slums using the state-of-art technology;
- c. Integration of geo-spatial and socio-economic data; and
- d. Identification of development model proposed for each slum.
 - Base maps to an appropriate scale would be a pre-requisite for the preparation of Slum Development Plan/Slum-free City Plan. States/UTs may need to proceed in the following steps for the preparation of Slum-free City Plans.
 - Securing CARTOSAT II/latest satellite images from NRSC/ISRO and preparation of base maps for the whole city and its fringes using the images;
 - Identification and inventory of all slum clusters of all descriptions in the urban agglomeration with the help of satellite image and other available data;
 - 4. Inventory of all possible vacant lands in each zone of the urban agglomeration that could be
 - used for slum development/ rehabilitation development purposes;
 - 5. Development of Slum Map of every slum within the city and its fringes using GIS with CARTOSAT II images, ground level spatial data collected through total station survey, collating spatial information with respect to plot boundaries, network of basic infrastructure like roads, sewerage, storm drainage and water lines, etc and superimposing this on the satellite image and importing them into GIS platform as the first step towards the preparation of Slum Development Plans and Slum Free City Plan.
 - 6. This may be undertaken with the help of technical partners of NRSC/ISRO/other technical institutions.
 - 7. Identification and engagement of Lead NGO/CBO to guide and anchor community mobilization for the purpose of slum survey, (May be more than one NGO/CBO in different slum zones) of the city. These Lead NGOs/CBOs should also be associated in slum survey operations and dialogues for preparation of slum level development plans;
 - 8. Conduct of Slum Survey based on the detailed formats (with or without changes) prepared by the Ministry of Housing & Urban Poverty Alleviation with the help of National Buildings Organization (NBO) after due training of trainers, training

of survey personnel /canvassers and canvassing. It would be helpful for community mobilization to pick as many canvassers from the sourced slum or nearby slum pockets;

- Collection of bio-metric identification data of slum dwellers based on the above survey (subject to guidelines issued by Unique Identity Authority of India (UIDAI));
- 10. Entry of data from Slum Surveys in the web-enabled MIS application (to be provided by Ministry of HUPA), compilation and collation of data, preparation of Slum-wise, City and State Slum Survey Database and Baseline Reports. The MIS will assist in developing a robust Slum and Slum Households Information System. (Guidelines and software for development of the MIS will be issued by the Ministry of HUPA);
- 11. Integration of Slum MIS with GIS Maps to enable the preparation of GIS-enabled

Slum Information System that is to be used for the preparation of meaningful Slum

Development Plans and Slum-free City Plan using a city-wide/zone-based approach.(Guidelines and software for development of GIS platform and its integration with the MIS will be issued by the Ministry of HUPA);

Introduction to Prodhan Mantri Awas Yojana (PMAY)

of slums.

Pradhan Mantri Awas Yojana (PMAY), a path breaking scheme for the slum dwellers and urban poor envisages a 'Pucca house to every family' through encouraging States to tackle the problem of slums in a holistic manner. It calls for a multi-pronged approach focusing on:

□ Bringing existing slums within the formal system and enabling them to avail of the same level of basic amenities as the rest of the town.

☐ Tackling the shortages of urban land and housing that keep shelter out of reach of the urban poor and force them to resort to extra-legal solutions in a bid to retain their sources of livelihood and employment.

☐ Redressing the failures of the formal system that lie behind the creation

☐ Enactment of a set of reforms at the state and city level related

to inclusive planning, regulation and financing, which would ensure that adequate fresh housing stock and services get created on an ongoing basis to address both current and future needs of cities.

 $\hfill \square$ An integrated approach covering shelter, services and livelihoods for poor slum communities.

The duration of Pradhan Mantri Awas Yojana [PMAY]

2015 TO 2022

Eligible Components of the PMAY:

Allotment of Houses

Allotment of dwelling units will be in the name of the female member of the . Alternatively, it can be allotted in the name of husband and wife jointly. Ownership of land required for every Beneficiary.

A EWS beneficiary family will comprise husband, wife and unmarried children.

The beneficiary family should not own a pucca house (an all weather dwelling unit) either in his/her name or in the name of any member of his/her family in any part of India to be eligible to receive central assistance under the mission.

EWS households are defined as households having an annual income up to Rs.3,00,000 (Rupees Three Lakhs). States/UTs shall have the flexibility to redefine the annual income criteria as per local conditions in consultation with the Centre.

Following infrastructure will be considered for support under PMAY:

- Water connection
- 2. Toilet facilities
- 3. 24 x 7 Electric facilities
- 4. Roads

Need for Projects

This development project models will give benefits in the city. One of the key objectives of developing the Projects is to incentivize innovation and encourage new

approaches and solutions that can demonstrably improve the quality and quantity of shelter and services for the poor.

Such innovation could encompass:

| | Projects with strong community participation i.e. Slum |
|------------|---|
| | up gradation/ redevelopment projects initiated/spearheaded by the |
| | community; or with their demonstrable involvement and participation |
| | in design, planning and implementation |
| | New models of public-private partnerships whereby the private |
| | sector can be encouraged to take up affordable housing for the |
| | EWS/LIG. |
| □ servi | Innovations in planning, demonstrating integrated livelihoods, shelter and ces; or convergence. |
| | Innovative or cost effective and green building design and technologies. |

innovative or cost effective and green building design and technologies.

Financial innovations in delivering the city/state wide programme.

Aims and Objectives

Visio

n

The mission seeks to address the housing requirement of urban poor including slum dwellers through following programme verticals:

- Slum rehabilitation of Slum Dwellers with participation of private developers using land as a resource
- Promotion of Affordable Housing for weaker section through credit linked subsidy
- Affordable Housing in Partnership with Public & Private sectors
- Subsidy for beneficiary-led individual house construction

Objectives

The project has been designed keeping in mind the following objectives.

Integrated development of all existing slums, notified or non-notified, i.e., development of infrastructure and housing in the slums/rehabilitation colonies for the slum dwellers/urban poor, including rental housing.

| □ Development/improvement/maintenance of basic services to the urban |
|--|
| |
| poor, including water supply, sewerage, drainage, solid waste management, |
| approach and internal road, street lighting. |
| The Creation of affordable housing stock, including rental housing with the |
| provision of civic infrastructure and services, on ownership. |
| Encouraging Public Private Partnership by having pay and use toilets and educate the slum dwellers for keeping the environment clean and hygienic. |
| State PMAY Mission Director |
| The Nodal Ministry and National Mission Directorate is Ministry of Housing & Urban Poverty Alleviation, Government of India. |
| The Nodal Department for West Bengal is Municipal Affairs Dept. (M.A. Department), Government of West Bengal. The state level Nodal Agency is State Urban Development Agency (SUDA) under M.A. Department. State Urban Development Agency was set up in 1991 with a view to ensuring proper implementation and monitoring of the centrally assisted programmes for generating employment opportunities and alleviation of poverty throughout the State. SUDA is a Society registered under the West Bengal Societies Registration Act, 1961. |
| Funding Pattern of PMAY |
| Funding pattern for PMAY(Housing for all) |
| □ Central share 1.5 LAKHS of total cost of dwelling unit |
| ☐ Beneficiary share 0 .25 LAKHS of total cost of dwelling unit |
| ☐ State share rest of total cost of dwelling unit |
| State + ULB bear the cost of infrastructure |
| □ State share for infrastructure to be minimum 50% |
| ☐ ULB share for infrastructure to be minimum 50% |
| Cost of infrastructure 10 % of sum total cost of dwelling unit |
| Approvals & Release of Funds |
| ☐ Releases and approvals to be on the basis of DPRs which need to be submitted with approval of State Level Sanctioning and Monitoring Committee |
| Innovative projects to be considered for sanction even in the preparatory stage. |

☐ Central Funds to be released in three installments to the State Governments/SLNA; central assistance under different components will be released to the state / UTs after the approval of CSMC and with concurrence of the integrated Financial Division of the Ministry. Central share would be released in three installment of 40%, 40% and 20% each.

Project Cost and Financing Strategy For Dwelling Unit

Total no of Dwelling unit = 1100 Nos

Rate per Dwelling unit = 3.68 Lakhs

Total Cost of Dwelling unit = 1100 x 3.68 = 4048 Lakhs

Central Share = 1100 x 1.5 Lakhs = 1650 Lakhs

State Share = 1100 x 1.93 Lakhs = 2123 Lakhs

Beneficiary Share = 1100 x 0.25 Lakhs = 275 Lakhs

ULB Share = NIL

For Infrastructure

10 % of total Dwelling unit cost = 4048 Lakhs x 10% = 404.8 Lakhs

Central Share = NIL

State Share = 50% x 404.8 Lakhs = 202.4 Lakhs

Beneficiary Share = NIL

ULB Share = 50% x 408.8 Lakhs = 202.4 Lakhs

The total project cost will be 44.53 crores

Out of these 4.05 Crores is the cost of Housing Infrastructure. The following table shows the share of cost between housing infrastructure & Physical Infrastructure.

Table: Cost Break up between Housing & Infrastructure

| SINo. | Component | Cost on Lakhs | STATE OF THE |
|-------|-----------------------------------|---------------|--------------|
| 1. | Housing Cost(2022)Dwelling Units) | 4048.00 | |
| 2. | Infrastructure Cost | 404.80 | |
| | Total | 4452.80 | |

Materials of construction:

PCC (1:3:6) for foundation

of 2 rooms, kitchen and sanitation facility. The layout, size and type design of housing dwelling units depends on the local conditions and the preferences of the beneficiary. The houses, has been designed in accordance with the desire of the beneficiaries, keeping in view the climatic conditions and the need to provide ample space, kitchen, ventilation, sanitary facilities, etc. and the community perceptions, preferences and cultural attitudes.

In line with the scheme, carpet area of the house will be not less than 25 sq. mts and preferably two room accommodation plus kitchen and toilet should be constructed.

Compliance with Municipal Bye laws

All designs & drawings are created keeping in line with the municipal bye laws.

| Bui | ilding material |
|------|--|
| | PCC (1:3:6) for foundation |
| | RCC M-20 for substructure & superstructure (Column, Beam, Slab) |
| [| HYSD Steel |
| Ε | 1st class Brick Masonry |
| | 1:6 (Cement: Sand) plaster – 10 mm on soffit of beam & slab, 15 mm on internal walls & |
| | 20 mm on external walls |
| | IPS flooring |
| Stru | uctural Design |
| | Following are the general considerations in the analysis/design. |
| | For all structural elements, M20 grade concrete and Fe 415 grade of steel is used. |
| | |
| | Pedestals are proposed up to ground level. |
| | Beam Centre-line dimensions are followed for analysis and design. |
| | For all the building, walls of 250 mm and 125mm thick with 20 mm External plaster and 12 |
| | mm thick internal plaster are considered. |
| | Seismic loads are considered acting in the horizontal direction along either of the two |
| | principal directions. |
| Des | ign data |
| [| Live load: 2.0 kN/m2 at typical floor |
| | 1.5 kN/m2 on terrace (With Access): 0.75 kN/m2 on terrace (without Access) |
| | Floor finish 50mm (0.05*24) = : 1.2 kN/m2 |
| Į | Ceiling plaster 12mm (0.012*20.8) : 0.25 kN/m2 |
| | Partition walls (Wherever Necessary): 1.0 kN/m2 |
| | Terrace finish: 1.5 kN/m2 |

| | Earthquake load: As per IS-1893 (Part 1) - 2002 |
|--------|--|
| | Depth of foundation below ground: ,0.7 m |
| | Walls: 250 mm thick brick masonry walls at external and 125mm walls internal. |
| | |
| | |
| Refere | ence codes: |
| | IS 456: 2000 - Code of practice -Plain and Reinforced concrete. |
| | IS:1893:2002 - Criteria for Earthquake resistant design of structures(Part-1) |
| | IS: 13920: 1993 - Ductile detailing of Reinforced concrete structures subjected to |
| | seismic forces. |
| | SP: 34 - Hand Book on Concrete Reinforcement and Detailing. |
| | S: 875: 1987 - Code of practice for design loads (other than earthquake) for |
| | buildings and structures. (Part-2) |

Annexure 7C (Para 14.5 of the Guidelines) Format for Project under Beneficiary Led Construction Or Enhancement

| 1 | Name of the State: | : | | | | | West | Benga | l | |
|-----|--|---|-----------------------|------|----------------------|------|-----------|----------------------------------|-------------------------------|---|
| 2 | Name of the District: | : | | | | | | oogly | | |
| 3 | Name of the City: | : | | | | | | ishra | | |
| 4 | Project Name: | : | | - |] | Hfa- | -Rish | ra -201 | 9-20 | |
| 5 | Project Code: | : | | - | | 19 | 98017 | 29044N | VO | |
| 6 | State Level Nodal Agency: | : | | | State U | rba | n De | velopm | ent Agency | 2a |
| 7 | Implementing Agency/ ULB | : | | | | | | Lunicip | | |
| U | Date of Approval by State Level Sanctioning and Monitoring Committee (SLSMC) | : | | | | | | | | |
| 9 | No. of location covered in project: No of Slum Area Covered & No of Non Slum | : | Name Locat | | No. of beneficial | | Sl Non | ether um / -Slum | If Slum, then Slum type | If slum, whether it gets completely rehabilitated |
| | Area Covered | | RISH MUNIO L AR | CIPA | 1100 | | both & | vering Slum Non- n area | Notified | No |
| 10 | Project Cost (Rs. In Lakhs) | : | | | 100 | | | | | |
| 11 | No. of beneficiaries covered in the project | : | GEN | SC | ST | C | OBC | Total | Minority | Person with Disability |
| | | : | 1065 | 19 | 02 | | 14 | 1100 | 146 | 0 |
| 12 | Whether beneficiary have been selected as PMAY Guidelines? | | | | | | Ŋ | l'es | | |
| 13 | No. of Houses constructed / acquired. Please specify | : | Joint | Fe | emale | M | ale | | Transgen | der |
| | ownership (Any of these) | : | 0 | | 320 | 78 | 80 | | 0 | |
| 1.4 | No. of beneficiaries covered in | : | Male | Fe | male | | | Т | ransgender | |
| 14 | the project | : | 780 | | 320 | | | | 0 | |
| 15 | Whether it has been ensured that selected beneficiaries have rightful ownership of the land? | : | - | | | | Y | es | | |
| 16 | Whether building plan for all houses have been Approved? | : | | | | | Y | es | | |
| 17 | i. GoI grant required (Rs. 1.5 lakh per eligible beneficiary) | : | | | | | 165 | 0.00 | | |

| | (Rs. in Lakhs) | 1 | |
|----|--|---|---------|
| | ii. State grant, (Rs. in Lakhs) | : | 2325.40 |
| | iii. ULB grant (Rs. in Lakhs) | : | 202.40 |
| | iv. Beneficiary Share (Rs. in Lakhs) | | 275.00 |
| | v. Total (Rs. in Lakhs) | : | 4452.8 |
| 18 | Whether technical specification / design for housing have been ensured as per Indian Standards / NBC/ State Norms? | | Yes |
| 19 | Whether it has been ensured that balance cost of construction is tied up with State Grant, ULB Grant & Beneficiary Share? | : | Yes |
| | Whether trunk and line infrastructure is existing or being provisioned? | | |
| | i. Water Supply | : | Yes |
| | ii. Sewerage | : | No |
| | iii. Road | : | Yes |
| | iv. Storm Water Drain | : | Yes |
| | v. External Electrification | : | No |
| | vi. Solid Waste Management | : | No |
| | vii. Any Other | : | No |
| | viii. In case, any infrastructure has not been proposed, reason thereof. | | No |
| 20 | Whether disaster (earthquake, flood, cyclone, landslide etc.) resistant features have been adopted in concept, design and implementation of the project? | : | Yes |
| 21 | Whether Demand Survey Completed for entire city? | : | Yes |
| 22 | Whether City-wide integrated project havebeen formulated? If not reasons thereof? | : | Yes |
| 23 | Whether validation with SECC data for housing condition conducted? | : | Yes |
| 24 | Whether Direct Benefit Transfer (DBT) of fund to individual bank account of beneficiary ensured in the project? | : | Yes |

| 25 | Whether there is provision in DPR for tracking/monitoring the progress of individual houses through geo-tagged photographs? | | Yes |
|----|---|---|---|
| 26 | Whether any innovation/cost effective / Green technology adopted in theproject? | : | Yes |
| 27 | Comments of SLAC after techno economic appraisal of DPR | | Project covers the most needy beneficiaries |
| 28 | Project brief including any other information ULB/State would like to furnish | : | The project covers all wards |
| 29 | Project Submission Date to SLSMC | : | |

It is hereby confirmed that State/UT and ULB have checked all the beneficiaries as per guidelines of HFA. It is also submitted that no beneficiary has been selected for more than one benefit under the Mission including Credit Linked Subsidy Scheme (CLSS) component of the Mission.

Signature
Rishra Municipality

Chairman
Rishra Municipality

Signature

Chief Engineer
M.E Dte,GoWB

Signature

(Director,SUDA)

(Secretary,UD & MA Department,GoWB)

Executive Summary

Project Details

| 1 | Name of the State: | | West Bengal |
|----|--|---|---|
| 2 | Name of the District: | : | |
| 2 | | • | Hoogly |
| 3 | Name of the City: | : | Rishra |
| 4 | Project Name: | : | Hfa-Rishra -2019-20 |
| 5 | Project Cost (Rs. in Lakhs) | : | 4452.80 |
| 6 | Central Share (Rs. in Lakhs) | : | 1650.00 |
| 7 | State Share (Rs. in Lakhs) | : | 2325.40 |
| ~ | ULB Share (Rs. in Lakhs) | : | 202.40 |
| 9 | Beneficiary share (Rs. in Lakhs) | : | 275.00 |
| 0 | Total Infrastructure Cost (Rs. in Lakhs) | : | 404.80 |
| 1 | Percentage of Infrastructure Cost of Housing Cost | : | 10.00% |
| 12 | Infrastructure Cost per Dwelling Unit (Rs. in Lakhs) | : | 0.3680 |
| 13 | Year of Implementation | : | 2019-20 |
| 14 | Component Housing Construction | : | Beneficiary Led Construction (BLC) |
| 15 | SOR Adopted | : | PWD (WB) w.e.f 1.11.17 with current corrigendum |

Project Contributions (Physical + Financial) (Rs. in Lakh)

| SI | Scheme Component | Type | Qty | Unit | Rate (in Rs/Unit) | Proposed Project Cost (In Lakh) | Appraised Project Cost (In Lakh) | Central Share (Rs. 1.5Lakh/ DU) | State Govt, Share (Rs. 1.93Lakh/ DU) | ULB Share | Beneficiari es Share @ 0.25 Lakh/DU) |
|-----|----------------------------|--------------|------|---------|----------------------|--|---|--|---|---------------------------------------|---|
| | A. HOUSIN | G | | | | | | | | | |
| 1 | New in-situ | | | | | | | | | I | |
| | Single Storied Units | BLC | 1100 | Nos | 368000.00 | 4048.00 | 4048.00 | 1650.00 | 2123.00 | | 275.00 |
| | | | | Cost Su | ib Total (A) | 4048.00 | 4048.00 | 1650.00 | 2123.00 | | 275.00 |
| | B. INFRAST | RUCT | URE | | | | | | | | |
| SI | Scheme Component | Type | Qty | Unit | Rate (in Rs/Unit) | Proposed Project Cost (In Lakh) | Appraised Project Cost (In Lakh) | Central Share (Rs. in Lakh) | State Govt. Share (@50%) (in Lakh) | ULB Share (@50%) (in Lakh) | Benefici aries Share (in Lakh) |
| 1RO | ADS | | | | | | | | (an David | | 1 |
| 1.1 | BT Roads | Bitu mino | 8645 | Sqm | 612.00 | 52.91 | 52.91 | 0.00 | 26.45 | 26.45 | 0.00 |

| | | | | | 1 | haud huri Thaudhuri Theineer | YE HAR MEIRISISSI | old u | 00 |) | |
|--------|--------|---------|---------|---------|---------|---|----------------------|----------|-----------------------------|---------------------|----|
| 00.272 | 202.40 | 2325.40 | 1650.00 | 1452.80 | 4452.80 | | | 7+B) |) JATO | CRAND TO | |
| 00.0 | 04.202 | 202.40 | 00.0 | 08.404 | 08'+0+ | (B) | stoT du | e Cost S | structur | eriful latoT | |
| 00.0 | 28.59 | 28.59 | 00.0 | 17.781 | 17.781 | 00.0422 | πM | 0682 | Bric K | Surface drain | |
| | | | | | | | | SI | NARG 8 | OKM WATEI | LS |
| 00.0 | 00.0 | 00.0 | 00.0 | 00.0 | 00.0 | 00.5501 | πM | 0 | nm dia. Dist. (DI) | Pipeline (Dist.) | |
| | | | | ^_ | | | | (pəso | dora) Y. | ATER SUPPL | M |
| 00.0 | 01.28 | 01.28 | 00.0 | 61.491 | 61'+91 | 1736.00 | mp2 | 8546 | Cem | CC Roads | 7 |

Competent Technical Signature of the State level

Officer

47427552-250 Fax No: Bikash Bhavan, South Block, 15t Floor, Salt lake, Kol-91 Name & Designation: Chief Engineer, McDte, GoWB

15517552-550

ce_medte@yahoo.

com

Telephone No:

E-mail:

E-mail: Aft rethrummischelif ognin som

Sagar Mishra Valishin Chair Mishin Chair Mannichall Valishin Chair Rishra Municipality Signature of the Chairman

Name & Designation:

Fax No:

Telephone No: 033-3672-1373.

E-mail: mobramminopolity @ yelon com

moo.lismg@ribabusdw

L9L585EZ-EE0

L9L585EZ-EE0 Director, SUDA

Debarati Dutta Gupta

WilequalinuM enderly 199myn | mblelereA

Signature

Lesephone No: 033-2673-2953.

Rishra Municipality

CompetentTechnical officer

Signature of the ULB level

Name & Designation:

Director(SUDA)

Name & Designation:

Fax No:

Telephone No:

E-mail:

Fax No:

FLOW PATTERN

Rupees in lakhs

| NAME OF THE | ESTIMATED | | YEAR 2019-20 | 019-20 | | |
|---|-----------|---------|----------------|--------|-------------------|---------|
| SCHEME | COST | GOI | GOWB | ULB | Benificiar ies | TOTAL |
| PMAY project - , Rishra Municipality | 4452.80 | 1650.00 | 2325.40 202.40 | 202.40 | 275.00 | 4452.80 |

PHASING OF FUND

| | | RE | RELEASE OF FUND | F FUND | |
|-----------------------|---------|---------|-----------------|-------------------|---------|
| YEAR 2016-17 | 109 | GOWB | ULB | Benificiari es | TOTAL |
| 1st Installment @ 40% | 00.099 | 930.16 | 80.96 | 275.00 | 1946.12 |
| 2nd Installment @ 40% | 00.099 | 930.16 | 80.96 | 0.00 | 1671.12 |
| 3rd Installment @ 20% | 330.00 | 465.08 | 40.48 | 0.00 | 835.56 |
| TOTAL | 1650.00 | 2325.40 | 202.40 | 275.00 | 4452.80 |

REQUIREMENT OF FUND

| | TOTAL | 4452.80 | 4452.80 |
|-----------------|--------------------|--|---------|
| n lakhs | YEAR 2019-20 | 4452.80 | 4452.80 |
| Rupees in lakhs | NAME OF THE SCHEME | PMAY project - , Rishra Municipality | |
| | SL. NO | 1 | Total |

| oN n | | | | | | | | | | | | 1 | | | | |
|------|---|--------|---------|--------|-------------------|--|--|------------------------------|------------------|------------------------------|------------------------|---|----------------------|--|-----------------------------------|---------------|
| un | Name of Slum | əpog w | es SqKm | noüsiu | Dwell (@ Rs. 3 | Dwelling Units (@ Rs. 3.68 Lakh/ each) | Drainage (M) (Rs.2540.00/M) (Section -400x400) | ge (M) .00/M) .00x400) | Pipe I Rs.106 | Pipe Line @ Rs.1066.00 /M | Bituminc (@ Rs. 612 | Bituminous Roads (@ Rs. 612.00/Sq.M) | Concre (@ Rs. 173 | Concrete Roads (@ Rs. 1736.00/Sq.M) | Total cost of Infrastruct ure @ | |
| is | | nįs | 9.1A | Pop | Qty. | Amt. (in Lakh) | Qty. | Amt. (in Lakh) | Qty. | Amt. (in Lakh) | Qty. | Amt. (in Lakh) | Qty. | Amt. (in Lakh) | 10% of D.U. cost Rs. In Lac | (KS. In lakh) |
| - | RISHRA BUSTEE 1 | 1 | 0.03 | 3680 | 20 | 73.60 | 134 | 3.41 | 0 | 0.00 | 157 | 96.0 | 172 | 2:99 | 7.36 | 96:08 |
| 2 | RISHRA BUSTEE 2 | 2 | 0.1 | 1133 | 36 | 132.48 | 242 | 6.14 | 0 | 0.00 | 283 | 1.73 | 310 | 5.37 | 13.25 | 145.73 |
| m | RISHRA BUSTEE 3 | m | 0.22 | 899 | 18 | 66.24 | 121 | 3.07 | 0 | 0.00 | 141 | 0.87 | 155 | 2.69 | 6.62 | 72.86 |
| 4 | RISHRA BUSTEE(4) | 4 | 0:30 | 6965 | 62 | 228.16 | 417 | 10.58 | 0 | 0.00 | 487 | 2.98 | 533 | 9.25 | 22.82 | 250.98 |
| rv. | RISHRA BUSTEE(5) | и | 0'03 | 4324 | 13 | 47.84 | 87 | 2.22 | 0 | 0.00 | 102 | 0.63 | 112 | 1.94 | 4.78 | 52.62 |
| 9 | RISHRA BUSTEE(6) | 9 | 0.04 | 4712 | 20 | 73.60 | 134 | 3.41 | 0 | 0.00 | 157 | 96.0 | 172 | 2.99 | 7.36 | 80.96 |
| 7 | RISHRA BUSTEE(7) | 7 | 0.15 | 8537 | 47 | 172.96 | 316 | 8.02 | 0 | 0.00 | 369 | 2.26 | 404 | 7.02 | 17.30 | 190.26 |
| 00 | B.L.MUKHERJEE AND B.D. BANERJEE BYE LANE | 89 | 0.01 | 2136 | | 47.84 | 87 | 2.22 | 0 | 0.00 | 102 | 0.63 | 112 | 1.94 | 4.78 | 52.62 |
| 6 | CHANDI CHARAN BANERJEE LANE | 44 | 0.00 | 1396 | 51 | 00:00 | 0 | 00.00 | 0 | 00.00 | 0 | 0.00 | 0 | 0.00 | 0.00 | 0.00 |
| 9 | S.D.MUKHERJEE AND N.S. ROAD | 6 | 0.12 | 6160 | 24 | 88.32 | 161 | 4.10 | 0 | 0.00 | 189 | 1.15 | 206 | 3.58 | 8.83 | 97.15 |
| 11 | K.B.SAHA ROAD AND N.S. ROAD | 10 | 0.12 | 5202 | 7 | 25.76 | 47 | 1.19 | 0 | 0.00 | 55 | 0.34 | 09 | 1.04 | 2.58 | 28.34 |
| 12 | N.K. BANERJEE STREET | = | 0.02 | 2739 | | 25.76 | 47 | 1.19 | 0 | 0.00 | 52.53 | 0.34 | 09 | 1.04 | 2.58 | 28.34 |
| 13 | R.B.C. ROAD | 12 | 0.04 | 1826 | 7 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0.00 | 0.00 |
| 14 | BEHIND LORETO SCHOOL | 13 | 0.02 | 4566 | | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 00.0 | 0 | 0.00 | 0.00 | 00.0 |

| | | | | SLUM | WISE D | SLUM WISE DETAILS OF | OF DU AND INFRASTRUCTURE | INFRAST | PUCTUR | COST | OF 2019-20 | 20 | | | | |
|--------|------------------------------------|--------|--------|---------|--------------------|--|--|------------------------------|------------------|------------------------------|------------------------|---|----------------------|--|--|------------------|
| .ov mu | Name of Slum | әроე ш | з гакт | noitslu | Dwelli (@ Rs. 3 | Dwelling Units (@ Rs. 3.68 Lakh/ each) | Drainage (M) (Rs.2540.00/M) (Section -400x400) | ge (M) .00/M) .00x400) | Pipe I Rs.106 | Pipe Line @ Rs.1066.00 /M | Bitumine (@ Rs. 61; | Bituminous Roads (@ Rs. 612.00/Sq.M) | Concre (@ Rs. 173 | Concrete Roads (@ Rs. 1736.00/Sq.M) | Total cost of Infrastruct ure @ | Grand Total |
| IS | | nĮS | элА | Pop | Qty. | Amt. (in Lakh) | Qty. | Amt. (in Lakh) | Qty. | Amt. (in Lakh) | Qty. | Amt. (in Lakh) | Qty. | Amt. (in Lakh) | 10% of D.U. cost Rs. In Lac | (NS. III Idruii) |
| 15 | K.C.DEY | 14 | 0.02 | 492 | | 88.32 | 161 | 4.10 | 0 | 0.00 | 189 | 1.15 | 206 | 3.58 | 8.83 | 97.15 |
| 16 | PANCHANANTOLLA | 28 | 0.02 | 536 | | 0.00 | 0 | 00:00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0.00 | 0.00 |
| 17 | D.D.HAR LANE | 38 | 0.08 | 260 | 24 | 0.00 | 0 | 00.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0.00 | 0.00 |
| 18 | SITALATOLLA | 39 | 0.02 | 875 | | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0.00 | 0.00 |
| 19 | SASTITOLLA | 45 | 0.01 | 674 | | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0.00 | 0.00 |
| 20 | BIRINCHIPARA | 15 | 0.02 | 5632 | 28 | 103.04 | 188 | 4.78 | 0 | 0.00 | 220 | 1.35 | 241 | 4.18 | 10.30 | 113.34 |
| 21 | BEHIND RISHRA HIGH SCHOOL | 17 | 0.05 | 099 | | 184.00 | 336 | 8.53 | 0 | 00.00 | 393 | 2.40 | 430 | 7.46 | 18.40 | 202.40 |
| 22 | BEHIND BURNING GHAT | 18 | 0.03 | 578 | | 0.00 | 0 | 00.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0.00 | 0.00 |
| 23 | HARIPODDAR LANE | 19 | 60.0 | 869 | 20 | 0.00 | 0 | 00.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0.00 | 0.00 |
| 24 | BEHIND PREMMANDIR (BRAHMATOLLA) | 20 | 90.0 | 487 | | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0.00 | 0.00 |
| 25 | BAGKHAL BRICK FIELD | 21 | 80.0 | 759 | | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 00.00 | 0 | 00'0 | 0.00 | 0.00 |
| 26 | ВАСКНАГ | 22 | 0.07 | 4236 | 6 | 33.12 | 9 | 1.54 | 0 | 0.00 | 71 | 0.43 | 77 | 1.34 | 3.31 | 36.43 |
| 27 | MOREPUKUR 1ST LANE | 23 | 0.01 | 985 | | 103.04 | 188 | 4.78 | 0 | 0.00 | 220 | 1.35 | 241 | 4.18 | 10.30 | 113.34 |
| 28 | DASPARA | 24 | 0.01 | 1205 | 96 | 0.00 | 0 | 00.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0.00 | 0.00 |
| 29 | ANUBHAVA ASSEMBLY HALL | 25 | 0.01 | 984 | 3 | 0.00 | 0 | 0.00 | 0 | 00.00 | 0 | 0.00 | 0 | 0.00 | 0.00 | 0.00 |
| 30 | SADHANKANAN | 26 | 0.02 | 911 | | 0.00 | 0 | 00:0 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0.00 | 0.00 |
| 31 | KISHORE SANGHA | 27 | 0.02 | 3913 | 64 | 235.52 | 430 | 10.92 | 0 | 0.00 | 503 | 3.08 | 550 | 9.55 | 23.55 | 259.07 |
| | | | | | | | | | | | | | | | | |

| | | | SLUM | WISE D | SLUM WISE DETAILS O | OF DU AND | DU AND INFRASTRUCTURE COST OF 2019-20 | RUCTUR | RE COST | OF 2019- | 20 | | | | |
|--|---------|---------|-----------|-------------------|--|--|---------------------------------------|------------------|------------------------------|-----------------------|---|----------------------|--|--|-----------------|
| Name of Slum | | wybs ea | notisting | Dwell (@ Rs. 3 | Dwelling Units (@ Rs. 3.68 Lakh/ each) | Drainage (M) (Rs.2540.00/M) (Section -400x400) | ge (M) .00/M) .00x400) | Pipe l Rs.106 | Pipe Line @ Rs.1066.00 /M | Bitumin (@ Rs. 61. | Bituminous Roads (@ Rs. 612.00/Sq.M) | Concre (@ Rs. 173 | Concrete Roads (@ Rs. 1736.00/Sq.M) | Total cost of Infrastruct ure @ | Grand Total |
| | n[S | эπА | Pol | Qty. | Amt. (in Lakh) | Qty. | Amt (in Lakh) | Qty. | Amt. (in Lakh) | Qty. | Amt. (in Lakh) | Qty. | Amt. (in Lakh) | 10% of D.U. cost Rs. in Lac | (KS, III IAKII) |
| NAYABUSTEE | 34 | 0.03 | 5850 | 26 | 206.08 | 376 | 9.56 | 0 | 0.00 | 440 | 2.69 | 481 | 8.36 | 20.61 | 226.69 |
| NAYABUSTEE | 56 | 0.25 | 11884 | 197 | 724.96 | 1323 | 33.62 | 0 | 0.00 | 1548 | 9.48 | 1694 | 29.41 | 72.50 | 797.46 |
| HARIR MATH & NITYANANDA PALLY | 30 | 0.15 | 1125 | | 445.28 | 813 | 20.65 | 0 | 0.00 | 951 | 5.82 | 1040 | 18,06 | 44.53 | 489.81 |
| NATUNGRAM PRIMARY SCHOOL | 31 | 0.07 | 1205 | | 00:00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 00:00 | 0.00 | 0.00 |
| HOTELWALA GOLI | 33 | 0.03 | 1120 | 121 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 000 | 0.00 | 0.00 |
| AAM BAGAN | 46 | 0.00 | 1348 | | 0.00 | 0 | 000 | 0 | 0.00 | 0 | 0.00 | 0 | 00'0 | 0.00 | 0.00 |
| BURMANPARA | 47 | 0.00 | 1428 | | 0.00 | 0 | 0.00 | 0 | 00.00 | 0 | 0.00 | 0 | 0.00 | 0.00 | 0.00 |
| BALAKSANGHA MATH | 48 | 0.00 | 1417 | | 0.00 | 0 | 0.00 | 0 | 00:00 | 0 | 0.00 | 0 | 0.00 | 0.00 | 0.00 |
| SUBHASH NAGAR | 32 | 0.25 | 6905 | 117 | 430.56 | 786 | 19.97 | 0 | 00:0 | 920 | 5.63 | 1006 | 17.46 | 43.06 | 473.62 |
| NABINPALLY | 35 | 0.32 | 1258 | | 147.20 | 269 | 6.83 | 0 | 0.00 | 314 | 1.92 | 344 | 5.97 | 14.72 | 161.92 |
| SUBHASHNAGAR RAILPARK | 16 | 0.07 | 1348 | | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0.00 | 0.00 |
| LUXMIPALLY | 40 | 0.40 | 1448 | 40 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0.00 | 0.00 |
| SUBHASHNAGAR GOVT. COLONEY BACK SIDE OF WBSEB | 41 | 0.01 | 1259 | _ | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0.00 | 0.00 |
| PALTEPARA | 36 | 0.05 | 1785 | 00 | 364.32 | 999 | 16.89 | 0 | 00.0 | 778 | 4.76 | 851 | 14.78 | 36.43 | 400.75 |
| BAGPARA | 37 | 0.08 | 2129 | 66 | 0.00 | 0 | 0.00 | 0 | 0.00 | 0 | 00:00 | 0 | 0.00 | 0.00 | 0.00 |
| Total | | 3.53 | 118205 | 1100 | 4048.00 | 7390 | 187.71 | 0 | 0.00 | 8645 | 52.91 | 9458 | 164.19 | 404.80 | 4452.80 |
| | | | | | | | | | | | | | | | |

Total list of Slum for 2015-2022

| Si. No | Slum Code No | Name of the Slum | Ward No | Area of Slum (in sq. M.) 25000 | |
|--------|-----------------|---|--------------------|--------------------------------------|--|
| 1 | 1 | RISHRA BUSTEE(1) | 1 | | |
| 2 | 2 | RISHRA BUSTEE(2) | 2 | 100000 | |
| 3 | 3 | RISHRA BUSTEE(3) | 3 | 220000 | |
| 4 | 4 | RISHRA BUSTEE(4) | 4 | 300000 | |
| 5 | 43 | NAWAZ REJINA NAGAR | 4 | 0007 | |
| 6 | 5 | RISHRA BUSTEE(5) | 5 | 2007 30000 | |
| 7 | 6 | RISHRA BUSTEE(6) | 6 | 40000 | |
| 8 | 7 | RISHRA BUSTEE(7) | 7 | 150000 | |
| 9 | 8 | B.L.MUKHERJEE AND B.D. BANERJEE BYE LANE | 8 | 10000 | |
| 10 | 44 | CHANDI CHARAN BANERJEE LANE | 8 | 1000 | |
| 11 | 9 | S.D.MUKHERJEE AND N.S. ROAD | 9 | 120000 | |
| 12 | 10 | K.B.SAHA ROAD AND N.S. ROAD | 10 | 120000 | |
| 13 | 11 | N.K. BANERJEE STREET | 11 | 20000 | |
| 14 | 12 | R.B.C. ROAD | 11 | 40000 | |
| 15 | 13 | BEHIND LORETO SCHOOL | 11 | 20000 | |
| 16 | 14 | K.C.DEY | 12 | 20000 | |
| 17 | 28 | PANCHANANTOLLA | 12 | 20000 | |
| 18 | 38 | D.D.HAR LANE | 12 | 80000 | |
| 19 | 39 | SITALATOLLA | 12 | 20000 | |
| 20 | 45 | SASTITOLLA | 12 | 10000 | |
| 21 | 15 | BIRINCHIPARA | 13 | 20000 | |
| 22 | 17 | BEHIND RISHRA HIGH SCHOOL | 14 | 50000 | |
| 23 | 18 | BEHIND BURNING GHAT | 14 | 30000 | |
| 24 | 19 | HARIPODDAR LANE | HARIPODDAR LANE 14 | | |
| 25 20 | | BEHIND PREMMANDIR (BRAHMATOLLA) | 14 | 60000 | |

| 26 | 21 | BAGKHAL BRICK FIELD | 14 | 80000 |
|-------|----|---|----|--------|
| 27 | 22 | BAGKHAL | 15 | 70000 |
| 28 | 23 | MOREPUKUR 1ST LANE | 16 | 10000 |
| 29 | 24 | DASPARA | 16 | 10000 |
| 30 25 | | ANUBHAVA ASSEMBLY HALL | 16 | 10000 |
| 31 | 26 | SADHANKANAN | 16 | 15000 |
| 32 | 27 | KISHORE SANGHA | 17 | 20000 |
| 33 | 34 | NAYABUSTEE | 18 | 30000 |
| 34 | 29 | NAYABUSTEE | 19 | 250000 |
| 35 | 30 | HARIR MATH & NITYANANDA PALLY | 20 | 150000 |
| 36 | 31 | NATUNGRAM PRIMARY SCHOOL | 20 | 70000 |
| 37 | 33 | HOTELWALA GOLI | 20 | 30000 |
| 38 | 46 | AAM BAGAN | 20 | 1000 |
| 39 | 47 | BURMANPARA | 20 | 1000 |
| 40 | 48 | BALAKSANGHA MATH | 20 | 1000 |
| 41 | 32 | SUBHASH NAGAR | 21 | 250000 |
| 42 | 35 | NABINPALLY | 22 | 320000 |
| 43 | 16 | SUBHASHNAGAR RAILPARK | 22 | 70000 |
| 44 | 40 | LUXMIPALLY | 22 | 400000 |
| 45 | 41 | SUBHASHNAGAR GOVT. COLONEY BACK SIDE OF WBSEB | 22 | 10000 |
| 46 | 36 | PALTEPARA | 23 | 5000 |
| 47 | 37 | BAGPARA | 23 | 8000 |

List of Slum/Non Slum for 2019-20

| SI. No | Name of the Slums | Status | Land | Age in years | National High Way | Status of Housings | Road Status | Habitation pattern |
|-----------|---------------------|---|--|--------------------|---|---|---|---|
| 1 | RISHRA BUSTEE 1 | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 50 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 2 | RISHRA BUSTEE 2 | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 50 | The National Highway NH-36 – 0.5 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 3 | RISHRA BUSTEE 3 | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 50 | The National Highway – NH 36 – 0.5 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 4 | RISHRA BUSTEE(4) | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 50 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 5 | RISHRA BUSTEE(5) | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 50 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 6 | RISHRA BUSTEE(6) | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 50 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |

| 7 | RISHRA BUSTEE(7) | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 50 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
|----|---|---|--|----|--|---|---|---|
| 8 | B.L.MUKHERJEE AND B.D. BANERJEE BYE LANE | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 50 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 9 | CHANDI CHARAN BANERJEE LANE | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 50 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 10 | S.D.MUKHERJEE AND N.S. ROAD | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 40 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 11 | K.B.SAHA ROAD AND N.S. ROAD | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 40 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 12 | N.K. BANERJEE STREET | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 40 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |

| 13 | R.B.C. ROAD | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 40 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
|----|-------------------------|---|--|----|--|---|---|---|
| 14 | BEHIND LORETO SCHOOL | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 40 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 15 | K.C.DEY | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 25 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 16 | PANCHANANTOLLA | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 25 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 17 | D.D.HAR LANE | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 20 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 18 | SITALATOLLA | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 20 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |

| 19 | SASTITOLLA | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 50 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
|----|---------------------------------|---|--|----|--|---|---|---|
| 20 | BIRINCHIPARA | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 30 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 21 | BEHIND RISHRA HIGH SCHOOL | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 40 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 22 | BEHIND BURNING GHAT | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 40 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 23 | HARIPODDAR LANE | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 40 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 24 | BEHIND PREMMANDIR (BRAHMATOLLA) | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 40 | The National Highway NH-36 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |

| 25 | BAGKHAL BRICK FIELD | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 40 | The National Highway NH-36 – 0.3 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
|----|---------------------------|---|--|----|--|--|---|---|
| 26 | BAGKHAL | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 40 | The National Highway NH-36 – 0.2 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 27 | MOREPUKUR 1ST LANE | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 20 | The National Highway NH-36 – 0.2 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 28 | DASPARA | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 25 | The National Highway NH-36 – 0.4 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 29 | ANUBHAVA ASSEMBLY HALL | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 25 | The National Highway NH-36 – 0.2 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 30 | SADHANKANAN | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 25 | The National Highway NH-36 – 0.2 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |

| 31 | KISHORE SANGHA | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 25 | The National Highway NH-36 - 0.4 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
|----|-------------------------------|---|--|----|--|---|---|---|
| 32 | NAYABUSTEE | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 30 | The National Highway NH-36 – 0.5 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 33 | NAYABUSTEE | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 30 | The National Highway NH-36 – 0.5 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 34 | HARIR MATH & NITYANANDA PALLY | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 30 | The National Highway NH-36 – 0.5 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 35 | NATUNGRAM PRIMARY SCHOOL | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 30 | The National Highway NH-36 – 0.5 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 36 | HOTELWALA GOLI | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 30 | The National Highway NH-36 – 0.5 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |

| 37 | AAM BAGAN | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 50 | The National Highway NH-36 – 0.5 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
|----|--------------------------|---|--|----|--|---|---|---|
| 38 | BURMANPARA | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 50 | The National Highway NH-36 – 0.5 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 39 | BALAKSANGHA MATH | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 50 | The National Highway NH-36 – 0.5 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 40 | SUBHASH NAGAR | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 30 | The National Highway NH-36 – 0.5 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 41 | NABINPALLY | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 25 | The National Highway NH-36 – 0.5 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 42 | SUBHASHNAGAR RAILPARK | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 30 | The National Highway NH-36 – 0.4 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |

| 43 | LUXMIPALLY | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 25 | The National Highway NH-36 – 0.4 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
|----|--|---|--|----|--|---|---|---|
| 44 | SUBHASHNAGAR GOVT. COLONEY BACK SIDE OF WBSEB | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 20 | The National Highway NH-36 0.4 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 45 | PALTEPARA | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 25 | The National Highway NH-36 – 0.4 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |
| 46 | BAGPARA | The condition of living in the slum is unhygienic | Land belongs to the Beneficiary | 30 | The National Highway NH-36 – 0.4 kms away | Major population is living in huts, made of darma / bricks with tin sheets and asbestos/tiles on roof | Majority portion of roads are brick paved or damaged roads. | Habitation pattern in the slums is congested with insufficient open space |

House Type /Structure

| SI No | Name of Slum | | Kuchha | Total |
|----------|-----------------------------|----|--------|-------|
| 1 | RISHRA BUSTEE 1 | 9 | 11 | 20 |
| 2 | RISHRA BUSTEE 2 | 16 | 20 | 36 |
| 3 | RISHRA BUSTEE 3 | 8 | 10 | 18 |
| 4 | RISHRA BUSTEE(4) | 28 | 34 | 62 |
| 5 | RISHRA BUSTEE(5) | 6 | 7 | 13 |
| 6 | RISHRA BUSTEE(6) | 9 | 11 | 20 |
| 7 | RISHRA BUSTEE(7) | 21 | 26 | 47 |
| 0 | B.L.MUKHERJEE AND B.D. | | | |
| 8 | BANERJEE BYE LANE | 4 | 4 | 8 |
| 9 | CHANDI CHARAN BANERJEE LANE | 2 | 3 | 5 |
| 10 | S.D.MUKHERJEE AND N.S. ROAD | 11 | 13 | 24 |
| 11 | K.B.SAHA ROAD AND N.S. ROAD | 3 | 4 | 7 |
| 12 | N.K. BANERJEE STREET | 1 | 1 | 2 |
| 13 | R.B.C. ROAD | 1 | 1 | 2 |
| 14 | BEHIND LORETO SCHOOL | 1 | 2 | 3 |
| 15 | K.C.DEY | 2 | 3 | 5 |
| 16 | PANCHANANTOLLA | 3 | 4 | 7 |
| 17 | D.D.HAR LANE | 1 | 2 | 3 |
| 18 | SITALATOLLA | 2 | 3 | 5 |
| 19 | SASTITOLLA | 2 | 2 | 4 |
| 20 | BIRINCHIPARA | 13 | 15 | 28 |
| 21 | BEHIND RISHRA HIGH SCHOOL | 4 | 4 | 8 |
| 22 | BEHIND BURNING GHAT | 3 | 4 | 7 |
| 23 | HARIPODDAR LANE | 5 | 7 | 12 |
| 24 | BEHIND PREMMANDIR | | 120 | |
| 47 | (BRAHMATOLLA) | 6 | 7 | 13 |
| 25 | BAGKHAL BRICK FIELD | 5 | 6 | 10 |
| 26 | BAGKHAL | 4 | 5 | 9 |
| 27 | MOREPUKUR 1ST LANE | 3 | 3 | 6 |
| 28 | DASPARA | 2 | 3 | 5 |
| 29 | 9 ANUBHAVA ASSEMBLY HALL | | 4 | 8 |

| Sl No | Name of Slum | Semi Pucca | Kuchha | Total | |
|--|----------------------------------|---------------|--------|-------|--|
| 30 | SADHANKANAN | 4 | 5 | 9 | |
| 31 | KISHORE SANGHA | 29 | 35 | 64 | |
| 32 | NAYABUSTEE | 25 | 31 | 56 | |
| 33 | NAYABUSTEE | 89 | 108 | 197 | |
| 34 | HARIR MATH & NITYANANDA PALLY | 10 | 12 | 22 | |
| 35 | NATUNGRAM PRIMARY SCHOOL | 13 | 15 | 28 | |
| 36 | HOTELWALA GOLI | 14 | 17 | 30 | |
| 37 | AAM BAGAN | 5 | 7 | 12 | |
| 38 | BURMANPARA | 5 | 6 | 10 | |
| 39 | BALAKSANGHA MATH | 9 | 10 | 19 | |
| 40 | SUBHASH NAGAR | 53 | 64 | 117 | |
| 41 | NABINPALLY | 5 | 7 | 12 | |
| 42 | SUBHASHNAGAR RAILPARK | 4 | 4 | 8 | |
| 43 | LUXMIPALLY | 3 | 4 | 7 | |
| SUBHASHNAGAR GOVT. COLONEY BACK SIDE OF WBSEB | | 6 | 7 | 13 | |
| 45 | PALTEPARA | 24 | 30 | 54 | |
| 46 | BAGPARA | 20 | 25 | 45 | |
| | Total | 495 | 605 | 1100 | |

Status of Physical Infrastructure

| RISHRA BU | ISTEE 1 |
|--|----------------------------|
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| 4.Whether the slum is prone to flooding due to rains | No |
| 5. Frequency of garbage Disposal | Once in three days |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in 2 days |
| 8. Approach Road/Lane/Constructed Path to Slum | Bituminous Mortorable Road |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Non-motorable |
| 11.Whether Street light facility is available in the Slum | yes |
| RISHRA BUS | TEE 2 |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| Whether the slum is prone to flooding due to rains | No |
| 5. Frequency of garbage Disposal | Once in three days |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in 2 days |
| 8. Approach Road/Lane/Constructed Path to Slum | Bituminous Mortorable Road |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Non-motorable |
| 11.Whether Street light facility is available in the Slum | yes |
| RISHRA BUS | TEE 3 |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| 3. Connectivity to City-wide Sewerage | Not connected |

| System | |
|---|----------------------------|
| 4.Whether the slum is prone to flooding due to rains | No |
| 5. Frequency of garbage Disposal | Once in three days |
| Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in 2 days |
| Approach Road/Lane/Constructed Path to Slum | Bituminous Mortorable Road |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Non-motorable |
| 11.Whether Street light facility is available in the Slum | yes |

| RISHRA BUS | STEE(4) | | |
|--|----------------------|--|--|
| Physical Infrastructure | Status | | |
| Connectivity to City-wide Water Supply System | Partially connected | | |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected | | |
| Connectivity to City-wide Sewerage System | Not connected | | |
| 4.Whether the slum is prone to flooding due to rains | No | | |
| 5. Frequency of garbage Disposal | Once in two days | | |
| Arrangement for Global Disposal | Municipal staff | | |
| 7. Frequency of clearance open drains | Once in 2 days | | |
| Approach Road/Lane/Constructed Path to Slum | Motorable Pucca | | |
| 9.Distance from the nearest Motorable road | Less than 0.5 km | | |
| 10.Internal Road | Non-Motorable Kaccha | | |
| 11.Whether Street light facility is available in the Slum | No | | |
| RISHRA BUST | TEE(5) | | |
| Physical Infrastructure | Status | | |
| Connectivity to City-wide Water Supply System | Partially connected | | |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected | | |
| Connectivity to City-wide Sewerage System | Not connected | | |
| 4.Whether the slum is prone to flooding due to rains | No | | |
| 5. Frequency of garbage Disposal | Once in two days | | |
| 6. Arrangement for Global Disposal | Municipal staff | | |
| 7. Frequency of clearance open drains | Once in 2 days | | |
| 8. Approach Road/Lane/Constructed Path to Slum | Motorable Pucca | | |

| 9.Distance from the nearest Motorable road | Less than 0.5 km | | |
|--|----------------------|--|--|
| 10.Internal Road | Non-Motorable Kaccha | | |
| 11.Whether Street light facility is available in the Slum | yes | | |
| RISHRA BUST | EE(6) | | |
| Physical Infrastructure | Status | | |
| Connectivity to City-wide Water Supply System | Partially connected | | |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected | | |
| Connectivity to City-wide Sewerage System | Not connected | | |
| 4.Whether the slum is prone to flooding due to rains | No | | |
| 5. Frequency of garbage Disposal | Once in two days | | |
| Arrangement for Global Disposal | Municipal staff | | |
| 7. Frequency of clearance open drains | Once in 2 days | | |
| Approach Road/Lane/Constructed Path to Slum | Motorable Pucca | | |
| 9.Distance from the nearest Motorable road | Less than 0.5 km | | |
| 10.Internal Road | Motorable Kaccha | | |
| 11.Whether Street light facility is available in the Slum | yes | | |
| RISHRA BUST | EE(7) | | |
| Physical Infrastructure | Status | | |
| Connectivity to City-wide Water Supply System | Partially connected | | |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected | | |
| Connectivity to City-wide Sewerage System | Partially connected | | |
| Whether the slum is prone to flooding due to rains | No | | |
| 5. Frequency of garbage Disposal | Once in two days | | |
| 6. Arrangement for Global Disposal | Municipal staff | | |
| 7. Frequency of clearance open drains | Once in 2 days | | |
| 8. Approach Road/Lane/Constructed Path to Slum | Motorable Pucca | | |
| 9.Distance from the nearest Motorable road | Less than 0.5 km | | |
| 10.Internal Road | Non-Motorable Kaccha | | |
| 11.Whether Street light facility is available in the Slum | yes | | |
| B.L.MUKHERJEE AND B.D. BA | ANERJEE BYE LANE | | |
| Physical Infrastructure | Status | | |
| Connectivity to City-wide Water Supply System | Partially connected | | |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected | | |

| 3. Connectivity to City-wide Sewerage | Not connected | | |
|--|----------------------|--|--|
| System 4 Whather the alum is prope to fleeding due | No | | |
| 4.Whether the slum is prone to flooding due to rains | NO | | |
| 5. Frequency of garbage Disposal | Once in two days | | |
| 6. Arrangement for Global Disposal | Municipal staff | | |
| 7. Frequency of clearance open drains | Once in 2 days | | |
| 8. Approach Road/Lane/Constructed Path to Slum | Motorable Pucca | | |
| 9.Distance from the nearest Motorable road | Less than 0.5 km | | |
| 10.Internal Road | Non-Motorable Kaccha | | |
| 11.Whether Street light facility is available in the Slum | yes | | |
| CHANDI CHARAN BAN | NERJEE LANE | | |
| Physical Infrastructure | Status | | |
| Connectivity to City-wide Water Supply System | Partially connected | | |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected | | |
| Connectivity to City-wide Sewerage System | Not connected | | |
| 4.Whether the slum is prone to flooding due to rains | No | | |
| 5. Frequency of garbage Disposal | Once in two days | | |
| 6. Arrangement for Global Disposal | Municipal staff | | |
| 7. Frequency of clearance open drains | Once in 2 days | | |
| Approach Road/Lane/Constructed Path to Slum | Motorable Pucca | | |
| 9.Distance from the nearest Motorable road | Less than 0.5 km | | |
| 10.Internal Road | Non-Motorable Kaccha | | |
| 11.Whether Street light facility is available in the Slum | yes | | |
| S.D.MUKHERJEE AND | N.S. ROAD | | |
| Physical Infrastructure | Status | | |
| Connectivity to City-wide Water Supply System | Partially connected | | |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected | | |
| Connectivity to City-wide Sewerage System | Not connected | | |

| 4.Whether the slum is prone to flooding due to rains | Up to 15 days | | |
|--|----------------------|--|--|
| 5. Frequency of garbage Disposal | Once in two days | | |
| 6. Arrangement for Global Disposal | Municipal staff | | |
| 7. Frequency of clearance open drains | Once in 2 days | | |
| Approach Road/Lane/Constructed Path to Slum | Motorable Pucca | | |
| 9.Distance from the nearest Motorable road | Less than 0.5 km | | |
| 10.Internal Road | Non-Motorable Kaccha | | |
| 11.Whether Street light facility is available in the Slum | No | | |
| K.B.SAHA ROAD ANI | N.S. ROAD | | |
| Physical Infrastructure | Status | | |
| Connectivity to City-wide Water Supply System | Partially connected | | |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected | | |
| Connectivity to City-wide Sewerage System | Not connected | | |
| 4.Whether the slum is prone to flooding due to rains | Up to 15 days | | |
| 5. Frequency of garbage Disposal | Daily | | |
| 6. Arrangement for Global Disposal | Municipal staff | | |
| 7. Frequency of clearance open drains | Daily | | |
| Approach Road/Lane/Constructed Path to Slum | Motorable Pucca | | |
| 9.Distance from the nearest Motorable road | Less than 0.5 km | | |
| 10.Internal Road | Non-Motorable Kaccha | | |
| 11.Whether Street light facility is available in the Slum | yes | | |
| N.K. BANERJEE S | TREET | | |
| Physical Infrastructure | Status | | |
| Connectivity to City-wide Water Supply System | Partially connected | | |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected | | |
| Connectivity to City-wide Sewerage System | Not connected | | |
| Whether the slum is prone to flooding due to rains | Up to 15 days | | |
| 5. Frequency of garbage Disposal | Daily | | |
| 6. Arrangement for Global Disposal | Municipal staff | | |
| 7. Frequency of clearance open drains | Daily | | |
| Approach Road/Lane/Constructed Path to Slum | Motorable Pucca | | |

| 9.Distance from the nearest Motorable road | Less than 0.5 km | | |
|--|----------------------|--|--|
| 10.Internal Road | Non-Motorable Kaccha | | |
| 11.Whether Street light facility is available in the Slum | yes | | |
| R.B.C. ROA | D | | |
| Physical Infrastructure | Status | | |
| Connectivity to City-wide Water Supply System | Partially connected | | |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected | | |
| Connectivity to City-wide Sewerage System | Not connected | | |
| 4.Whether the slum is prone to flooding due to rains | Up to 15 days | | |
| 5. Frequency of garbage Disposal | Daily | | |
| 6. Arrangement for Global Disposal | Municipal staff | | |
| 7. Frequency of clearance open drains | Daily | | |
| Approach Road/Lane/Constructed Path to Slum | Motorable Pucca | | |
| 9.Distance from the nearest Motorable road | Less than 0.5 km | | |
| 10.Internal Road | Non-Motorable Kaccha | | |
| 11.Whether Street light facility is available in the Slum | yes | | |
| BEHIND LORETO | SCHOOL | | |
| Physical Infrastructure | Status | | |
| Connectivity to City-wide Water Supply System | Partially connected | | |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected | | |
| Connectivity to City-wide Sewerage System | Not connected | | |
| 4.Whether the slum is prone to flooding due to rains | Up to 15 days | | |
| 5. Frequency of garbage Disposal | Daily | | |
| 6. Arrangement for Global Disposal | Municipal staff | | |
| 7. Frequency of clearance open drains | Daily | | |
| 8. Approach Road/Lane/Constructed Path to Slum | Motorable Pucca | | |
| 9.Distance from the nearest Motorable road | Less than 0.5 km | | |
| 10.Internal Road | Non-Motorable Kaccha | | |

| 11.Whether Street light facility is available in the Slum | yes |
|--|----------------------|
| K.C.DEY | |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| Whether the slum is prone to flooding due to rains | Up to 15 days |
| 5. Frequency of garbage Disposal | Daily |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Daily |
| 8. Approach Road/Lane/Constructed Path to Slum | Non-Motorable Kaccha |
| 9.Distance from the nearest Motorable road | More than 5.0 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | No |
| PANCHANANT | OLLA |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| 3. Connectivity to City-wide Sewerage System | Not connected |
| 4.Whether the slum is prone to flooding due to rains | Up to 15 days |
| 5. Frequency of garbage Disposal | Daily |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Daily |
| 8. Approach Road/Lane/Constructed Path to Slum | Non-Motorable Kaccha |

| 9.Distance from the nearest Motor | able road More than 5.0 km |
|--|------------------------------|
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is a the Slum | vailable in No |
| | D.D.HAR LANE |
| Physical Infrastructu | ire Status |
| Connectivity to City-wide Water System | Supply Partially connected |
| Connectivity to City-wide Strom- Drainage Supply System | water Partially connected |
| 3. Connectivity to City-wide Sewers System | age Not connected |
| 4.Whether the slum is prone to floot to rains | oding due Up to 15 days |
| 5. Frequency of garbage Disposal | Daily |
| 6. Arrangement for Global Disposa | Municipal staff |
| 7. Frequency of clearance open dra | ains Daily |
| 8. Approach Road/Lane/Constructe to Slum | ed Path Non-Motorable Kaccha |
| 9.Distance from the nearest Motora | able road More than 5.0 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is av | vailable in No |
| | SITALATOLLA |
| Physical Infrastructur | re Status |
| Connectivity to City-wide Water System | Supply Partially connected |
| 2. Connectivity to City-wide Strom-v Drainage Supply System | water Partially connected |
| Connectivity to City-wide Sewera System | nge Not connected |
| 4. Whether the slum is prone to floor to rains | ding due Up to 15 days |
| 5. Frequency of garbage Disposal | Daily |
| 6. Arrangement for Global Disposal | Municipal staff |

| 7. Frequency of clearance open drains | Daily |
|--|----------------------|
| 8. Approach Road/Lane/Constructed Path | Non-Motorable Kaccha |
| to Slum | |
| 9.Distance from the nearest Motorable road | More than 5.0 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | No |
| SASTITOLI | A |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| 4.Whether the slum is prone to flooding due to rains | Up to 15 days |
| 5. Frequency of garbage Disposal | Daily |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Daily |
| 8. Approach Road/Lane/Constructed Path to Sium | Non-Motorable Kaccha |
| 9.Distance from the nearest Motorable road | More than 5.0 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | No |
| BIRINCHIPA | RA |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| 2. Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| 3. Connectivity to City-wide Sewerage System | Not connected |
| 4.Whether the slum is prone to flooding due to rains | 15-30 days |
| 5. Frequency of garbage Disposal | Once in a week |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in 15 days |
| Approach Road/Lane/Constructed Path Slum | Motorable Pucca |
| Distance from the nearest Motorable road | More than 0.5 km |
| 0.Internal Road | Non-Motorable Kaccha |
| 1.Whether Street light facility is available in he Slum | yes |

| BEHIND RISHRA HIC | SH SCHOOL |
|--|----------------------|
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| Whether the slum is prone to flooding due to rains | 15-30 days |
| 5. Frequency of garbage Disposal | Once in a week |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in 15 days |
| 8. Approach Road/Lane/Constructed Path to Slum | Motorable Pucca |
| 9.Distance from the nearest Motorable road | More than 0.5 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | yes |
| BEHIND BURNING | G GHAT |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| 2. Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| 3. Connectivity to City-wide Sewerage System | Not connected |
| 4.Whether the slum is prone to flooding due to rains | 15-30 days |
| 5. Frequency of garbage Disposal | Once in a week |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in 15 days |
| B. Approach Road/Lane/Constructed Path | Motorable Pucca |
| | |

| 10.Internal Road | Non-Motorable Kaccha |
|--|----------------------|
| 11.Whether Street light facility is available in the Slum | yes |
| HARIPODDAR | LANE |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| 4.Whether the slum is prone to flooding due to rains | 15-30 days |
| 5. Frequency of garbage Disposal | Once in a week |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in 15 days |
| Approach Road/Lane/Constructed Path to Slum | Motorable Pucca |
| 9.Distance from the nearest Motorable road | More than 0.5 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | yes |
| BEHIND PREMMANDIR (B | RAHMATOLLA) |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| 4.Whether the slum is prone to flooding due to rains | No |
| 5. Frequency of garbage Disposal | Once in a week |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in 2 days |
| 8. Approach Road/Lane/Constructed Path to Slum | Motorable Pucca |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Non-Motorable Kaccha |

| 11.Whether Street light facility is available in the Slum | yes |
|--|----------------------|
| BAGKHAL BRIC | K FIELD |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| Whether the slum is prone to flooding due to rains | No |
| 5. Frequency of garbage Disposal | Once in a week |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in 2 days |
| Approach Road/Lane/Constructed Path to Slum | Motorable Pucca |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | yes |
| BAGKHAL | |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| 2. Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| 3. Connectivity to City-wide Sewerage System | Not connected |
| 4.Whether the slum is prone to flooding due to rains | No |
| 5. Frequency of garbage Disposal | Once in three days |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in a month |
| 3. Approach Road/Lane/Constructed Path to Slum | Motorable Pucca |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in | yes |

| MOREPUKUR 1S | Γ LANE |
|--|----------------------|
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| Whether the slum is prone to flooding due to rains | No |
| 5. Frequency of garbage Disposal | Once in three days |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in a month |
| Approach Road/Lane/Constructed Path to Slum | Motorable Pucca |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | yes |
| DASPARA | |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| Whether the slum is prone to flooding due to rains | Up to 15 days |
| 5. Frequency of garbage Disposal | Once in a week |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in a week |
| 3. Approach Road/Lane/Constructed Path o Slum | Motorable Pucca |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | yes |

| Physical Infrastructure | Status |
|--|----------------------|
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| 4.Whether the slum is prone to flooding due to rains | Up to 15 days |
| 5. Frequency of garbage Disposal | Once in a week |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in a week |
| 8. Approach Road/Lane/Constructed Path to Slum | Motorable Pucca |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | yes |
| SADHANKAN | NAN |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| Whether the slum is prone to flooding due to rains | Up to 15 days |
| 5. Frequency of garbage Disposal | Once in a week |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in a week |
| 8. Approach Road/Lane/Constructed Path to Slum | Motorable Pucca |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| | |

| 11.Whether Street light facility is available in the Slum | yes |
|--|----------------------|
| KISHORE SAN | GHA |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| 4.Whether the slum is prone to flooding due to rains | Up to 15 days |
| 5. Frequency of garbage Disposal | Once in two days |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in a week |
| Approach Road/Lane/Constructed Path to Slum | Motorable Pucca |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | yes |
| NAYABUST | EE |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| 4.Whether the slum is prone to flooding due to rains | Up to 15 days |
| 5. Frequency of garbage Disposal | Once in two days |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in 2 days |
| 8. Approach Road/Lane/Constructed Path to Slum | Motorable Pucca |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | yes |
| NAYABUSTI | EE |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| 2. Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| 3. Connectivity to City-wide Sewerage System | Not connected |

| 4. Whether the slum is prone to flooding due | Up to 15 days |
|--|----------------------|
| to rains | |
| 5. Frequency of garbage Disposal | Once in two days |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in 2 days |
| Approach Road/Lane/Constructed Path to Slum | Motorable Pucca |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | yes |
| HARIR MATH & NITYAN | NANDA PALLY |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| 4.Whether the slum is prone to flooding due to rains | Up to 15 days |
| 5. Frequency of garbage Disposal | Once in two days |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in 2 days |
| Approach Road/Lane/Constructed Path to Slum | Motorable Pucca |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | yes |
| NATUNGRAM PRIMAR | RY SCHOOL |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| 2. Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| 3. Connectivity to City-wide Sewerage System | Not connected |

| 4.Whether the slum is prone to flooding due to rains | Up to 15 days |
|--|----------------------|
| 5. Frequency of garbage Disposal | Once in two days |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in 2 days |
| Approach Road/Lane/Constructed Path to Slum | Motorable Pucca |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | yes |
| HOTELWALA | GOLI |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| Whether the slum is prone to flooding due to rains | Up to 15 days |
| 5. Frequency of garbage Disposal | Once in two days |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in 2 days |
| 8. Approach Road/Lane/Constructed Path to Slum | Motorable Pucca |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | yes |
| AAM BAGA | AN |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| | |

| Connectivity to City-wide Sewerage System | Not connected |
|--|----------------------|
| Whether the slum is prone to flooding due | Up to 15 days |
| to rains | op to 10 days |
| 5. Frequency of garbage Disposal | Daily |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Daily |
| 8. Approach Road/Lane/Constructed Path to Slum | Non-Motorable Kaccha |
| 9.Distance from the nearest Motorable road | More than 5.0 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | No |
| BURMANPA | RA |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| Whether the slum is prone to flooding due to rains | Up to 15 days |
| 5. Frequency of garbage Disposal | Daily |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Daily |
| 8. Approach Road/Lane/Constructed Path to Slum | Non-Motorable Kaccha |
| 9.Distance from the nearest Motorable road | More than 5.0 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | No |
| BALAKSANGHA | MATH |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |

| Connectivity to City-wide Sewerage System | Not connected |
|--|----------------------|
| Whether the slum is prone to flooding due to rains | Up to 15 days |
| 5. Frequency of garbage Disposal | Daily |
| Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Daily |
| Approach Road/Lane/Constructed Path to Slum | Non-Motorable Kaccha |
| 9.Distance from the nearest Motorable road | More than 5.0 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | No |
| SUBHASH NA | AGAR |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| 4.Whether the slum is prone to flooding due to rains | Up to 15 days |
| 5. Frequency of garbage Disposal | Once in two days |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in 2 days |
| Approach Road/Lane/Constructed Path to Slum | Motorable Pucca |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | yes |
| NABINPAL | LY |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| Whether the slum is prone to flooding due to rains | Up to 15 days |
| 5. Frequency of garbage Disposal | Once in a week |
| | |

| 6. Arrangement for Global Disposal | Municipal staff |
|--|----------------------|
| 7. Frequency of clearance open drains | Once in 2 days |
| Approach Road/Lane/Constructed Path to Slum | Motorable Pucca |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | yes |
| SUBHASHNAGAR I | RAILPARK |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| Whether the slum is prone to flooding due to rains | Up to 15 days |
| 5. Frequency of garbage Disposal | Once in a week |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in 2 days |
| 8. Approach Road/Lane/Constructed Path to Slum | Motorable Pucca |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | yes |
| LUXMIPALI | Y |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| 2. Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| 3. Connectivity to City-wide Sewerage System | Not connected |
| Whether the slum is prone to flooding due o rains | Up to 15 days |
| 5. Frequency of garbage Disposal | Once in a week |

| 6. Arrangement for Global Disposal | Municipal staff |
|--|------------------------|
| 7. Frequency of clearance open drains | Once in 2 days |
| Approach Road/Lane/Constructed Path to Slum | Motorable Pucca |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | yes |
| SUBHASHNAGAR GOVT. COLON | NEY BACK SIDE OF WBSEB |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| 4. Whether the slum is prone to flooding due to rains | Up to 15 days |
| 5. Frequency of garbage Disposal | Once in a week |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in 2 days |
| Approach Road/Lane/Constructed Path to Slum | Non-Motorable Pucca |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | yes |
| PALTEPA | RA |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| 4.Whether the slum is prone to flooding due to rains | Up to 15 days |
| 5. Frequency of garbage Disposal | Once in a week |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in a week |
| Approach Road/Lane/Constructed Path to Slum | Motorable Pucca |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Non-Motorable Kaccha |

| 11.Whether Street light facility is available in the Slum | yes |
|--|----------------------|
| BAGPARA | |
| Physical Infrastructure | Status |
| Connectivity to City-wide Water Supply System | Partially connected |
| Connectivity to City-wide Strom-water Drainage Supply System | Partially connected |
| Connectivity to City-wide Sewerage System | Not connected |
| 4.Whether the slum is prone to flooding due to rains | Up to 15 days |
| 5. Frequency of garbage Disposal | Once in a week |
| 6. Arrangement for Global Disposal | Municipal staff |
| 7. Frequency of clearance open drains | Once in a week |
| Approach Road/Lane/Constructed Path to Slum | Motorable Pucca |
| 9.Distance from the nearest Motorable road | Less than 0.5 km |
| 10.Internal Road | Non-Motorable Kaccha |
| 11.Whether Street light facility is available in the Slum | yes |

Details of Social Infrastructure at a glance:

1. RISHRA BUSTEE (1)

| Education & Social Infras | ыгистиге |
|--|----------------------------------|
| Pre-primary School | |
| Anganwadi under ICDS | Within Slum |
| Municipal Pre-school | NA |
| Private Pre-school | Within Slum |
| Primary School | |
| Municipal | NA |
| State Government | Within distance less than 0.5 km |
| Private | Within Slum |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | Within distance less than 0.5 km |
| Adult Education Centre | NA |
| Health Facilities | NA |
| Urban Health Post | NA |
| Primary Health Centre | NA |
| Government Hospital | Within distance less than 5 km |
| Maternity Centre | NA |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | NA |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |
| Community Hall | NA |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |

| Self Help Groups/DWCUA Groups in Slum | NA | |
|--|----|--|
| No. of Neighbourhood Groups (NHGs) in slum | NA | |
| Slum-dwellers Association | NA | |
| Youth Association | 3 | |
| Women's Association/Mahila Samithis | NA | |

2. RISHRA BUSTEE 2

| Education & Social | Infrastructure |
|---------------------------------------|----------------------------------|
| Pre-primary School | |
| Anganwadi under ICDS | Within Slum |
| Municipal Pre-school | NA |
| Private Pre-school | NA |
| Primary School | |
| Municipal | NA |
| State Government | Within distance less than 0.5 km |
| Private | NA |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | Within distance less than 0.5 km |
| Adult Education Centre | NA |
| Health Facilities | NA |
| Urban Health Post | Within Slum |
| Primary Health Centre | NA |
| Government Hospital | Within distance less than 5 km |
| Maternity Centre | NA |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | Within Slum |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |

| Community Hall | Within Slum |
|--|-------------|
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | NA |
| No. of Neighbourhood Groups (NHGs) in slum | NA |
| Slum-dwellers Association | NA |
| Youth Association | 2 |
| Women's Association/Mahila Samithis | NA |

3. RISHRA BUSTEE 3

| Education & Social Infrastructure Pre-primary School | |
|--|----------------------------------|
| | |
| Municipal Pre-school | NA |
| Private Pre-school | NA |
| Primary School | |
| Municipal | NA |
| State Government | Within Slum |
| Private | NA |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | Within distance less than 0.5 km |
| Adult Education Centre | NA |
| Health Facilities | NA |
| Urban Health Post | Within Slum |
| Primary Health Centre | NA |

| Government Hospital | Within distance less than 5 km |
|--|--------------------------------|
| Maternity Centre | NA |
| Private Clinic | Within Slum |
| Registered Medical Practitioner (RMP) | Within Slum |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |
| Community Hall | NA |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | NA |
| No. of Neighbourhood Groups (NHGs) in slum | NA |
| Slum-dwellers Association | NA |
| Youth Association | NA |
| Women's Association/Mahila Samithis | NA |

4. RISHRA BUSTEE(4)

| Education & Social Infrastructure Pre-primary School | |
|--|-------------|
| | |
| Municipal Pre-school | NA |
| Private Pre-school | Within Slum |
| Primary School | |
| Municipal | Within Slum |
| State Government | Within Slum |
| Private | Within Slum |
| High School | |
| Municipal | NA |

| Private | Within Slum |
|--|------------------|
| State Government | Within Slum |
| Adult Education Centre | NA |
| Health Facilities | Around slum |
| Urban Health Post | Within Slum |
| Primary Health Centre | More than 5.0 km |
| Government Hospital | More than 5.0 km |
| Maternity Centre | More than 5.0 km |
| Private Clinic | Within Slum |
| Registered Medical Practitioner (RMP) | NA |
| Ayurvedic Doctor/Vaidya | Within Slum |
| Social Development/Welfare | Within slum |
| Community Hall | Within Slum |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | NA |
| No. of Neighbourhoods Groups (NHGs) in slum | 8 |
| Slum-dwellers Association | NA |
| Youth Association | 7 |
| Women's Association/Mahila Samithis | NA |

5. RISHRA BUSTEE(5)

| Education & Social Infrastructure | | |
|-----------------------------------|-------------|--|
| Pre-primary School | | |
| Anganwadi under ICDS | Within Slum | |
| Municipal Pre-school | NA | |
| Private Pre-school | NA | |

| Primary School | |
|--|----------------------------------|
| Municipal | 0.5 to 1.0 kms |
| State Government | Within distance less than 0.5 km |
| Private | NA |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | Within distance less than 0.5 km |
| Adult Education Centre | NA |
| Health Facilities | Around slum |
| Urban Health Post | Within distance less than 0.5 km |
| Primary Health Centre | More than 0.5 km |
| Government Hospital | More than 0.5 km |
| Maternity Centre | More than 0.5 km |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | Within Slum |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | Within Slum |
| Community Hall | 0.5 to 1.0 kms |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | NA |
| No. of Neighbourhoods Groups (NHGs) in slum | 5 |
| Slum-dwellers Association | NA |
| Youth Association | 5 |
| Women's Association/Mahila Samithis | NA |

6. RISHRA BUSTEE(6)

| Education & Social Infrastru | cture | |
|--|-------------------|--|
| Pre-primary School | | |
| Anganwadi under ICDS | Within Slum | |
| Municipal Pre-school | NA | |
| Private Pre-school | NA | |
| Primary School | | |
| Municipal | 0.5 to 1.0 kms | |
| State Government | Within Slum | |
| Private | NA | |
| High School | | |
| Municipal | NA | |
| Private | NA | |
| State Government | Within Slum | |
| Adult Education Centre | NA | |
| Health Facilities | Around slum | |
| Urban Health Post | NA | |
| Primary Health Centre | More than 5.0 kms | |
| Government Hospital | More than 5.0 kms | |
| Maternity Centre | 2.0 to 5.0 kms | |
| Private Clinic | Within Slum | |
| Registered Medical Practitioner (RMP) | Within Slum | |
| Ayurvedic Doctor/Vaidya | NA | |
| Social Development/Welfare | Within Slum | |
| Community Hall | NA | |
| Livelihood/Production Centre | NA | |
| Vocational Training/Training cum Production Centre | NA | |
| Street Children Rehabilitation Centre | NA | |
| Night Shelter | NA | |

| NA | |
|----|-----------|
| NA | |
| 4 | |
| NA | |
| 3 | |
| NA | |
| | NA 4 NA 3 |

7. RISHRA BUSTEE(7)

| Education & Social Infrastructure Pre-primary School | | |
|---|----------------------------------|--|
| | | |
| Municipal Pre-school | NA | |
| Private Pre-school | Within Slum | |
| Primary School | | |
| Municipal | 0.5 to 1.0 kms | |
| State Government | Within Slum | |
| Private | Within Slum | |
| High School | | |
| Municipal | NA | |
| Private | NA | |
| State Government | 0.5 to 1.0 kms | |
| Adult Education Centre | NA | |
| Health Facilities | Around slum | |
| Urban Health Post | Within distance less than 0.5 km | |
| Primary Health Centre | More than 5.0 kms | |
| Government Hospital | More than 5.0 kms | |
| Maternity Centre | More than 5.0 kms | |
| Private Clinic | Within Slum | |
| Registered Medical Practitioner (RMP) | Within Slum | |
| Ayurvedic Doctor/Vaidya | NA | |

| Social Development/Welfare | Within Slum |
|--|----------------|
| Community Hall | 0.5 to 1.0 kms |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | NA |
| No. of Neighbourhoods Groups (NHGs) in slum | 9 |
| Slum-dwellers Association | NA |
| Youth Association | 2 |
| Women's Association/Mahila Samithis | NA |

8. B.L.MUKHERJEE AND B.D. BANERJEE BYE LANE

| Education & Social Infrastructure Pre-primary School | | |
|---|----------------------------------|--|
| | | |
| Municipal Pre-school | NA | |
| Private Pre-school | NA | |
| Primary School | | |
| Municipal | NA | |
| State Government | 0.5 to 1.0 kms | |
| Private | 0.5 to 1.0 kms | |
| High School | | |
| Municipal | NA | |
| Private | Within distance less than 0.5 km | |
| State Government | 0.5 to 1.0 kms | |
| Adult Education Centre | Within Slum | |
| Health Facilities | Around slum | |
| Urban Health Post | 1.0 to 2.0 kms | |

| Primary Health Centre | More than 5.0 kms |
|--|-------------------|
| Government Hospital | More than 5.0 kms |
| Maternity Centre | 1.0 to 2.0 kms |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | NA |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | Within Slum |
| Community Hall | NA |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | NA |
| No. of Neighbourhoods Groups (NHGs) in slum | 1 |
| Slum-dwellers Association | NA |
| Youth Association | 1 |
| Women's Association/Mahila Samithis | NA |

9. CHANDI CHARAN BANERJEE LANE

| Education & Social Infrastructure Pre-primary School | |
|---|----|
| | |
| Municipal Pre-school | NA |
| Private Pre-school | NA |
| Primary School | |
| Municipal | NA |
| State Government | NA |
| Private | NA |
| High School | |

| Municipal | NA |
|--|----|
| Private | NA |
| State Government | NA |
| Adult Education Centre | NA |
| Health Facilities | NA |
| Urban Health Post | NA |
| Primary Health Centre | NA |
| Government Hospital | NA |
| Maternity Centre | NA |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | NA |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |
| Community Hall | NA |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | NA |
| No. of Neighbourhoods Groups (NHGs) in slum | 0 |
| Slum-dwellers Association | NA |
| Youth Association | 0 |
| Women's Association/Mahila Samithis | NA |

10. S.D.MUKHERJEE AND N.S. ROAD

| Education & Social Infrastructure | | |
|-----------------------------------|-------------|--|
| Pre-primary School | | |
| Anganwadi under ICDS | Within Slum | |
| Municipal Pre-school | NA | |

| Private Pre-school | NA |
|--|----------------------------------|
| Primary School | |
| Municipal | Within distance less than 0.5 km |
| State Government | NA |
| Private | NA |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | Within distance less than 0.5 km |
| Adult Education Centre | NA |
| Health Facilities | Around slum |
| Urban Health Post | Within Slum |
| Primary Health Centre | 2.0 to 5.0 kms |
| Government Hospital | NA |
| Maternity Centre | 0.5 to 1.0 kms |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | NA |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | Within Slum |
| Community Hall | Within Slum |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | NA |
| No. of Neighbourhoods Groups (NHGs) in slum | 2 |
| Slum-dwellers Association | NA |
| Youth Association | NA |

| Women's Association/Mahila Samithis | NA |
|-------------------------------------|----|
| | |

11. K.B.SAHA ROAD AND N.S. ROAD

| Education & Social Infras | tructure |
|--|----------------------------------|
| Pre-primary School | |
| Anganwadi under ICDS | Within Slum |
| Municipal Pre-school | NA |
| Private Pre-school | Within distance less than 0.5 km |
| Primary School | |
| Municipal | NA |
| State Government | Within Slum |
| Private | Within Slum |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | NA |
| Adult Education Centre | NA |
| Health Facilities | Around slum |
| Urban Health Post | Within distance less than 0.5 km |
| Primary Health Centre | More than 5.0 km |
| Government Hospital | More than 5.0 km |
| Maternity Centre | 2.0 to 5.0 kms |
| Private Clinic | Within Slum |
| Registered Medical Practitioner (RMP) | Within distance less than 0.5 km |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | Within Slum |
| Community Hall | Within distance less than 0.5 km |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |

| NA |
|----|
| NA |
| NA |
| 1 |
| NA |
| 2 |
| NA |
| |

12. N.K. BANERJEE STREET

| Education & Social Infrastructure | | |
|-----------------------------------|----------------------------------|--|
| Pre-primary School | | |
| Anganwadi under ICDS | Within distance less than 0.5 km | |
| Municipal Pre-school | NA | |
| Private Pre-school | Within distance less than 0.5 km | |
| Primary School | | |
| Municipal | NA | |
| State Government | Within distance less than 0.5 km | |
| Private | Within distance less than 0.5 km | |
| High School | | |
| Municipal | NA | |
| Private | NA | |
| State Government | Within distance less than 0.5 km | |
| Adult Education Centre | Within distance less than 0.5 km | |
| Health Facilities | NA | |
| Urban Health Post | NA | |
| Primary Health Centre | More than 5.0 km | |
| Government Hospital | More than 5.0 km | |
| Maternity Centre | More than 5.0 km | |
| Private Clinic | NA | |

| Registered Medical Practitioner (RMP) | Within Slum |
|--|----------------|
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |
| Community Hall | 0.5 to 1.0 kms |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | 0 |
| No. of Neighbourhoods Groups (NHGs) in slum | 1 |
| Slum-dwellers Association | 0 |
| Youth Association | 2 |
| Women's Association/Mahila Samithis | 0 |

13. R.B.C. ROAD

| Education & Social Infrastructure | | |
|-----------------------------------|----------------------------------|--|
| Pre-primary School | | |
| Anganwadi under ICDS | Within distance less than 0.5 km | |
| Municipal Pre-school | NA | |
| Private Pre-school | Within distance less than 0.5 km | |
| Primary School | | |
| Municipal | NA | |
| State Government | Within distance less than 0.5 km | |
| Private | Within distance less than 0.5 km | |
| High School | | |
| Municipal | NA | |
| Private | NA | |
| State Government | Within distance less than 0.5 km | |

| Adult Education Centre | Within distance less than 0.5 km |
|--|----------------------------------|
| Health Facilities | NA |
| Urban Health Post | NA |
| Primary Health Centre | More than 5.0 km |
| Government Hospital | More than 5.0 km |
| Maternity Centre | More than 5.0 km |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | Within Slum |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |
| Community Hall | 0.5 to 1.0 kms |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | 0 |
| No. of Neighbourhoods Groups (NHGs) in slum | 1 |
| Slum-dwellers Association | 0 |
| Youth Association | 2 |
| Women's Association/Mahila Samithis | 0 |

14. BEHIND LORETO SCHOOL

| Education & Social Infrastructure Pre-primary School | |
|---|----------------------------------|
| | |
| Municipal Pre-school | NA |
| Private Pre-school | Within distance less than 0.5 km |
| Primary School | |
| Municipal | NA |

| State Government | Within distance less than 0.5 km |
|--|----------------------------------|
| Private | Within distance less than 0.5 km |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | Within distance less than 0.5 km |
| Adult Education Centre | Within distance less than 0.5 km |
| Health Facilities | NA |
| Urban Health Post | NA |
| Primary Health Centre | More than 5.0 km |
| Government Hospital | More than 5.0 km |
| Maternity Centre | More than 5.0 km |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | Within Slum |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |
| Community Hall | 0.5 to 1.0 kms |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | 0 |
| No. of Neighbourhoods Groups (NHGs) in slum | 1 |
| Slum-dwellers Association | 0 |
| Youth Association | 2 |
| Women's Association/Mahila Samithis | 0 |

15. K.C.DEY

| Education & Social Infrastructure | |
|--|----------------------------------|
| Pre-primary School | |
| Anganwadi under ICDS | Within distance less than 0.5 km |
| Municipal Pre-school | NA |
| Private Pre-school | Within distance less than 0.5 km |
| Primary School | |
| Municipal | NA |
| State Government | Within distance less than 0.5 km |
| Private | Within distance less than 0.5 km |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | Within distance less than 0.5 km |
| Adult Education Centre | Within distance less than 0.5 km |
| Health Facilities | NA |
| Urban Health Post | NA |
| Primary Health Centre | More than 5.0 km |
| Government Hospital | More than 5.0 km |
| Maternity Centre | More than 5.0 km |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | Within Slum |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |
| Community Hall | 0.5 to 1.0 kms |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |

| NA | |
|----|--------------|
| 0 | |
| 1 | |
| 0 | |
| 2 | |
| 0 | |
| | NA 0 1 0 2 0 |

16. PANCHANANTOLLA

| Education & Social Infrastructure | |
|-----------------------------------|----------------------------------|
| Pre-primary School | |
| Anganwadi under ICDS | Within distance less than 0.5 km |
| Municipal Pre-school | NA |
| Private Pre-school | Within distance less than 0.5 km |
| Primary School | |
| Municipal | NA |
| State Government | Within distance less than 0.5 km |
| Private | Within distance less than 0.5 km |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | Within distance less than 0.5 km |
| Adult Education Centre | Within distance less than 0.5 km |
| Health Facilities | NA |
| Urban Health Post | NA |
| Primary Health Centre | More than 5.0 km |
| Government Hospital | More than 5.0 km |
| Maternity Centre | More than 5.0 km |
| Private Clinic | NA |

| Registered Medical Practitioner (RMP) | Within Slum |
|--|----------------|
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |
| Community Hall | 0.5 to 1.0 kms |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | 0 |
| No. of Neighbourhoods Groups (NHGs) in slum | 1 |
| Slum-dwellers Association | 0 |
| Youth Association | 2 |
| Women's Association/Mahila Samithis | 0 |

17. D.D.HAR LANE

| Education & Social Infrastructure | |
|-----------------------------------|----------------------------------|
| Pre-primary School | |
| Anganwadi under ICDS | Within distance less than 0.5 km |
| Municipal Pre-school | NA |
| Private Pre-school | Within distance less than 0.5 km |
| Primary School | |
| Municipal | NA |
| State Government | Within distance less than 0.5 km |
| Private | Within distance less than 0.5 km |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | Within distance less than 0.5 km |

| Adult Education Centre | Within distance less than 0.5 km |
|--|----------------------------------|
| Health Facilities | NA |
| Urban Health Post | NA |
| Primary Health Centre | More than 5.0 km |
| Government Hospital | More than 5.0 km |
| Maternity Centre | More than 5.0 km |
| Private Clinic | Within Slum |
| Registered Medical Practitioner (RMP) | NA |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |
| Community Hall | 0.5 to 1.0 kms |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | 0 |
| No. of Neighbourhoods Groups (NHGs) in slum | 0 |
| Slum-dwellers Association | 0 |
| Youth Association | 2 |
| Women's Association/Mahila Samithis | 0 |

18. SITALATOLLA

| Education & Social Infrastructure | |
|-----------------------------------|----------------------------------|
| Pre-primary School | |
| Anganwadi under ICDS | Within distance less than 0.5 km |
| Municipal Pre-school | NA |
| Private Pre-school | Within distance less than 0.5 km |
| Primary School | |

| Municipal | NA |
|--|----------------------------------|
| State Government | Within distance less than 0.5 km |
| Private | Within distance less than 0.5 km |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | Within distance less than 0.5 km |
| Adult Education Centre | Within distance less than 0.5 km |
| Health Facilities | NA |
| Urban Health Post | NA |
| Primary Health Centre | More than 5.0 km |
| Government Hospital | More than 5.0 km |
| Maternity Centre | More than 5.0 km |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | Within the slum |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |
| Community Hall | 0.5 to 1.0 kms |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | 0 |
| No. of Neighbourhoods Groups (NHGs) in slum | 0 |
| Slum-dwellers Association | 0 |
| Youth Association | 2 |
| Women's Association/Mahila Samithis | 0 |

19. SASTITOLLA

| Education & Social Infrastruct | ture |
|--|-------------|
| Pre-primary School | |
| Anganwadi under ICDS | NA |
| Municipal Pre-school | NA |
| Private Pre-school | NA |
| Primary School | |
| Municipal | NA |
| State Government | NA |
| Private | NA |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | NA |
| Adult Education Centre | NA |
| Health Facilities | Around slum |
| Urban Health Post | NA |
| Primary Health Centre | NA |
| Government Hospital | NA |
| Maternity Centre | NA |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | NA |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | Within Slum |
| Community Hall | NA |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |

| Old Age Home | NA |
|---|----|
| Self Help Groups/DWCUA Groups in Slum | NA |
| No. of Neighbourhoods Groups (NHGs) in slum | 1 |
| Slum-dwellers Association | NA |
| Youth Association | NA |
| Women's Association/Mahila Samithis | NA |

20. BIRINCHIPARA

| Education & Social Infrastructure Pre-primary School | |
|--|----------------------------------|
| | |
| Municipal Pre-school | NA |
| Private Pre-school | Within distance less than 0.5 km |
| Primary School | |
| Municipal | 0.5 to 1.0 kms |
| State Government | NA |
| Private | NA |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | 0.5 to 1.0 kms |
| Adult Education Centre | NA |
| Health Facilities | Around slum |
| Urban Health Post | Within distance less than 0.5 km |
| Primary Health Centre | 2.0 to 5.0 kms |
| Government Hospital | More than 5.0 kms |
| Maternity Centre | More than 5.0 kms |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | NA |

| Ayurvedic Doctor/Vaidya | NA |
|--|----------------|
| Social Development/Welfare | Within Slum |
| Community Hall | 1.0 to 2.0 kms |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | NA |
| No. of Neighbourhoods Groups (NHGs) in slum | 1 |
| Slum-dwellers Association | NA |
| Youth Association | NA |
| Women's Association/Mahila Samithis | NA |

21. BEHIND RISHRA HIGH SCHOOL

| Education & Social Infrastructure Pre-primary School | |
|---|---------------------------------|
| | |
| Municipal Pre-school | NA |
| Private Pre-school | 0.5 to 1.0 kms |
| Primary School | |
| Municipal | NA |
| State Government | 0.5 to 1.0 kms |
| Private | NA |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | Within the slum |
| Adult Education Centre | With distance less than 0.5 kms |
| Health Facilities | Around slum |

| Urban Health Post | 0.5 to 1.0 kms |
|--|---------------------------------|
| Primary Health Centre | 1.0 to 2.0 kms |
| Government Hospital | More than 5.0 kms |
| Maternity Centre | 1.0 to 2.0 kms |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | With distance less than 0.5 kms |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |
| Community Hall | With distance less than 0.5 kms |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | 1 |
| No. of Neighbourhoods Groups (NHGs) in slum | NA |
| Slum-dwellers Association | 0 |
| Youth Association | 1 |
| Women's Association/Mahila Samithis | 1 |

22. BEHIND BURNING GHAT

| Education & Social Infrastructure Pre-primary School | |
|---|---------------------------------|
| | |
| Municipal Pre-school | NA |
| Private Pre-school | 0.5 to 1.0 kms |
| Primary School | |
| Municipal | NA |
| State Government | With distance less than 0.5 kms |

| Private | 0.5 to 1.0 kms |
|--|-------------------|
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | 0.5 to 1.0 kms |
| Adult Education Centre | Within the slum |
| Health Facilities | Around slum |
| Urban Health Post | 0.5 to 1.0 kms |
| Primary Health Centre | Morethan 5.0 kms |
| Government Hospital | More than 5.0 kms |
| Maternity Centre | 1.0 to 2.0 kms |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | 0.5 to 1.0 kms |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |
| Community Hall | 0.5 to 1.0 kms |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | 0 |
| No. of Neighbourhoods Groups (NHGs) in slum | NA |
| Slum-dwellers Association | 1 |
| Youth Association | 1 |
| Women's Association/Mahila Samithis | 1 |

23. HARIPODDAR LANE

| Education & Social Infrast | Education & Social Infrastructure | |
|--|-----------------------------------|--|
| Pre-primary School | | |
| Anganwadi under ICDS | With distance less than 0.5 kms | |
| Municipal Pre-school | NA | |
| Private Pre-school | NA | |
| Primary School | | |
| Municipal | NA | |
| State Government | With distance less than 0.5 kms | |
| Private | NA | |
| High School | <u>.</u> | |
| Municipal | NA | |
| Private | NA | |
| State Government | With distance less than 0.5 kms | |
| Adult Education Centre | With distance less than 0.5 kms | |
| Health Facilities | Around slum | |
| Urban Health Post | 0.5 to 1.0 kms | |
| Primary Health Centre | More than 5.0 kms | |
| Government Hospital | More than 5.0 kms | |
| Maternity Centre | 2.0 to 5.0 kms | |
| Private Clinic | NA | |
| Registered Medical Practitioner (RMP) | NA | |
| Ayurvedic Doctor/Vaidya | NA | |
| Social Development/Welfare | NA | |
| Community Hall | With distance less than 0.5 kms | |
| Livelihood/Production Centre | NA | |
| Vocational Training/Training cum Production Centre | NA | |
| Street Children Rehabilitation Centre | NA | |
| Night Shelter | NA | |

| 1.0 to 2.0 kms |
|----------------|
| 0 |
| NA |
| 0 |
| 0 |
| 1 |
| |

24. BEHIND PREMMANDIR (BRAHMATOLLA)

| Education & Social Infrastructure Pre-primary School | |
|---|----------------------------------|
| | |
| Municipal Pre-school | NA |
| Private Pre-school | NA |
| Primary School | |
| Municipal | 0.5 to 1.0 kms |
| State Government | NA |
| Private | Within distance less than 0.5 km |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | 0.5 to 1.0 kms |
| Adult Education Centre | Within distance less than 0.5 km |
| Health Facilities | Around slum |
| Urban Health Post | Within Slum |
| Primary Health Centre | More than 5.0 kms |
| Government Hospital | More than 5.0 kms |
| Maternity Centre | 2.0 to 5.0 kms |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | Within Slum |
| Ayurvedic Doctor/Vaidya | NA |

| Social Development/Welfare | Within Slum |
|--|----------------------------------|
| Community Hall | Within distance less than 0.5 km |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | NA |
| No. of Neighbourhoods Groups (NHGs) in slum | 1 |
| Slum-dwellers Association | NA |
| Youth Association | 1 |
| Women's Association/Mahila Samithis | 1 |

25. BAGKHAL BRICK FIELD

| Education & Social Infrastructure Pre-primary School | |
|---|---------------------------------|
| | |
| Municipal Pre-school | NA |
| Private Pre-school | 0.5 to 1.0 kms |
| Primary School | |
| Municipal | NA |
| State Government | 0.5 to 1.0 kms |
| Private | 0.5 to 1.0 kms |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | 0.5 to 1.0 kms |
| Adult Education Centre | Within the slum |
| Health Facilities | Around slum |
| Urban Health Post | With distance less than 0.5 kms |

| Primary Health Centre | More than 5.0 kms |
|--|-------------------|
| Government Hospital | More than 5.0 kms |
| Maternity Centre | 1.0 to 2.0 km |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | NA |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |
| Community Hall | 0.5 to 1.0 kms |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | 0.5 to 1.0 kms |
| Self Help Groups/DWCUA Groups in Slum | 0 |
| No. of Neighbourhoods Groups (NHGs) in slum | NA |
| Slum-dwellers Association | 0 |
| Youth Association | 0 |
| Women's Association/Mahila Samithis | 1 |

26. BAGKHAL

| Education & Social Infrastructure Pre-primary School | |
|---|-------------|
| | |
| Municipal Pre-school | NA |
| Private Pre-school | NA |
| Primary School | |
| Municipal | NA |
| State Government | Within Slum |
| Private | NA |
| High School | |

| Municipal | NA |
|--|-------------------|
| Private | NA |
| State Government | 2.0 to 5.0 kms |
| Adult Education Centre | NA |
| Health Facilities | Around slum |
| Urban Health Post | Within Slum |
| Primary Health Centre | More than 5.0 kms |
| Government Hospital | More than 5.0 kms |
| Maternity Centre | More than 5.0 kms |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | NA |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | Within Slum |
| Community Hall | 0.5 to 1.0 kms |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | NA |
| No. of Neighbourhoods Groups (NHGs) in slum | 6 |
| Slum-dwellers Association | NA |
| Youth Association | 5 |
| Women's Association/Mahila Samithis | NA |

27. MOREPUKUR 1ST LANE

| Education & Social Infrastructure Pre-primary School | |
|---|----|
| | |
| Municipal Pre-school | NA |

| Private Pre-school | NA |
|--|---------------------------------|
| Primary School | I |
| Municipal | NA |
| State Government | Within the slum |
| Private | NA |
| High School | I |
| Municipal | NA |
| Private | NA |
| State Government | 0.5 to 1.0 kms |
| Adult Education Centre | NA |
| Health Facilities | NA |
| Urban Health Post | NA |
| Primary Health Centre | NA |
| Government Hospital | More than 5.0 kms |
| Maternity Centre | 0.5 to 1.0 kms |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | Within the slum |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |
| Community Hall | With distance less than 0.5 kms |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | 0 |
| No. of Neighbourhoods Groups (NHGs) in slum | NA |
| Slum-dwellers Association | 0 |
| Youth Association | 1 |

| Women's Association/Mahila Samithis | 0 |
|-------------------------------------|---|
| | |

28. DASPARA

| Education & Social Infrastructure Pre-primary School | |
|---|----------------------------------|
| | |
| Municipal Pre-school | NA |
| Private Pre-school | Within distance less than 0.5 km |
| Primary School | |
| Municipal | Within distance less than 0.5 km |
| State Government | NA |
| Private | Within distance less than 0.5 km |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | 0.5 to 1.0 kms |
| Adult Education Centre | NA |
| Health Facilities | Around slum |
| Urban Health Post | NA |
| Primary Health Centre | NA |
| Government Hospital | More than 5.0 kms |
| Maternity Centre | 1.0 to 2.0 kms |
| Private Clinic | Within Slum |
| Registered Medical Practitioner (RMP) | Within Slum |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | Within Slum |
| Community Hall | Within distance less than 0.5 km |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |

| Night Shelter | NA |
|---|----|
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | NA |
| No. of Neighbourhoods Groups (NHGs) in slum | 1 |
| Slum-dwellers Association | NA |
| Youth Association | 2 |
| Women's Association/Mahila Samithis | NA |

29. ANUBHAVA ASSEMBLY HALL

| Education & Social Infrastructure Pre-primary School | |
|---|----------------------------------|
| | |
| Municipal Pre-school | NA |
| Private Pre-school | With distance less than 0.5 kms |
| Primary School | |
| Municipal | Within distance less than 0.5 km |
| State Government | NA |
| Private | NA |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | Within distance less than 0.5 km |
| Adult Education Centre | NA |
| Health Facilities | Around slum |
| Urban Health Post | NA |
| Primary Health Centre | With distance less than 0.5 kms |
| Government Hospital | More than 5.0 kms |
| Maternity Centre | 0.5 to 1.0 kms |
| Private Clinic | With distance less than 0.5 kms |
| Registered Medical Practitioner (RMP) | With distance less than 0.5 kms |

| Ayurvedic Doctor/Vaidya | NA |
|--|-----------------|
| Social Development/Welfare | NA |
| Community Hall | Within the slum |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | 0 |
| No. of Neighbourhoods Groups (NHGs) in slum | NA |
| Slum-dwellers Association | 0 |
| Youth Association | 3 |
| Women's Association/Mahila Samithis | 0 |

30. SADHANKANAN

| Education & Social Infrastructure Pre-primary School | |
|---|-----------------|
| | |
| Municipal Pre-school | NA |
| Private Pre-school | Within the slum |
| Primary School | |
| Municipal | NA |
| State Government | Within the slum |
| Private | Within the slum |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | 0.5 to 1.0 kms |
| Adult Education Centre | NA |

| Health Facilities | Around slum |
|--|---------------------------------|
| Urban Health Post | With distance less than 0.5 kms |
| Primary Health Centre | More than 5.0 kms |
| Government Hospital | More than 5.0 kms |
| Maternity Centre | With distance less than 0.5 kms |
| Private Clinic | Within the slum |
| Registered Medical Practitioner (RMP) | Within the slum |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |
| Community Hall | With distance less than 0.5 kms |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | 0 |
| No. of Neighbourhoods Groups (NHGs) in slum | NA |
| Slum-dwellers Association | 0 |
| Youth Association | 2 |
| Women's Association/Mahila Samithis | 0 |

31. KISHORE SANGHA

| Education & Social Infrastructure Pre-primary School | |
|---|-------------|
| | |
| Municipal Pre-school | Within Slum |
| Private Pre-school | NA |
| Primary School | |
| Municipal | Within Slum |

| State Government | Within Slum |
|--|----------------------------------|
| Private | NA |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | Within Slum |
| Adult Education Centre | NA |
| Health Facilities | Around slum |
| Urban Health Post | NA |
| Primary Health Centre | More than 5.0 kms |
| Government Hospital | 2.0 to 5.0 kms |
| Maternity Centre | 1.0 to 2.0 kms |
| Private Clinic | Within distance less than 0.5 km |
| Registered Medical Practitioner (RMP) | Within distance less than 0.5 km |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | Within Slum |
| Community Hall | NA |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | NA |
| No. of Neighbourhoods Groups (NHGs) in slum | 1 |
| Slum-dwellers Association | NA |
| Youth Association | 1 |
| Women's Association/Mahila Samithis | NA |

32. NAYABUSTEE

| Education & Social Infrastructure | |
|--|-------------------|
| Pre-primary School | |
| Anganwadi under ICDS | Within Slum |
| Municipal Pre-school | NA |
| Private Pre-school | Within Slum |
| Primary School | |
| Municipal | 1.0 to 2.0 kms |
| State Government | Within Slum |
| Private | Within Slum |
| High School | |
| Municipal | NA |
| Private | Within Slum |
| State Government | Within Slum |
| Adult Education Centre | NA |
| Health Facilities | Around slum |
| Urban Health Post | Within Slum |
| Primary Health Centre | Within Slum |
| Government Hospital | More than 5.0 kms |
| Maternity Centre | 1.0 to 2.0 kms |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | NA |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | Within Slum |
| Community Hall | 1.0 to 2.0 kms |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| | NA |
| Street Children Rehabilitation Centre | 7.47.7 |

| NA |
|----|
| NA |
| 5 |
| NA |
| NA |
| NA |
| |

33. NAYABUSTEE

| Education & Social Infrastructure | | |
|---------------------------------------|-------------------|--|
| Pre-primary School | | |
| Anganwadi under ICDS | Within Slum | |
| Municipal Pre-school | NA | |
| Private Pre-school | Within Slum | |
| Primary School | | |
| Municipal | NA | |
| State Government | NA | |
| Private | Within Slum | |
| High School | | |
| Municipal | NA | |
| Private | NA | |
| State Government | Within Slum | |
| Adult Education Centre | NA | |
| Health Facilities | Around slum | |
| Urban Health Post | NA | |
| Primary Health Centre | Within Slum | |
| Government Hospital | More than 5.0 kms | |
| Maternity Centre | 1.0 to 2.0 kms | |
| Private Clinic | Within Slum | |
| Registered Medical Practitioner (RMP) | Within Slum | |

| Ayurvedic Doctor/Vaidya | NA |
|--|-------------|
| Social Development/Welfare | Within Slum |
| Community Hall | Within Slum |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | NA |
| No. of Neighbourhoods Groups (NHGs) in slum | 14 |
| Slum-dwellers Association | 2 |
| Youth Association | 16 |
| Women's Association/Mahila Samithis | NA |

34. HARIR MATH & NITYANANDA PALLY

| Education & Social Infrastructure | | |
|-----------------------------------|----------------|--|
| Pre-primary School | | |
| Anganwadi under ICDS | 0.5 to 1.0 kms | |
| Municipal Pre-school | NA | |
| Private Pre-school | NA | |
| Primary School | | |
| Municipal | 0.5 to 1.0 kms | |
| State Government | 0.5 to 1.0 kms | |
| Private | NA | |
| High School | | |
| Municipal | NA | |
| Private | NA | |
| State Government | 0.5 to 1.0 kms | |
| Adult Education Centre | NA | |
| Health Facilities | Around slum | |

| Urban Health Post | 0.5 to 1.0 kms |
|--|-------------------|
| Primary Health Centre | More than 5.0 kms |
| Government Hospital | More than 5.0 kms |
| Maternity Centre | 1.0 to 2.0 kms |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | NA |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |
| Community Hall | 1.0 to 2.0 kms |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | 0 |
| No. of Neighbourhoods Groups (NHGs) in slum | NA |
| Slum-dwellers Association | 0 |
| Youth Association | 2 |
| Women's Association/Mahila Samithis | 0 |

35. NATUNGRAM PRIMARY SCHOOL

| Education & Social Infrastructure Pre-primary School | |
|---|-----------------|
| | |
| Municipal Pre-school | NA |
| Private Pre-school | NA |
| Primary School | |
| Municipal | 0.5 to 1.0 kms |
| State Government | Within the slum |

| Private | NA |
|--|-------------------|
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | 0.5 to 1.0 kms |
| Adult Education Centre | NA |
| Health Facilities | Around slum |
| Urban Health Post | 0.5 to 1.0 kms |
| Primary Health Centre | More than 5.0 kms |
| Government Hospital | More than 5.0 kms |
| Maternity Centre | 1.0 to 2.0 kms |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | NA |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |
| Community Hall | 1.0 to 2.0 kms |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | 0 |
| No. of Neighbourhoods Groups (NHGs) in slum | NA |
| Slum-dwellers Association | 0 |
| Youth Association | 0 |
| Women's Association/Mahila Samithis | 0 |

36. HOTELWALA GOLI

| Education & Social Infrast | ructure | |
|--|---------------------------------|--|
| Pre-primary School | | |
| Anganwadi under ICDS | 0.5 to 1.0 kms | |
| Municipal Pre-school | NA | |
| Private Pre-school | NA | |
| Primary School | | |
| Municipal | 1.0 to 2.0 kms | |
| State Government | 0.5 to 1.0 kms | |
| Private | With distance less than 0.5 kms | |
| High School | | |
| Municipal | NA | |
| Private | NA | |
| State Government | 0.5 to 1.0 kms | |
| Adult Education Centre | NA | |
| Health Facilities | Around slum | |
| Urban Health Post | 0.5 to 1.0 kms | |
| Primary Health Centre | More than 5.0 kms | |
| Government Hospital | More than 5.0 kms | |
| Maternity Centre | 0.5 to 1.0 kms | |
| Private Clinic | NA | |
| Registered Medical Practitioner (RMP) | NA | |
| Ayurvedic Doctor/Vaidya | NA | |
| Social Development/Welfare | NA | |
| Community Hall | 0.5 to 1.0 kms | |
| Livelihood/Production Centre | NA | |
| Vocational Training/Training cum Production Centre | NA | |
| Street Children Rehabilitation Centre | NA | |
| Night Shelter | NA | |

| Old Age Home | NA | |
|---|----|--|
| Self Help Groups/DWCUA Groups in Slum | 0 | |
| No. of Neighbourhoods Groups (NHGs) in slum | NA | |
| Slum-dwellers Association | 0 | |
| Youth Association | 0 | |
| Women's Association/Mahila Samithis | 0 | |

37. AAM BAGAN

| Education & Social Infrastructure Pre-primary School | | |
|---|-------------|--|
| | | |
| Municipal Pre-school | NA | |
| Private Pre-school | NA | |
| Primary School | | |
| Municipal | NA | |
| State Government | NA | |
| Private | NA | |
| High School | | |
| Municipal | NA | |
| Private | NA | |
| State Government | NA | |
| Adult Education Centre | NA | |
| Health Facilities | Around slum | |
| Urban Health Post | NA | |
| Primary Health Centre | NA | |
| Government Hospital | NA | |
| Maternity Centre | NA | |
| Private Clinic | NA | |
| Registered Medical Practitioner (RMP) | NA | |
| Ayurvedic Doctor/Vaidya | NA | |

| Social Development/Welfare | Within Slum |
|--|-------------|
| Community Hall | NA |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | NA |
| No. of Neighbourhoods Groups (NHGs) in slum | 1 |
| Slum-dwellers Association | NA |
| Youth Association | NA |
| Women's Association/Mahila Samithis | NA |
| Slum-dwellers Association Youth Association | NA |

38. BURMANPARA

| Education & Social Infrastructure Pre-primary School | |
|---|----|
| | |
| Municipal Pre-school | NA |
| Private Pre-school | NA |
| Primary School | |
| Municipal | NA |
| State Government | NA |
| Private | NA |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | NA |
| Adult Education Centre | NA |
| Health Facilities | NA |
| Urban Health Post | NA |

| Primary Health Centre | NA |
|--|----|
| Government Hospital | NA |
| Maternity Centre | NA |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | NA |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |
| Community Hall | NA |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | NA |
| No. of Neighbourhoods Groups (NHGs) in slum | NA |
| Slum-dwellers Association | NA |
| Youth Association | NA |
| Women's Association/Mahila Samithis | NA |

39. BALAKSANGHA MATH

| Education & Social Infrastructure Pre-primary School | |
|---|----|
| | |
| Municipal Pre-school | NA |
| Private Pre-school | NA |
| Primary School | |
| Municipal | NA |
| State Government | NA |
| Private | NA |

| High School | |
|--|----|
| Municipal | NA |
| Private | NA |
| State Government | NA |
| Adult Education Centre | NA |
| Health Facilities | NA |
| Urban Health Post | NA |
| Primary Health Centre | NA |
| Government Hospital | NA |
| Maternity Centre | NA |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | NA |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |
| Community Hall | NA |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | NA |
| No. of Neighbourhoods Groups (NHGs) in slum | NA |
| Slum-dwellers Association | NA |
| Youth Association | NA |
| Women's Association/Mahila Samithis | NA |

40. SUBHASH NAGAR

| Education & Social Infrastructure | |
|-----------------------------------|-------------|
| Pre-primary School | |
| Anganwadi under ICDS | Within Slum |

| Municipal Pre-school | Within distance less than 0.5 km |
|--|----------------------------------|
| Private Pre-school | Within Slum |
| Primary School | |
| Municipal | Within distance less than 0.5 km |
| State Government | Within Slum |
| Private | Within distance less than 0.5 km |
| High School | <u> </u> |
| Municipal | NA |
| Private | NA |
| State Government | Within distance less than 0.5 km |
| Adult Education Centre | NA |
| Health Facilities | Around slum |
| Urban Health Post | NA |
| Primary Health Centre | Within Slum |
| Government Hospital | NA |
| Maternity Centre | Within distance less than 0.5 km |
| Private Clinic | Within Slum |
| Registered Medical Practitioner (RMP) | Within distance less than 0.5 km |
| Ayurvedic Doctor/Vaidya | 1.0 to 2.0 kms |
| Social Development/Welfare | Within Slum |
| Community Hall | Within Slum |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | NA |
| No. of Neighbourhoods Groups (NHGs) in slum | 3 |
| Slum-dwellers Association | 2 |

| 1 |
|----|
| NA |
| |

41. NABINPALLY

| Education & Social Infrastructure Pre-primary School | |
|---|----------------------------------|
| | |
| Municipal Pre-school | NA |
| Private Pre-school | NA |
| Primary School | |
| Municipal | NA |
| State Government | Within distance less than 0.5 km |
| Private | Within Slum |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | Within distance less than 0.5 km |
| Adult Education Centre | NA |
| Health Facilities | Around slum |
| Urban Health Post | Within distance less than 0.5 km |
| Primary Health Centre | More than 5.0 kms |
| Government Hospital | More than 5.0 kms |
| Maternity Centre | More than 5.0 kms |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | NA |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | Within Slum |
| Community Hall | NA |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| | |

| NA |
|----|
| NA |
| NA |
| 1 |
| 1 |
| NA |
| 1 |
| NA |
| |

42. SUBHASHNAGAR RAILPARK

| Education & Social Infrastructure Pre-primary School | |
|---|--|
| | |
| NA | |
| NA | |
| | |
| NA | |
| With distance less than 0.5 kms | |
| Within Slum | |
| | |
| NA | |
| NA | |
| 0.5 to 1.0 kms | |
| NA | |
| Around slum | |
| With distance less than 0.5 kms | |
| More than 5.0 kms | |
| More than 5.0 kms | |
| 1.0 to 2.0 kms | |
| NA | |
| | |

| Registered Medical Practitioner (RMP) | With distance less than 0.5 kms |
|--|---------------------------------|
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |
| Community Hall | NA |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | 0 |
| No. of Neighbourhoods Groups (NHGs) in slum | NA |
| Slum-dwellers Association | 0 |
| Youth Association | 1 |
| Women's Association/Mahila Samithis | 0 |

43. LUXMIPALLY

| Education & | Social Infrastructure | | | | | | |
|----------------------|---------------------------------|--|--|--|--|--|--|
| Pre-primary School | | | | | | | |
| Anganwadi under ICDS | With distance less than 0.5 kms | | | | | | |
| Municipal Pre-school | NA | | | | | | |
| Private Pre-school | NA | | | | | | |
| Primary School | | | | | | | |
| Municipal | NA | | | | | | |
| State Government | Within the slum | | | | | | |
| Private | NA | | | | | | |
| High School | | | | | | | |
| Municipal | NA | | | | | | |
| Private | NA | | | | | | |

| State Government | With distance less than 0.5 kms |
|--|---------------------------------|
| Adult Education Centre | NA |
| Health Facilities | Around slum |
| Urban Health Post | Within the slum |
| Primary Health Centre | More than 5.0 kms |
| Government Hospital | More than 5.0 kms |
| Maternity Centre | 1.0 to 2.0 kms |
| Private Clinic | Within the slum |
| Registered Medical Practitioner (RMP) | Within the slum |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | NA |
| Community Hall | Within the slum |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | 0 |
| No. of Neighbourhoods Groups (NHGs) in slum | NA |
| Slum-dwellers Association | 0 |
| Youth Association | 1 |
| Women's Association/Mahila Samithis | 0 |

44. SUBHASHNAGAR GOVT. COLONEY BACK SIDE OF WBSEB

| Education & Social Infrastructure | | | | | | |
|-----------------------------------|-------------|--|--|--|--|--|
| Pre-primary School | | | | | | |
| Anganwadi under ICDS | Within Slum | | | | | |
| Municipal Pre-school | NA | | | | | |
| Private Pre-school | Within Slum | | | | | |
| Primary School | | | | | | |

| | T. |
|--|----------------------------------|
| Municipal | NA |
| State Government | NA |
| Private | NA |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | 2.0 to 5.0 kms |
| Adult Education Centre | NA |
| Health Facilities | Around slum |
| Urban Health Post | Within distance less than 0.5 km |
| Primary Health Centre | More than 5.0 kms |
| Government Hospital | More than 5.0 kms |
| Maternity Centre | 0.5 to 1.0 km |
| Private Clinic | NA |
| Registered Medical Practitioner (RMP) | NA |
| Ayurvedic Doctor/Vaidya | NA |
| Social Development/Welfare | Within Slum |
| Community Hall | 0.5 to 1.0 km |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | NA |
| No. of Neighbourhoods Groups (NHGs) in slum | 1 |
| Slum-dwellers Association | NA |
| Youth Association | 1 |
| Women's Association/Mahila Samithis | NA |

45. PALTEPARA

| Education & Social Infras | tructure |
|--|----------------------------------|
| Pre-primary School | |
| Anganwadi under ICDS | Within Slum |
| Municipal Pre-school | 0.5 to 1.0 kms |
| Private Pre-school | 1.0 to 2.0 kms |
| Primary School | |
| Municipal | 1.0 to 2.0 kms |
| State Government | 0.5 to 1.0 kms |
| Private | 1.0 to 2.0 kms |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | 1.0 to 2.0 kms |
| Adult Education Centre | NA |
| Health Facilities | Around slum |
| Urban Health Post | NA |
| Primary Health Centre | Within Slum |
| Government Hospital | More than 5.0 kms |
| Maternity Centre | 0.5 to 1.0 kms |
| Private Clinic | Within Slum |
| Registered Medical Practitioner (RMP) | Within distance less than 0.5 km |
| Ayurvedic Doctor/Vaidya | Within Slum |
| Social Development/Welfare | Within Slum |
| Community Hall | Within distance less than 0.5 km |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | NA |
| Night Shelter | NA |

| NA | |
|----|--|
| NA | |
| 1 | |
| 1 | |
| 1 | |
| 1 | |
| | |

46. BAGPARA

| Education & Socia | Infrastructure |
|---------------------------------------|----------------------------------|
| Pre-primary School | |
| Anganwadi under ICDS | Within the slum |
| Municipal Pre-school | 0.5 to 1.0 kms |
| Private Pre-school | 1.0 to 2.0 kms |
| Primary School | |
| Municipal | 1.0 to 2.0 kms |
| State Government | 0.5 to 1.0 kms |
| Private | 1.0 to 2.0 kms |
| High School | |
| Municipal | NA |
| Private | NA |
| State Government | 1.0 to 2.0 kms |
| Adult Education Centre | NA |
| Health Facilities | NA |
| Urban Health Post | NA |
| Primary Health Centre | Within Slum |
| Government Hospital | More than 5.0 kms |
| Maternity Centre | 0.5 to 1.0 kms |
| Private Clinic | Within Slum |
| Registered Medical Practitioner (RMP) | Within distance less than 0.5 km |
| Ayurvedic Doctor/Vaidya | Within distance less than 0.5 km |

| Social Development/Welfare | NA |
|--|----------------------------------|
| Community Hall | Within distance less than 0.5 km |
| Livelihood/Production Centre | NA |
| Vocational Training/Training cum Production Centre | NA |
| Street Children Rehabilitation Centre | ÑA |
| Night Shelter | NA |
| Old Age Home | NA |
| Self Help Groups/DWCUA Groups in Slum | 0 |
| No. of Neighbourhoods Groups (NHGs) in slum | NA |
| Slum-dwellers Association | 0 |
| Youth Association | 0 |
| Women's Association/Mahila Samithis | 0 |

ESTIMATE OF CEMENT CONCRETE ROAD UNDER PMAY (UNIT LENGTH AND WIDTH 2.5m)

| SI.No. | Description of item | Quantity | Unit | Rate | Amount |
|----------|---|----------|-----------------|---------|---------|
| | Surface Dressing of the ground in any kind of soil | | | | |
| | including removing vegetation inequalities not | | | | 100 |
| 1 | exceeding 15 cm depth and disposal of the | | 15.89 | | |
| Pg1,I-1 | rubbish within a lead upto 75 m as directed. | 2.5 | m ² | 11 | 27.5 |
| | Earth work in excavation of foundation trenches | | | | **** |
| | or drains, in all sorts of soil (including mixed soil | | | | |
| | but excluding laterite or sandstone) including | | | | |
| | removing, spreading or stacking the spoils within | | | | |
| | a lead of 75 m. as directed. The item includes | | | | |
| | necessary trimming the sides of trenches, | | | | |
| | levelling, dressing and ramming the bottom, | | | | |
| 2 | bailing out water as required complete. | | | | |
| og1,I-2 | (a) Depth of excavation not exceeding 1,500 mm. | 0.312 | %m³ | 12047 | 37.59 |
| | Single Brick Flat Soling of picked jhama | | | | |
| | bricks including ramming and dressing bed | | | | |
| 3 | to proper level and filling joints with local | | | | |
| og11,I-1 | sand. | 2.5 | m ² | 377 | 942.5 |
| | Hire and labour charges for shuttering with | | | | - 1 |
| | centering and necessary staging upto 4 m | | | | |
| | using approved stout props and thick hard | | | | |
| | wood planks of approved thickness with | | | | |
| | required bracing for concrete slabs, beams | 1 | | | |
| | and columns, lintels curved or straight | 1 1 | | | |
| | including fitting, fixing and striking out after | | | | |
| | completion of works (upto roof of ground | | | | |
| | floor) | | | | |
| g26,I- | (f) 25 mm to 30 mm shuttering without | | | 1 1 | |
| .2(f) | staging in foundation | 0.2 | m^2 | 225 | 45 |
| | Ordinary Cement concrete (mix 1:2:4) with | | | | - 10 |
| | graded stone chips (20 mm nominal size) | | | | |
| | excluding shuttering and reinforcement,if | | | | |
| | any, in ground floor as per relevant IS codes. | | | | |
| g11,I-5 | a) Pakur Variety | 0.25 | m^3 | 6111.98 | 1527.99 |
| | Earth work in filling in foundation trenches or | | | 0113.50 | 1327.33 |
| | plinth with good earth, in layers not exceeding | | | í I | |
| | 150 mm. including watering and ramming etc. | | | | |
| | layer by layer complete. (Payment to be made on | | | | |
| | the basis of measurement of finished quantity of | | | | |
| | work) | | | | |
| g1,I- | (a) With earth obtained from excavation of | | | | |
| (a) | foundation. | 0.312 | %m ³ | 7831 | 24.43 |
| | | 0.512 | / 5/11/ | TOTAL= | 2605.01 |

TOTAL= 2605.01

Ada

BRICK ON EDGEING NOTE: 1.CEMENT CONCRETE SHOULD BE LAID IN ALTERNATE PANNEL OF AN AREA NOT MORE THAN 7.50 SQM. PROVISION FOR PAPER JOINT AT THE END OF EACH PANNEL IS TO BE MADE 2. ALL DIMENSIONS ARE IN MM. TYPICAL CROSS SECTION OF CEMENT CONCRETE ROAD - P.C.C (1:2:4) AVG TH. 100 -WIDTH OF ROAD 2500-200 TH. SILVER SAND FILLING -SINGLE BRICK FLAT SOLING BRICK ON EDGEING

PRADHAN MANTRI AWAS YOJANA HOUSING FOR ALL (URBAN)

OFFICE OF THE CHIEF ENGINEER
MUNICIPAL ENGINEERING DIRECTORATE
GOVT. OF WEST BENGAL

DWG. NO.

Rishra Municipality

Vijay Sagar Mishra

Abstract of Estimated Cost for Drain section of 400mm x 400mm

All rates are taken from P.W.D. Schedule 2014 ,Kolkata location followed.

Length= 1.0 Mtr.

| S1. | | | Descript | tion | | - T | UNIT | QTY. | RATE | AMOUNT | | |
|-----|--|--|-----------------|-------------------|---|----------|----------------|--------|---------------|-----------|--|--|
| No | Details | No | L | В | Н | Qnty. | | | (RS.) | (RS.) | | |
| | Earth work in | excavatio | n of foundat | ion trench | es or drains | s. Inall | | | | | | |
| | sorts of soil (| including n | nixed soil bu | t excluding | laterite or | | | | | | | |
| | sandstone) in | cluding re | moving. Spr | eading or | stacking th | e spills | 14 | | | | | |
| | within a lead | of 75m. As | s directed. T | he item inc | cludes nece | essary | 100000 | 122700 | 11.00.1.000.0 | | | |
| | trimming the | sides of tra | ances, leveli | ng dressin | g and rami | ming the | %Cum | 0.60 | 12,047.00 | 72.7 | | |
| 1 | bottom comp | | | | | | | | | | | |
| | a) Depth of e | xcavation | not exceedir | ng1500mm | ١. | | | | | | | |
| | Page-1, Item-2. | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | For drain | 1.0 | 1.000 | 1.05 | 0.575 | 0.60 | | | | | | |
| | Earth was doing | fillian in fa | i i | | Total- | | | | | | | |
| | Earth work in earth, In laye | | | | | | | | | | | |
| | ramming etc. | | | | | | | | | | | |
| | basis of meas | | | | | 100 011 | %Cum | 0.04 | 7,831.00 | 3.1 | | |
| | (a) With earth | | | | | | | | | | | |
| 2 | Page-1, Item | | | | | | | | | | | |
| | Consider | 2.0 | 1.000 | 0.050 | 0.400 | 0.04 | | | | | | |
| | total Earth | 20 | 1.000 | 0.000 | 0,200 | 0.03 | | | | | | |
| | total cardi | 1 | | | 0000 | | | | | | | |
| | <u>i</u> | | | | Total- | 0.04 | | | | | | |
| | Single Brick I | lat Soling | of picked jh | ama bricks | including | ramming | | | | | | |
| | and dressing bed to proper level and filling joints with local sand. | | | | | | Sqm | 1.05 | 377.00 | 395.8 | | |
| 3 | Page-11, Item-1. | | | | | | | | | | | |
| | For drain | 1.0 | 1.000 | 1.050 | 1 | 1.05 | i | 1 1 | | | | |
| | | | | | Total- | 1.05 | | | | | | |
| | Ordinary Cer | Ordinary Cement concrete (mix 1:2:4) with graded stone chips (20 | | | | | | | | | | |
| | | mm nominal size) excluding shuttering and reinforcement, if any, | | | | | | | | | | |
| | as per relevant IS codes. | | | | | | | | 4 400 00 | | | |
| | | A) Pakur Variety. Page-11, Item-5.a | | | | | Cum | 0.11 | 4,603.00 | 483.3 | | |
| 4 | a)Ground flo | | | | | | 1 | | | | | |
| | | | | | | | | | | | | |
| | For drain | 1.0 | 1.000 | 1.050 | 0.100 | 0.11 | | | 9 | | | |
| | | | | | Total- | 0.11 | | | | | | |
| | Brick work wi | Brick work with 1st class bricks in cement mortar (4:1) | | | | | | | | | | |
| | (a) In foundat | ion and pli | nth Page-29 | , Item No. | -21.a | | Cum | 0.2 | 6,068.00 | 1,213.6 | | |
| | | | | | | | | | -1200.00 | .,= .0.00 | | |
| 5 | For drain | 2.0 | 1.000 | 0.250 | 0.400 | 0.20 | | | | | | |
| | | | | | - | 0.00 | | | | | | |
| | | | | ***************** | Total- | 0.20 | | | | | | |
| | Plaster (to wa | H floor on | illing eta \ wi | th cand on | | | | | | | | |
| | including roun | | | | | | 1 | | | | | |
| | raking out join | | | | | | | | | | | |
| | scaffolding/sta | | | | | | | | | | | |
| | | | | | 1001).[-2001 | Julia | - 88 - 4 | | | | | |
| | cost of chipping over concrete surface] (ii) with 1:4 cement mortar | | | | | | m ² | 1.7 | 176.00 | 299.2 | | |
| 6 | Page-151, Ite | | | | | | | | | | | |
| | (a) 15mm thic | | | | | 1 | | | | | | |
| | | | | | | 1 | | ì | | | | |
| | 1 | | | | | | | | | | | |
| | For drain | 1.0 | 1.000 | 1.700 | *************************************** | 1.70 | | | | | | |
| | | | | Tota | I- 1 | 1.70 | | | | 2 | | |
| | Neat cement | ounning ab | out 1.5mm | thick in wa | II,dado,win | dow | | | | - | | |
| | sill,floor etc. P | | | | or to the second second | | | | | | | |
| | NOTE:Cemen | | | q.m. | | | m ² | 1.7 | 38.00 | 64.60 | | |
| | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 7 | Fra. do : | 101 | 1 000 ' | 9 800 | · · · · · · · · · · · · · · · · · · · | 2.00 | | | | | | |
| 7 | For drain | 1.0 | 1.000 | 1.700 | Total- | 1.70 | | | | | | |


Total- 2,532.43
Add Contingency @ 3% 75.97

G. Total- 2,608.40

Rate /Mtr length= 2,608.40

grand.

CROSS SECTION OF DRAIN (400 x 400)



100 MM TH. P.C.C (1:2:4) OVER 75 TH. BRICK FLAT SOLING

Ada

Sub -Assistant Engineer



ESTIMATE FOR CONSTRUCTION OF BITUMINOUS ROAD PER SQ-MTR All rates are taken from P.W.D. Schedule Roads Deptt: 2014 Effective from 1st June 2014.

Consider 100.0m x 3.0m Bituminous Road

| Sl. | | Des | cription | | | | UNIT | QTY. | RATE | AMOUNT |
|-----|---|------------------------------|--------------------------|--------------------|---|---------|------|--------|----------|-----------|
| No | Details | No | L | В | Н | Qnty. | | | (RS.) | (RS.) |
| 1 | Page-238 , Item-13.16(a) | | AD CHILD SERVICE | | | | Sqm | 300.00 | 14.40 | 4,320.00 |
| | For BT road | 1.0 | 100.000 | 3.000 | *************************************** | 300.00 | | | | |
| | , | | | * | | | | | | |
| | | | | <u></u> | Total- | 300.00 | | | | |
| 2 | P-244 , Item-4.09 , (i) | | | | | - | Cum | 30.00 | 1,782.15 | 53,464.50 |
| | For BT road | 1.0 | 100.000 | 3.000 | 0.100 | 30.00 | | | | |
| | | | | | Total- | 30.00 | | | | |
| 3 | P-244 , Item-4.10 , (i) | | | | • | | Cum | 22.50 | 1,798.58 | 40,468.0 |
| | Water Bound Macadam S | | | - | | | | | | |
| | Jhama metal / Laterite ch | | | | S | | | á l | 1 | |
| | of specific size in hard cru | | | | | | | | | |
| | (measured after compact | | | | | | | | | |
| | screening of metals etc. a sweeping, watering and re | | | | , | | | | | |
| | roller to proper line, grade | | | | | | 9 | | | |
| | guarding & barricading ar | | | | en | | | | | |
| | bundh of one metre width | | | | | | | | | |
| | to protect edges and prep | | | | | | | | | |
| | cutting or filling and rolling | all comp | olete inclu | iding the | | | | | 1 | |
| | cost of all materials and h | | | | | | | | | |
| | men and machineries and | | | | | | | | | |
| | density, as per Clause 40 | | | for Road | | | | | | |
| | Bridge Works of MoRT&F (i) For Construction of Su | | | latina | | | | | | |
| | Jhama metal (63 mm to 4 | | | | | | | | | |
| | screening: | o min, w | iti iiiooi a | 1614 | - 1 | | | | | |
| | | | ************************ | 011041041044044044 | 14.56200202020404 | y | | | | |
| | For BT road | 1.0 | 100.000 | 3.000 | 0.075 | 22.50 | | | | |
| 4 | Dans 045 Ham No. 4 44 (| 111) | | | Total- | 22.50 | 0 | 00.50 | 0.470.07 | 74 407 5 |
| 4 | Page-245 Item No.4.11 (For BT road | DESCRIPTION OF THE PROPERTY. | 100.000 | 3.000 | 0.075 | 22.50 | Cum | 22.50 | 3,173.67 | 71,407.58 |
| | TOI DI TOAU | 1.000 | 100.000 | 3.000 | Total- | 22.50 | | | | |
| 5 | Page-253 Item-5.11 | | | | Total | 1 22.00 | Cum | 300.00 | 172.33 | 51,699.00 |
| | Providing, laying and roll | ling of Or | oon - orad | led prem | iv | | Cuin | 500.00 | 1/2.00 | 31,033.00 |
| | surfacing of 20 mm thickr | | | | | | | | | |
| | 0.018 m ³ per m ²) and 11.2 | | | | | | | | | |
| | size stone aggregates, incl | | 4 | | of | | | | | |
| | the surface, screening, cle | _ | | _ | | | | | | |
| | chips and fully pre-coatin | | | | | | | | | |
| | viscosity grade paving bit | | | | ion, | | | | | |
| | carrying the mixture by a | | | | | | | | | |
| | laying the mixture unifor | | | | ing | | - 1 | | | |
| | line, grade and level to se | | | | O | | | | | |
| | previously prepared base, | - | | | | | | | | |
| | Hot Mix Plant (Light Duty | | | | | | | | | |
| | a smooth wheeled roller 8 | capacity | | | | | | | | |
| | to required level and grad | ling the co | | | | | | | | |
| | carriage of stone chips and | heating tl | | | | | | | | |
| | preheating the aggregates | | | | | | | | | |
| | and including the hire cha | | | | nt | | | | | |
| | (Light Duty) and other ma | | 4 | | | - 1 | - 1 | | | |
| | cost of fuel and lubricants | | | | | | | | | |
| | by seal coat of either Type | | | | al | | | | | |
| | Specification Clause 508 fo | | | MORD. | | 1 | | | | |
| | a) Using Mobile HMP (Li | ght duty) |). | | | | | | | |
| | a) on WBM surface | | | | | | | | | |
| - 1 | b) on WBM surface | | | | | 1 | 1 | | | |

ESTIMATE FOR CONSTRUCTION OF BITUMINOUS ROAD PER SQ-MTR

All rates are taken from P.W.D. Schedule Roads Deptt: 2014 Effective from 1st June 2014.

Consider 100.0m x 3.0m Bituminous Road

| Sl. | | cription | UNIT | QTY. | RATE | AMOUNT | | | | |
|-----|---------------------------|---------------|---|-------|--------|--------|--|--------|-------|-----------|
| No | Details | No | L | В | Н | Qnty. | | | (RS.) | (RS.) |
| | For BT road | 1.0 | 100.000 | 3.000 | | 300.00 | | | | |
| | | | *************************************** | | Total- | 300.00 | | | | |
| 6 | Page-254 Item 5.13. B.(i) | | | | | | | 300.00 | 57.00 | 17,100.00 |
| | For BT road | 1.0 | 100.0 | 3.0 | | 300.00 | | | | |
| | | ************* | | | Total- | 300.00 | | | | |
| 7 | Page-235 Item 3.01(i) | | | | | | | 180.00 | 89.90 | 16,182.00 |
| | For BT road | 2.0 | 100.000 | 3.000 | 0.300 | 180.00 | | | | |
| | | | | | Total- | 180.00 | | | | |

Total- 254,641.13

Add Contingency @ 3% 7,639.23 G. Total- 262,280.36

Total area of Road in Sq.m 300.00
Rate /Sq.m= 874.27

te /Sq.m= 874.27 Say 874.00

Ada

75 mm thick WBM Sub-Base 100 mm thick 20 mm thick Premix Surfacing 75 mm thick WBM Base Premix Seal Coat Course

Sub-Base using local materials

> TYPICAL CROSS-SECTION OF BITUMINOUS ROAD

[Sub-Assistant Engineer]

[Chairman]

DETAILED ESTIMATE FOR THE CONSTRUCTION OF SINGLE UNIT DWELLING HOUSE

Pradhan Mantri Awas Yojana Housing For All (Urban)

Total Covered Area- 32.18 sq.m (With Electrical Works)

Referance of Schedule of Rates: PWD (W.B.), Schedule of Rates Building & Sanitary w.e.f-01.07.2014 & Corrigenda

Kolkata /24 Pgs (N & S)/ Kalyani Sub Div.)

| | Floor Area 25.37 sqm | | | | |
|-----------|---|----------|-------|---------------|-----------------|
| SL No. | Description of Works | Quantity | Unit | Rate (Rs.) | Amount (Rs.) |
| 1 | Earthwork in excavation in foundation trenches or drains, in all sorts of soil (including mixed soil but excluding laterite or sandstone) including removing spreading or stacking the spoils within a lead of 75 m as directed including trimming the sides of trenches, levelling, dressing and ramming the bottom, bailing out water etc. as required complete. a) Depth of excavation not exceeding 1500mm. | 13.000 | %cu.m | | 1566.11 |
| | SOR, PWD, P-1, I -2 a | | | | |
| 2 | Earth work in filling in foundation trenches or plinth with good earth in layers not exceeding 150 mm. including watering and ramming etc. layer by layer complete.(Payment to be made on the basis of measurement of finished quantity of work) a) With earth obtained from excavation of foundation. SOR, PWD, P-1, T/3 a | 11.120 | %cu.m | 7831.00 | 870.83 |
| 3 | Supplying Laying Polithin Sheets etc. SOR, PWD, P-45, T - 13 | 22.000 | sqm | 25.00 | 550.00 |
| 4 | Cement concrete with graded Stone ballast (40 mm.) excluding shuttering.a) In ground floor and foundation.6:3:1 proportion Pakur variety SOR, PWD, Page 24; Item -10 a | 3.500 | cu.m. | 5823.00 | 20380.50 |
| 5 | 25 mm. thick damp proof with cement concrete (4:2:1) (with graded stone aggregate 10 mm. Normal size) and painting the top surface with a coat of bitumen using 1.7 kg. per sq.m. including heating the bitumen and cost and carriage of all materials complete. SOR, PWD, P-45, T-12 | 6.810 | sqm, | 297.00 | 2022.57 |
| 6 | Brick work with 1st class bricks in cement mortar (6:1) | | | | |
| | a) In foundation and plinth. | 10.430 | cum | 5719.00 | 59649.17 |
| | b) In super structure SOR, PWD, P-29, T-22(a), (b) | 15.240 | cum | 5943.00 | 90571.32 |
| 7 | 125mm thick brick work with 1st. class bricks in cement mortar (4:1). a) In ground floor SOR, PWD, P-73, I -29 | 23.220 | sq.m. | 783.00 | 18181.26 |
| 8 | Ordinary Cement concrete (mix 1:1.5:3) with graded stone chips (20 mm nominal size) excluding shuttering and reinforcement if any, in ground floor as per relevant IS codes. (i) Pakur Variety | 3.940 | cu.m. | 6851.66 | 26995.54 |
| | SOR, PWD, P-14, T -7(i) | | | | |
| 9 | Reinforcements for reinforced concrete work in all sorts of structures including distribution bars, stirrups, binders etc. including supply of rods, initial straightening and removal of loose rust (if necessary), cutting to requisite length, hooking and bending to correct shape, placing in proper position and binding with 16G black annealed wire at every inter-section, complete as per drawing and direction (a) For works in foundation, basement and upto roof of ground floor / upto 4m. (i) Tor steel/Mild steel. SOR, PWD, P-27, T -15(i) | 0.309 | МТ | 60705.93 | 18775.74 |

| SL | Description of Works | Quantity | Unit | Rate (Rs.) | Amount (Rs.) |
|----|---|----------|----------------|---------------|-----------------|
| 10 | Hire and labour charges for shuttering with centreing and necessary staging upto 4 m. using approved stout props and thick hard wood planks of approved thickness with required bracing for concrete slabs, beams, columns, lintels curved or straight including fitting, fixing and striking out after completion of works. (upto roof of ground floor). (When the height of a particular floor is more than 4 m. the equivalent floor ht. shall be taken as 4 m. and extra for works beyond the initial 4 m. ht. shall be allowed under 12(e) for every 4 m. or part thereof.) | | | | |
| | 25 mm. to 30 mm. thick wooden shuttering as per decision & direction of Engineer-in-charge. Ground Floor | 37.063 | M ² | 360.00 | 13342.68 |
| 11 | Plaster (to wall, floor, ceiling etc.) with sand and cement mortar including rounding off or chamfering corners as directed and raking out joints or roughening of concrete surface, including throating, nosing and drip course where necessary. In ground floor. A) With 6:1 cement mortar. a) Inside wall 20 mm thick plaster SOR. PWD. P-151. T -2 (i)(b) | 116.940 | sq.m. | 181.00 | 21166.14 |
| | b) Out side Wall, 15mm th. SOR, PWD, P-151, I -2 (i)(c) | 111.950 | sq.m. | 156.00 | 17464.20 |
| | B)10mm th celling plaster (4:1) SOR, PWD, P-151, I -2 (i)(c) | 23.330 | sq.m. | 140.00 | 3266.20 |
| 12 | Neat cement punning about 1.5mm thick in wall, dado, window, sills, floor, drain etc. SOR, PWD, P-152, I -8 | 26.700 | sq.m. | 38.00 | 1014.60 |
| 13 | Artificial stone in floor,dado, staircase etc. with cement conctrete (4:2:1) with stone chips laid in panels as directed with topping made with ordinary or white cement (as necessary) and marble dust in proportion (2:1) including smooth finishing and rounding off corners and including application of cement slurry before flooring works, using cement @ 1.75 kg./sq.m. all complete including all materials and labour. In ground floor. 3 mm. thick topping (High polishing grinding on this item is not permitted) with ordinary cement. 20mm thick | 26.490 | sq.m. | 265.00 | 7019.85 |
| 14 | Supplying, fitting & fixing MS clamp for fixing door and window frame made of flat bent bar, end bifurcated, fixed in cement concrete with stone chips (4:2:1)a fitted and fixed omplete as per direction. 40mm x 6mm x 125 mm length. (Cost of cement concrete will be paid separately) | 34 | each | 22.00 | 748.00 |
| 15 | Wood work in door and window frame fitted and fixed complete including a protective coat of painting at the contact surface of the frame other Local wood SOR, PWD, P-85, T -1(i) | 0.213 | cu.m. | 46171.00 | 9834.42 |
| | Panel Shutter of door & Window (each Panal Consisting Of single Plan without Join) 25 mm thick shutter with 12 mm thick Panal of size 30 to 45 cm. Other Local wood SOR, PWD, P-105, I -84 (iv)c | 8.520 | sq.m. | 1567.00 | 13350.84 |
| | Iron butt hinges of approved quality fitted and fixed with steel screws, with ISI mark. a)75mm x 47mm x 1.70mm SOR. PWD. P-91. T -20(iv) | 32.000 | each | 34.00 | 1088.00 |
| 18 | Iron Socket Bolt of approved quality fitted and fixed complete. i) 150 mm long x 10 mm dia SOR, PWD P-93, I-25,c | 11.000 | each | 71.00 | 781.00 |
| | White washing including cleaning and smoothening surface thoroughly (5 parts of stone lime and 1 part of shell lime should be used in the finishing coat). Two Coats SOR, PWD, P-155, I -3 (b) | 124.960 | %sq.m | 1887.00 | 2358.00 |
| | Colour washing with ella with a coat of white wash priming including cleaning and smoothing surface thoroughly external surface One Coat SOR, PWD, P-155, I - 4(ii)(a) | 100.560 | %sq.m | 1514.00 | 1522.48 |

| SL No. | Description of Works | Quantity | Unit | Rate (Rs.) | Amount (Rs.) |
|-----------|---|-----------------|-------|----------------|-------------------|
| 21 | Priming one coat on timber, plastered or on steel or other metal surface with synthetic enamel/oil bound primer of approved quality including smoothening surfaces by sand papering etc. 1) On timber surface SOR, PWD, P - 162, I - 7(a) | 21.690 | sq.m. | 41.00 | 889.29 |
| | 2) On Steel Surface SOR, PWD, P - 162, I - 7(b) | 2.700 | sq.m. | 31.00 | 83.70 |
| 22 | Painting with best quality synthetic enamel paint of approved make and brand including smoothening surface by sand papering etc. including using of approved putty etc. on the surface, if necessary: With super class (hi-class)-With any shade except white a) On timber or plastered surface Two Coats b) On Steel surface Two Coats SOR, PWD, P - 162, - 8A(aii),(bii) | 21.690 2.700 | sq.m. | 89.00 86.00 | 1930.41 232.20 |
| 23 | Iron hasp bolt of approved quality fitted and fixed complete (oxidised) with 16 mm diad with center bolt and round fitting. 300 mm long SOR, PWD, P-93, I - 27c | 2.000 | each | 193.00 | 386.00 |
| 24 | Precast piered concrete jally work as per design and manufacture's specification including moulding etc. with stone chips and necessary reinforcement shuttering complete including fitting, fixing in position in all floors. (a) 37.5 mm th. panels Cement & steel required for this item will not be issued by deptt. | 1.690 | sq.m. | 351.00 | 593.19 |
| 25 | Supplying, fitting and fixing UPVC down pipes A type and fittings conforming to IS 13592-1992 with necessary clamps nails including making holes in walls, etc. and cutting trenches in any soil, through masonry concrete structure etc. if necessary and mending good damages including jointing with jointing materials (Spun yarn, valamoid / bitumen / M. seal etc.) complete. P-173. I-21 A (ii). C(ii). D(ii) SOR, PWD, P173, I - 21 A (ii), C(ii), D(ii) | | | | |
| | i) UPVC Pipe 110 mm dia | 3.000 | Mtr. | 291.00 | 873.00 |
| | ii) UPVC Bend 87.5 degree 110 mm dia | 2.000 | each | 162.00 | 324.00 |
| | iii) UPVC Shoe 110 mm | 1.000 | each | 128.00 | 128.00 |
| 26 | M.S.or W.I. Ornamental grill of approved design joints continuously welded with M.S, W.I. Flats and bars of windows, railing etc. fitted and fixed with necessary screws and lugs in ground floor. Grill weighing 10 kg/sq m to16 kg/m2 SOR, PWD, P - 76, I - 10 (i) (2.70sam @ 10.5kg per sam = 28.35 kg) | 0.284 | Qntl | 8247.00 | 2342.15 |
| 27 | Shallow water closet Indian pattern(I.P.W.C.) of approved make in white vitreous chinaware supplied ,fitted and fixed in position (excluding cost of concrete for fixing). 450 mm long SOR, PWD, (Sanitary) P - 65, I - 1 (iii) | 1.000 | each | 1062.00 | 1062.00 |
| 28 | Foot rest for water closet of size 275 mm X 125 mm with Artificial stone(4:2:1) with 6 mm stone chips and chequered including adding colour as necessary. SOR, PWD, (Sanitary) P - 66, I - 9 | 1.000 | Pair | 70.00 | 70.00 |
| | Supplying, fitting and fixing cast iron 'P' or 'S' trap conforming to I.S. 3989 / 1970 and 1729 / 1964 including lead caulked joints and painting two coats to the exposed surface. S Trap 100 mm SOR. PWD. (Sanitary) P - 54. I - 14(B-iii) | 1.000 | each | 923.00 | 923.00 |
| 30 | Supplying, fitting fixing CI Round Gratings 150mm dia | 1.000 | Each | 100.00 | 100.00 |
| _ | SOR, PWD, (Sanitary) P - 55, I - 18(ii) | | | | |

| Description of Works | Quantity | Unit | Rate (Rs.) | Amount (Rs.) |
|--|----------|------|---------------|-----------------|
| Construction of 2 circular leach pit of inside diameter 1000 mm. & a depth of 1000 mm. With a layer of 250 mm. Thick brick work with cement morter (6:1) & honeycombed brick wall (4:1) at every alternate layer upto a height of 925 mm. From bottom and then 125 mm. thick brick wall (4:1) for a height of 300 mm. and covered with 75m. RCC slab (4:2:1) with 8mm tor steel @ 150 mm. centre to centre both ways including plustering and neat cement punning on top of the slab and making hooking arrangment on slab for lifting of the slab if require as well as jointing the connection with the inspection pit (450 x 450) covered with 50mm thick RCC slab (4:2:1) with stone chips and necessary renforcement and connected with 100 mm dia PVC pipe laid over rammed earth and then covered the pipe properly with powder earth including supplying fitting fixing fibre glass pan P-tap & polythene pipe as per requirement to connect with the inspection pit complete with all respect as per direction of EIC.(ANNEXURE-II) | 1 | Item | 7544.00 | 7544.00 |
| TOTAL AMOUNT | | Rs. | | 350000.36 |
| Say | | Rs. | | 350000.00 |
| Add for Electrical Works (ANNEXURE-I) | | Rs. | | 17858.00 |
| TOTAL AMOUNT | | Rs. | | 367858.00 |

Hala

| | IL /I CM ITTER | n outer wall | | | 125 mm P | artitionwall | | Varandah (| 7/1. |
|-----|---------------------|-----------------------|--------|----------------|----------|--------------|---------|------------|------------|
| | C/L Of Ittal | 4.65 | | | 3.375 | artitionwan | _ | 1.275 | La Company |
| | | 0.8 | | | 1.15 | | + | 0.9 | + |
| | | 1.15 | | | 1.15 | 2.3 | _ | 2.175 | + |
| | + | 3.45 | | | 2.187 | 2.0 | _ | Litro | + |
| | | 1.15 | | | 1.9 | | _ | + | + |
| | | 1.7 | | | 1.387 | 5.474 | - | + | + |
| | | 3.375 | | | 11.149 | 0.171 | | 1 | 1 |
| | † | 1.275 | | | 11.117 | 1 | + | + | + |
| | + | 2.825 | | | | | + | + | + |
| | | 3.125 | | | | | 1 | + | + |
| | | 23.5 | | | | | | + | + |
| | X wall | 1.25 | | | | | | + | + |
| | 74 44 444 | 1.20 | | | | | | + | |
| 10. | + | | | | _ | | _ | + | |
| 1 | Farth work | in excavation | | | | | | 1 | |
| 1 | 250 mm wa | | | - | | | | | + |
| | TOO HILL WS | 1 23.5 | 0.75 | 0.7 | 12.34 | | | | + |
| | + | 0.875 | 0.75 | 0.7 | 0.46 | | | - | _ |
| | | 24.375 | 0.70 | 0.7 | 12.8 | | + | - | - |
| | 17E 147 | | | | 12.0 | m3 | + | | + |
| | 125 mm Wa | 2.625 | 0.4 | 0.225 | 0.24 | | | + | - |
| | WC | | 0.4 | | 0.24 | 782 | | - | - |
| | | | | 0.225 | 0.04 | | | + | |
| | Bath 5.474 | 0.65 | 0.4 | 0.225 0.225 | 0.06 | - | | 1 | - |
| | 5.474 | | 0.4 | | 0.10 | - | | | - |
| | 77 3 | | 0.4 | 0.225 | 0.43 | | | | |
| | Varanda | 1.425 | 0.4 | 0.225 | 0.13 | | | - | |
| | | - | | | 0.88 | | | 1 | |
| | 0. | | 0.0 | | | | | - | |
| | Step | 0.5 | 0.9 | 0.075 | 0.034 | | | 1 950 | |
| | | | | | 13.715 | ma | | | |
| | | | | | | | | | |
| 2 | Soling | | | | | | | | |
| | | | 0.75 | | 18.281 | | | | |
| | - | 11.45 | 0.4 | | 4.58 | | | | K- 18 |
| | | | | | 22.861 | | | | |
| | | | | | | | 60 C | | |
| 3 | Polythene s | heet | | | | | | | |
| | | | | | | | | | |
| | | | 3.125 | | 8.047 | | 100 | | |
| | | | 2.625 | | 7.547 | | | | |
| | - | | 1.65 | | 3.3 | | | | |
| | passage | | 2.375 | | 1.484 | | | | |
| | Bath&WC | | 0.9 | | 2.43 | | | | |
| | Varndah | | 0.6 | | 0.615 | | | | |
| | step | 0.9 | 0.5 | | 0.45 | | | | |
| | | | | | 23.873 | | | | |
| | | | | | | | | | |
| 4 | Jhama conci | | | | | | | DIVOIS . | |
| | | | | 0.075 | 1.371 | | | | |
| | | | | 0.075 | 0.344 | | <u></u> | | |
| | | | 23.93 | 0.075 | 1.795 | | | | |
| | | | 41 | | 3.51 | 10- | | | |
| | | | | | | | | | |
| 5 | Earth work | in filling 1/5 excava | ation | | | + | | | - |
| | THE PERSON NAMED IN | | 13.715 | P* | 0.5740 | - | | | |
| | | | | 5 | 2.743 | | | | |
| | | | 23.48 | 0.375 | 8.805 | | | | |
| | | | | | 11.548 | ms. | 115 | | |

| | | 23.5 | 0.625 | 14.6875 | 1 | T | | | |
|---|----------------------|---|--|---------------------------------|-------|--|-------|---|-------|
| | + | | 0.625 | 11.75 | | | | | |
| | | 23.5 | | | | - | | | |
| | - | 23.5 | 0.375 | 8.8125 | 0.45 | * *** | | - | |
| | | | | 35.25 | 0.15 | 5.288 | | | |
| | | 23.5 | 0.25 | | 0.525 | 3.084 | | | |
| | | | | | | | | | |
| | X wall | 0.938 | 0.625 | 0.586 | | | | | |
| | | 1 | 0.5 | 0.5 | | | | | |
| | | 1.063 | 0.375 | 0.399 | | | | | |
| | | | | 1.485 | 0.15 | 0.223 | | | |
| | 1 | 1.125 | 0.25 | | 0.525 | 0.148 | | | |
| | 125mm | 3.125 | 0.25 | | 0.525 | 0.41 | | | |
| | Bath&WC | 2 | 0.9 | 0.25 | 0.523 | 0.235 | | | 1.000 |
| | Kit | 5.224 | 0.25 | | 0.525 | 0.686 | | | |
| | Vard | 1.925 | 0.25 | | 0.525 | 0.253 | | | 166 |
| | Steps | 0.5 | 0.9 | | 0.15 | 0.068 | | | |
| | | 0.25 | 0.9 | | 0.15 | 0.034 | | | |
| | | | | | | 10.427 | m3 | | |
| | | | | | | | | | |
| 7 | DPC | 23.5 | | | | | | | |
| | | 1.125 | | † | | | | | |
| | | 24.625 | | 0.25 | | 6.156 | | | |
| | | 3.125 | | | | | | | |
| | | 1.8 | | | | | | | |
| | | 5.224 | | | | | | | |
| | | 10.149 | | 0.125 | | 1.269 | | | |
| | _ | | | | | 7.425 | | | |
| | Less | 0.9 | | 0.25 | 0.225 | C. C | | | |
| | | 0.9 | | 0.125 | 0.113 | | | | |
| | 3 | - | | 0.125 | 0.281 | | | | |
| | | | | 0.100 | 0.202 | 0.619 | | | |
| | | | | | | 6.806 | sqm | | |
| | + | | | | | 0.000 | sqiii | | |
| 8 | DIAT in sumar | structure (6:1) | | | | | | | |
| 0 | bw m super | 23.5 | | | | | | | |
| | | | | | | | | | |
| | + | 1.125 | | | | | | | |
| | - | 24.625 | 2.75 | 0.25 | 16.93 | | | | |
| | Parapet | 23.8 | 0.075 | 0.25 | 0.446 | | | | |
| | | | | | | 17.376 | | | 1000 |
| | Less opens | | | | | | | | |
| | | | | | | | | | |
| | 1 | 0.9 | 2.1 | 1.89 | | | | | |
| | 1 4 | 0.9 | 0.9 | 3.24 | | | | | |
| | 1 4 | 0.9 0.75 | 0.9 | 3.24 0.675 | | | | | |
| | 1 4 | 0.9 0.75 | 0.9 | 3.24 0.675 1.688 | | | | | |
| | 1 4 1 3 | 0.9 0.75 | 0.9 | 3.24 0.675 | 0.25 | 1.873 | | | |
| | 1 4 1 3 3 Lintel | 0.9 0.75 0.75 | 0.9 0.9 0.75 | 3.24 0.675 1.688 | 0.25 | 1.873 | | | |
| | 1 4 1 3 3 Lintel | 0.9 0.75 0.75 | 0.9 | 3.24 0.675 1.688 | 0.25 | 1.873 | | | |
| | 1 4 1 3 3 Lintel | 0.9 0.75 0.75 1.525 | 0.9 0.9 0.75 | 3.24 0.675 1.688 | 0.25 | 1.873 | | | |
| | 1 4 1 3 3 Lintel 1 4 | 0.9 0.75 0.75 1.525 | 0.9 0.9 0.75 | 3.24 0.675 1.688 | 0.25 | 1.873 | | | |
| | 1 4 1 3 3 Lintel 1 4 | 0.9 0.75 0.75 1.525 1.2 1.05 | 0.9 0.75 1.525 4.8 | 3.24 0.675 1.688 | 0.25 | 0.184 | | | |
| | 1 4 1 3 3 Lintel 1 4 | 0.9 0.75 0.75 1.525 1.2 1.05 | 0.9 0.75 1.525 4.8 1.05 | 3.24 0.675 1.688 7.493 | | | | | |
| | Lintel Lintel Wo2 | 0.9 0.75 0.75 1.525 1.2 1.05 | 0.9 0.75 1.525 4.8 1.05 | 3.24 0.675 1.688 7.493 | | 0.184 | | | |
| | Lintel Lintel Wo2 | 0.9 0.75 0.75 1.525 1.2 1.05 | 0.9 0.75 1.525 4.8 1.05 7.375 | 3.24 0.675 1.688 7.493 | 0.1 | | | | |

| | T | T | | 1 | | 1 | | | T |
|----|---------------|------------|--------|--------|--------|----------|---------------|----------------|--------|
| 9 | 125 th. Brick | work (6:1) | | | | | - | | |
| , | room | 1 (0.1) | 3.125 | 2.6 | 8.125 | 1 | 1 | + | |
| | kit | + | 2.125 | 2.75 | 5.844 | | + | + | |
| | KII | + | 1.65 | 2.75 | 4.5375 | | - | + | - |
| | - | | 1.45 | 2.65 | 3.8425 | - | - | 1 | - |
| | | 2 | 1 | 2.1 | | - | - | - | - |
| | | 2 | 0.9 | 2.1 | 3.78 | 04 40000 | - | 1 | _ |
| | | | | - | _ | 26.12875 | + | | |
| | Less opening | | | - | _ | | | | |
| | | 1 0.9 | 0.9 | - | | | - | | |
| | | 3 0.75 | 2.25 | | | | | | |
| | | | 3.15 | 2.1 | 6.615 | | - | | |
| | Lintel | | | | | | | | |
| | | 1 1.3 | 1.3 | | | | | | |
| | | 1 1.025 | 1.025 | | | | | | 100000 |
| | 4 | | 2.325 | 0.1 | 0.2325 | | | 10 | |
| | | | | | 6.8475 | | | | |
| | | | | | | 19.28125 | | | |
| | Parapet | | | | | | | | |
| | | 23.5 | | 0.15 | 11. | 3.525 | | | |
| | | | 7,5 | | | 22.806 | a Maria Maria | 1000 | |
| | passege | 0.75 | | 0.55 | | 0.4125 | | | |
| | | | | | | 23.219 | sqm | | |
| | | | | | | | | | |
| 10 | Conc M-20 | | | | | | | | |
| | Roof slab | | | 12 | | | | | 7-2012 |
| | 32.15 | 1.1475 | 31.003 | | 0.1 | 3.1 | | | |
| | Beam | | 3.625 | 0.25 | 0.15 | 0.136 | | | |
| | | | 2.575 | 0.25 | 0.1 | 0.064 | | | |
| | Lintel | | | | | | 3.301 | | |
| | D1 | 1 | 1.525 | 1.525 | | | | | |
| | W1 | 4 | 1.2 | 4.8 | | | | | 1 200 |
| | W2 | | 1.05 | 1.05 | | | | 1 | |
| | WO2 | | 3.05 | 3.05 | | | - | | |
| | | | | 10.425 | 0.25 | 0.1 | 0.261 | | |
| | D1 | 1 | 1.39 | 1.39 | | 0.1 | 0.201 | | |
| | D2 | | 1.025 | 1.025 | | | | | |
| | D2 | 2 | | 2.8 | | | | | |
| - | O2 | | 0.875 | 0.875 | | | - | - | |
| | D2 | 2 | | 6.09 | 0.125 | 0.1 | 0.076 | + | |
| | Chaja | | | 0.09 | 0.123 | 0.1 | 0.076 | | |
| | W1 | 24 | 1.2 | 4.8 | | | | | |
| | W1 W2 | 1 | 1.03 | | | | | | |
| | | | | 1.03 | | | | | |
| | D1 | | 1.275 | 1.275 | | | | | |
| | W02 | 1 | 3.05 | 3.05 | 100 | | | | |
| | | | | 10.155 | 0.3 | 0.075 | 0.228 | | 7.1 |
| | | | | 598,65 | | | 3.866 | m ₃ | |
| | | | | | | | | | |
| 11 | Reinforcemer | | | C. | | | | | |
| | | 3.866 | 0.80% | 1 | 7850 | 0.243 | MT | | |
| | | | | | | | | | |
| 12 | Shuttering | | | | 100 | | | | |
| | | | | | | | 2002 | | |
| | 31 | 23.5 | 1.125 | | | | | | |

| | | 1 | 24.63 | 0.25 | | | 1 | | T |
|------|---------------|--|---------|-------|--------|-------------|-------|-------|-----|
| | 31 | + | 21.00 | 6.156 | 24.844 | | | | |
| | Side beam | | 2 3.125 | 0.15 | 0.9375 | | | | |
| | olue bealt | | 2.325 | 0.13 | 0.465 | | + | - | |
| | side slab | | 25.3 | 0.1 | 2.53 | + | + | + | - |
| | | | | 0.1 | 0.225 | | - | _ | - |
| 2011 | Lintel | | | | | | + | | - |
| | | | 1.525 | 0.1 | 0.153 | | | | |
| | | | 1.275 | 0.35 | 0.446 | | - | | - |
| | | - 3 | 0.3 | 0.05 | 0.015 | | | | |
| | | | ļ | | | 29.615 | sqm | | |
| | 4W1 | | 0.9 | 0.25 | 0.9 | | | | |
| | | | 1.2 | | 0.48 | | | | |
| | | | 1.2 | 0.35 | 1.68 | | | | |
| | | | 0.3 | 0.05 | 0.12 | | | | |
| | 1W2 | 1 | | 0.25 | 0.188 | | | | |
| | | 1 | 1.05 | | 0.105 | | | | |
| | | | | 0.35 | 0.368 | | | | |
| | | | 0.3 | 0.05 | 0.03 | | 27 12 | | |
| | WO2 | | | 0.25 | 0.563 | | | | |
| | | | 3.05 | 0.1 | 0.305 | | | | |
| | | 1 | 3.05 | 0.35 | 1.068 | 1 | | | |
| | | 2 1 | 0.3 | 0.05 | 0.03 | | | | |
| | Lintel 125 W | Vall | | | | | | | |
| | D1 | 1 | 0.9 | 0.125 | 0.113 | | | | |
| | | 2 | 1.3 | 0.1 | 0.26 | | | | † |
| | D2 | 2 | 0.75 | 0.125 | 0.188 | | | | |
| | | 2 2 | 1.15 | 0.1 | 0.46 | | | | |
| | D2 | 2 | 0.75 | 0.125 | 0.188 | | | | |
| | | 2 | 1.9 | 0.1 | 0.38 | | | 1 | |
| | | | | | | 7.423 | | 1 | |
| | | | | | | 37.038 | sqm | 1 | |
| | | | | | | | 1 | | |
| 13 | Plaster (6:1) | | | | | + | | + | - |
| | Out side 15 r | nmth. | | | | + | - | 1,000 | |
| | | T | 2.85 | 1.125 | 0.45 | | | + | 200 |
| | + | 25.3 | | 2.220 | 4.425 | 111.953 | sqm | + | - |
| | Inside 20 mm | | | | 1.120 | 111.755 | squi | | - |
| | | 2 2.7 | 3.125 | 2.75 | 32.038 | + | 1 | - | |
| | | 2 2.875 | | | 30.25 | + | | + | |
| | | 2 2 | | 2.75 | 20.075 | - | | | |
| | | 2 2.075 | | 2.75 | | + | | + | |
| | Above lintel | 4.075 | | 2./3 | 11.413 | + | - | - | |
| | Above lintel | 0.55 | | 0.65 | 0.400 | | | - | |
| | In. d | 0.75 | | 0.65 | 0.488 | | | | |
| | Bath | | | 0.55 | 1.00 | - | - | Hart | |
| | 2 | 0.9 | | 2.75 | 4.95 | - | | | |
| | WC | | | | | | | | |
| | 1 | 2.95 | | | 8.113 | | | | |
| | - 1 | 2.25 | | | 6.188 | | | | |
| | 4 | 2.2 | | 0.9 | 7.92 | | | | |
| | T. 125 wall | K = 1 | | 1 | | | | | |
| | 2 | 0.9 | | 0.125 | 0.225 | | | | |
| | | | | | | 121.658 | | | |
| -115 | Open out side | e less | | | | | | | |
| | 3 | 0.75 | | 2.1 | 4.725 | | | | |

| | | | | | (-) | 4.725 | | | |
|----|----------------|--|----------|-------|-------|---------|-------|--|----------|
| | | | | | | 116.933 | sqm | | 1 |
| | Celling Plast | er | | | 24.47 | | | | |
| | Less | | | | 1.14 | | | | |
| | | | | | | 23.33 | Sqm | | |
| | | 1 | - 11 - 2 | | | | - | | 1 |
| 14 | Neat cement | punning | + | | | + | | | 1 |
| | Out side | Plinth | + | | | + | | | _ |
| | Out side | 25.3 | 0.45 | | + | 11.385 | Sqm | 11.385 | + |
| | - | 20.0 | 0.40 | | + | 11.500 | очи | 11.000 | + |
| | Inside | + | 2.7 | 3.125 | + | | | - | + |
| | mside | - | | 5.825 | 0.1 | 1 1/5 | C | | - |
| | | - | 2 0.000 | | 0.1 | 1.165 | Sqm | | - |
| | | - | 2.875 | 2.625 | 1 | | | | - |
| | | 1 | 2 | 5.5 | 0.1 | 1.1 | Sqm | | - |
| | Kithen | | 2 | 1.65 | | | | | |
| | | | 2 | 3.65 | 0.45 | 3.285 | Sqm | | |
| | | | 1 | 1.65 | 0.45 | 0.743 | Sqm | | |
| | | | 2 | 2.075 | 0.1 | 0.415 | Sqm | | |
| | Varanda | | | 1.775 | 0.1 | 0.178 | Sqm | | |
| | step WC | | 1 | 3 | 0.45 | 1.35 | Sqm | | |
| | Bath | | | 3.5 | 2 | 7 | Sqm | | |
| | | | | 0.75 | 0.1 | 0.075 | Sqm | | |
| | In side punn | ing | | | | | 15.31 | 15.31 | |
| | Total | T | 1 | | | | | 26.695 | Sqm |
| | | | | | | | | | + |
| 15 | Art. Stone flo | oring | | | | | | | + |
| | Floor area | T | + | _ | + | 25.37 | sqm | - | - |
| | Step | | 2 0.9 | 0.25 | + | 0.45 | -1 | | - |
| | W1 | | 4 0.9 | 0.1 | _ | 0.36 | 1 11 | | + |
| | W2 | | 1 0.75 | 0.1 | + | 0.075 | | | - |
| | W3 | | 3 0.75 | 0.1 | + | 0.225 | | - | + |
| | 1473 | + | 3.0.73 | 0.1 | | 0.223 | 27.40 | C | _ |
| 17 | N. Cl. C | 1 0 1 1 | | | + | | 26.48 | Sqm | 1 |
| 16 | | r door & windo | | - | | | | | 1 |
| | D1+D2 | | 4 6 | | | 24 | | | 1 |
| | W1+W2 | | 5 2 | | | 10 | | | |
| | | | | | | | 34 | nos. | |
| 17 | Wood work i | n Door & wind | | | | | | | |
| | D1 | | 2 5.1 | 10.2 | | | | | |
| | D2 | | 2 4.95 | 9.9 | | | | | |
| | W1 | | 4 3.6 | 14.4 | | | | | |
| | W2 | | 1 3.3 | 3.3 | | | | | |
| | | | | 37.8 | 0.075 | 0.075 | 0.213 | m ₃ | |
| 18 | Z batten shut | ter | | | | | | | † |
| | D1 | | 2 0.775 | 2.025 | | 3.139 | | | † |
| | D2 | | 2 0.625 | 2.025 | 1 | 2.531 | | | + |
| | W1 | | 4 0.775 | 0.775 | 1 | 2.403 | | | + |
| | W2 | | 1 0.775 | 0.625 | + | 0.484 | | | |
| | | | | | 1 | 0.202 | 8.557 | eam | - |
| 19 | Iron Butt Hin | ges | | | - | | V.VUI | sqm | |
| 17 | D1+D2 | 800 | - | | - | | | | - |
| | | | | | - | 12 | | | - |
| | W1 | | 4 | | | 16 | | | |
| | W2 | | 4 | | | 4 | | nos. | |
| | | | | | | | | | |

| 20 | Iron soket bolt | | | | | | - M | |
|----|--|--------------------|---------------|----------|------|---------|--|---|
| | Door | | (| 5 | | | | |
| | Window | | 5 | 5 | | | | |
| - | | | | | | 11 | nos. | |
| | | | | | | | | |
| 21 | White wash | | | | - 19 | | | |
| | Inside+Celling Plaste | er- inside punning | | | | | | |
| | | 116.933 | 23.33 | 15.31 | | 124.953 | sqm | |
| | | | 1 | | | | | |
| 22 | Colour wash | | | | | | | |
| | Out side Plaster- out | side punning | | | | | | |
| | | 111.953 | 11.385 | | | 100.568 | sqm | |
| | | | | | | | | |
| 23 | Priming on timber sa | utrface | | | | _ | | - |
| | 2 | 2 0.9 | 2.1 | | 7.56 | | | |
| | 2 | 2 0.75 | 2.1 | | 6.3 | _ | | |
| | 4 | 2 0.9 | 0.9 | | 6.48 | | | |
| | 1 | 2 0.75 | 0.9 | | 1.35 | | | |
| | | | | -37//42 | | 21.69 | sqm | |
| | | | + | - | + | | - I | |
| 24 | Painting best quality | on wooden surface | | | - | | | |
| | same sl.no. 23 | | T | | | 21.69 | sqm | |
| | State State, 20 | | + | | _ | 21.07 | Sqiit | |
| 25 | MS ornamental gril | 10Kg-16 Kg | + | | | | | |
| 40 | W1 | 4 0.75 | 0.75 | 2.25 | | | | |
| | W2 | 1 0.75 | | 0.45 | | | | |
| | 1112 | 110.75 | 0.0 | 2.7 | | _ | - | |
| | | | | @12Kg/sq | | 32,4 | Kg | |
| | + | | | @12Kg/sq | 1 | 32.4 | r.g | |
| 26 | Priming on Steel suti | rface | · | _ | | 2.7 | | _ |
| 20 | Timing on Steer such | liace | | | | 2.7 | sqm | |
| 27 | Painting best quality | an etaal eneface | - | | | 2.7 | 2000 | |
| 41 | same sl.no. 24 | on steer surrace | + | | - | 2.7 | sqm | |
| | Saute 51.1(0, 24 | | 11 1/25-21 II | | | | | |
| 28 | R.C.C. Shelf | | | | - | | | |
| 26 | K.C.C. Shelf | 1 75 0 5 | - | | | 0.055 | | |
| | | 1.75 0.5 | | | - | 0.875 | sqm | |
| 29 | Park basis and a sale | ann dan a | | | | | | |
| 29 | Roof treatment with | cow dang | - | | - | - | | |
| | | | 20.10 | | - | | | |
| | | | 32.18 | | | | | |
| | Deduct | 1.14 (varanda) | 1.14 | | | | | |
| | Cornice | 25 0.125 | 3.125 | | | | | |
| | | | 27.915 | | | 27.915 | sqm | |

| | ESTIMATE FOR ELECTRICAL WORKS FOR OR (ANNEXURE | | LING UN | T UNDER PN | 1AY |
|-------|--|--------|---------|------------|---------|
| SI.No | . ltem of works | Unit | Rate | Quantity | Amount |
| 5. | 1 Supplying & fitting polythene pipe complete with fittings as necessary. Under celing /beam/bound with 22SWG GI wire inclusive S & Drawing 1x18 SWG GI wire as fish wire inside the pipe & fittings and providing 55 mm dia disc of MS sheet (20SWG) having colour paint at one face first ended at the load point end of the polythene pipe with fish wire (synchronizing with roof/beam casting work of building construction) 19 mm dia 3 mm thick polythene pipe | RM | 39.00 | 25.00 | 975.0 |
| 2 | Powerckt wiring supplying and drawing 1; 1KV grade single core stranded FR PVC insulated & unseathed single core stranded Copper wire (Finolex make) 2 × 2.5 sqmm (PH & N) +1x1.5 sqmm (ECC) per laid polythene pipe and by the prelaid GI fish wire & making necessary connections as required. | RM | 76.00 | 50.00 | 3800.0 |
| 3 | Concealed Distribution wiring in in 2x1.5 sqmm single core standard *FR* insulated and unseathed cop per wire Finolex make & 1x1.5 sq mm single core stranded PVC cinsulated and unseathed cop per (Finolex make) wire used as ECC in 19 mm bore 3 mm thk. polyythene pipe complete with all accessries embedded in wall smooth run to light / fan/call bell point with pino key type switchb (6 Amps) (Anchor make) fixed on sheet metal (16 SWG) Switch Board with bakelite/ perspex (wall maching colour) Top cover (3 mm thick) flushed in wall including mending all good damages to original finish Average per point 6.00 mt. | points | 828.00 | 10.00 | 8280.0 |
| 4 | Deistribution concealed wiring with 2x1.5 sq mm (PH & N) single core stranded FR PVC insulated & unsheathed single core stranded 1.1 KV grade Copper Wire (finolex) & 1x1.5 sq mm (ECC) single core stranded (PH & N) 1.1 KV grade cu wire (finolex) & 1 x 1.5 sq mm single core stranded PVC insulted & unsheathed cu wire (finolex) used as ECC in 19 mm bore, 3 mm thick polythene pipe complete with all accessories embedded in wall 250 volt 5 amp 3 pin plug point including S & F 250 Volt 5 amp 3 pin flush type plug socket & piano key type swich (Anchor make) on existing switch board as mentioned sl. no.3 | points | 76.00 | 2.00 | 152.0 |
| 5 | Supplying & drawing 1.1 KV grade single core standed FR PVC insulated & unseathed single core standed cu Wire 3x2.5 sq mm (finolex make) in the prelaid polythene pipe & by the prelaid GI fishwire & making necessary connection as required (CESC supply to consumer DP near to CESC & inside the room another DP near CESC & inside the room another DP of dwelling units) | RM | 86.00 | 15.00 | 1290.00 |


| SI.No | Item of works | Unit | Rate | Quantity | Amount |
|--------|--|------------|---------|----------|----------|
| SI.No. | Item of works | Unit | Rate | Quantity | Amount |
| 6 | Supplying Delivery & instalation on wall of 30/32 amp DP MCBof Havel's make with enclosed box along with all its necessary 1 connection complete.(Anchor) | nos | 808.00 | 2 | 1616.00 |
| 7 | Earthing in soft soil with 50 mm dia GI pipe (TATA make Medium) 3.64 mm th. X 3.04 Mtr long and 1 x 4 SWG GI (hot dip) wire (4 m long) 13 mmdia x 80 mm long GI bolts, double nuts, double washer including 5 & F 15 mm dia GI protection (1 mtr long) to be filled with bitumen partlyunder the ground level & partly above GL driven to an average depth of 3.65 m below the GL & restoring surface duly rammed. | each | 1715.00 | 1 | 1715.00 |
| 8 | Connecting the equipment to earth BUSbar inclussive S&F 10 SWG (Hot Dip) GI wire on wall /floor with a staples buried inside wall /floor as required & making connection to equipments with bolt, nut, washer, cable lugs etc. as required & mending good damages. | M | 6.00 | 5 | 30.00 |
| | | | TOTAL | | 17858.00 |
| | Rupees Thirteen Thousand Eight Hundred Se | eventy Eig | th Only | | 17858.00 |

trola

Cost Estimate for 2 Nos Leach Pit for single unit Dwelling Unit P.W.D Schedule of Rates effect from 1st July 2014

| (A | NNEXT | THE REAL PROPERTY. | 1 |
|-----|--|--------------------|---|
| - 1 | THE STATE OF THE S | 1 DK 171 | |

| Sl No | Description of Items | Quantity | Unit | Rate | Amount |
|----------|---|----------|------------|----------------------------|----------|
| 1 | Earth work in excavation of foundation trenches or drains in all sorts of soil (including mixed soil but excluding or stacking the spoils within a lead of 75 m. as directed. The item includes necessary trimming the sides of trenches leveling dressing and ramming the bitom boiling out water ags required complete. Depth of exavation not existing 1500mm P.No-1, I-2(a) | 2.500 | %Cu.M | 12047.00 | 301.18 |
| 2 | Cement concrete with graded jhama Khoa ballast (30 mm size) excluding shuttering. In ground floor and foundation (a) 6:3:1 proportion. | 0.050 | Cu.M | 5803.06 | 290.15 |
| 3 | Brick work with 1st class bricks in cement mortar (6:1). a) In foundation & Plinth P.no-29, I-21(a) | 0.010 | Cu.M | 5719.00 | 57.19 |
| 4 | 125 mm. thick brick work with 1st class bricks in cement mortar (4:1) G.Floor P.no-31, I-29 | 3.000 | SqM | 714.00 | 2,142.00 |
| E | Controlled Cement concrete with well graded stone chips (20 - mm nominal size) excluding shuttering and reinforcement with complete design of concrete as per I: 456 and relevant special publications submission of job mix formula after preliminary mlx design after testing of concrete cubes as per direction of Engineer-in charge Consumption of cement will not be less than 300 Kg of cement -with Super plasticiser per cubic meter of controlled concrete but actual consumption will be determined on- the basis of preliminary test and job mix formulaI n ground floor and foundation. [Using concrete mixture] M 20 Grade P.no-12, I-6(a) | 0.145 | Си.М | 6871.54 | 996.37 |
| 6 | Reinforcemnet for reinforced concrete work in all sorts of structures incl. Distribution bars, stirrups, binder etc. incl. supply of rods, initial straightening & removal of loose rust (if necessary), cutting to requisite length, hooking etc P.no- 27, I-15(a)(i) | 0.010 | м.т | 68508,00 | 685.08 |
| 7 | Supplying, fitting and fixing UPVC down pipes A type and fittings conforming to IS 13592-1992 with necessary clamps nails including making holes in walls, etc. and cutting trenches in any soil, through masonry concrete structure etc. if necessary and mending good damages including jointing with jointing materials (Spun yarn, valamoid / bitumen / M. seal etc.) complete. | | 7 114 | gar Mis Arman Aumcip | |
| - 1 | D UPVC Pipe 110 mm dia | 4.000 | Mtr | 291.00 | 1,164.00 |
| j | i) UPVC Bend 87.5 degree 110 mm dia P.no- 174, I-21(B)C(ii) | 2.000 | Each | 162.00 | 324.00 |
| 8 i | faffri brick work 125 mm. thick with 1st class bricks in cement mortar (4:1) neluding 12 mm. thick cement plaster (4:1) in all faces in ground floor .P.no-32, I-35 | 2.000 | SqM | 792.00 | 1,584.00 |
| | | C | ost of 2 n | o leach pit | 7,543.97 |
| | 1)6 | | | Total= | 7,544.00 |



- RISHRA MUNICIPALITY ULB

1100 No. Of Beneficiaries

Photo 8336057573 9883321483 8777253852 9681051759 7890353343 9903625464 Mob No. Adhaar No. Valid Valid Valid Valid Valid Valid Gender Female Male Male Male Male Male Minority Muslim Hindu Muslim Hindu Muslim Hindu Category General/S. C./ 0. B. C./S. T. General General General General General General 4/1,,,BULLA MIA ROAD,,West Bengal ROAD,,West Bengal EAST,,West Bengal ROAD,,West Bengal ROAD,,West Bengal ,Hooghly,Rishra,0 e/34,,,WELLINGTON LINE,,West Bengal ,Hooghly,Rishra,0 ,Hooghly,Rishra,0 ,Hooghly,Rishra,0 ,Hooghly,Rishra,0 7/B,,,BULLA MIA Hooghly, Rishra, 0 6/3,,,G. T. ROAD 5/3,,,BULLA MIA 5/4,"BULLA MIA Holding No. / JUTE MILL Address Mustaque Ahmed Father's Name / Husband's Name Mustaque Ahmed Rajendra Prasad Bistupada Bhattacharyya Bharat Prasad Shaw Shaukat Ali Slum Uttam Kumar Shaw Name of Beneficiary Slum Sova Chatterjee Kaushal Kishor Gupta Slum Nezamuddin Slum | Ashique Ali Slum Abdul Alim Non-Slum Slum Slum / Ward No. 0.1 0.1 0.1 01 0.1 01 SI. No.

2

3

4

w

9



| | | | | (P) | | Co | |
|------|---|---|---|---|---|---|---|
| Поми | Rishra Municipality 9748293838 | 9051681992 | 7003503916 | 6290266413 | 7003917275 | 6291246430 | 6291246430 |
| 1 | Rish | Valid | Valid | Valid | Valid | Valid | Valid |
| | Male |
| | Muslim | Muslim | Muslim | Muslim | Hindu | Hindu | Hindu |
| | General |
| | 5/2,,,BULLA MIA ROAD,,West Bengal ,Hooghly,Rishra,0 | 5/1,,,BULLA MIA ROAD,,West Bengal ,Hooghly,Rishra,0 | 4/1,,,BULLA MIA ROAD,,West Bengal ,Hooghly,Rishra,0 | 4/1,,,BULLA MIA ROAD,,West Bengal ,Hooghly,Rishra,0 | 7/B,,,BULLA MIA ROAD,,West Bengal ,Hooghly,Rishra,0 | 7/C,,,BULLA MIA ROAD,,West Bengal ,Hooghly,Rishra,0 | 7/C,,,BULLA MIA ROAD,,West Bengal ,Hooghly,Rishra,0 |
| | Mustaque Ahmed | Mustaque Ahmed | Asgar Ali | Asgar Ali | Bharat Prasad Shaw | Bijay Kumar Shaw | Bijay Kumar Shaw |
| | Abdul Kalam | Abdul Salam Ansary Mustaque Ahmed | Shaukat Ali | Md Ali | Slum Sachin Kumar Shaw | Sunil Kumar Shaw | Santosh Kumar Shaw |
| _ | Slum | Slum | Shum | Slum | Slum | Slum | Slum |
| _ | 01 | 01 | 01 | 01 | 01 | 01 | 01 |
| | ^ | 8 | 6 | 10 | 11 | 12 | 13 |

| | | | Co | | | | |
|---|--|--|---|---|--|---|---|
| 7 | Chairman Rishra Municipalin 8013283919 | 9831604793 | 7890155936 | 9883203326 | 8013314431 | 8292311964 | 9903600531 |
| \ | Ris | Valid | Valid | Valid | Valid | Valid | Valid |
| | Female | Male | Male | Male | Female | Male | Female |
| | Hindu | Hindu | Hindu | Hindu | Hindu | Hindu | Hindu |
| | General | General | General | General | General | General | ST |
| | 5,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 | 23,,,S. S. ROAD,,West Bengal ,Hooghly,Rishra,0 | 2/114,,,SS ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 | 1/B/61,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 | 63/8,,,S. S. ROAD,,West Bengal ,Hooghly,Rishra,0 | 1/C/E6,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 | 272.,S.K.Nagar,Wes t Bengal ,Hooghiy,Rishra,0 |
| | Satendra Kumar | Makhanlal Nandi | Raghubir Singh | Awadh Kishore Pandey | Nanda Lal Pandey | Rajnarayan Singh | Sona Yadav |
| | Prabila Devi | Mrinal Nandi | Anand Kumar Singh Raghubir Singh | Shyam Narayan Pandey | Saraswati Devi | Rampujan Singh | Dhana Devi |
| | Slum | Slum | Slum | Slum | Slum | Slum | Slum |
| | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| | 504 | 505 | 206 | 507 | 208 | 509 | 510 |

| | | | | 0 | 0 | |
|---|---|---|--|--|--|---|
| Rishra Municipality | 9748923699 | 9804427006 | 9903931858 | 9681052886 | 9007302219 | 8820476986 |
| Rishra | Valid | Valid | Valid | Valid | Valid | Valid |
| Male | Male | Female | Male | Male | Male | Male |
| Hindu | Hindu | Hindu | Hindu | Hindu | Hindu | Hindu |
| General | General | General | General | General | General | General |
| 1/C/11,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 | 1/A/3,S. S. ROAD EXT.,, West Bengal ,Hooghly, Rishra, 0 | 1/B/67,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 | 63/A/5,,,S. S. ROAD,,West Bengal ,Hooghly,Rishra,0 | 63/A/5,,,S. S. ROAD,,West Bengal ,Hooghly,Rishra,0 | 41,,,S. S. ROAD,,West Bengal ,Hooghly,Rishra,0 | 2/67,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 |
| Sudhir Mishra | Bageshwar Singh | Raj Gobinda Dubey | Seomuni Yadav | Shibmani Yadav | Saraswati Devi | Kari Shaw |
| Shubham Mishra | Slum Ritesh Kumar Singh Bageshwar Singh | Gita Devi | Munna Yadav | Slum Ashok Yadav | Akash Poddar | Sarjug Shaw |
| Slum | Slum | Slum | Slum | Slum | Slum | Slum |
| 18 | 88 | 18 | 18 | 18 | 18 | 18 |
| 497 | 498 | 499 | 200 | 501 | 502 | 503 |

Chairman

| | | (A) | 0 | 0 | | | |
|--------------|--|---|---|---|--|--|---|
| Chairman Lib | Rishra Municipano | 9830859162 | 9830187076 | | 7003213018 | | 8777670744 |
| | Rish | Valid | Valid | Valid | Valid | Valid | Valid |
| | Female | Female | Male | Male | Male | Male | Male |
| | Hindu | Hindu | Hindu | Hindu | Hindu | Hindu | Hindu |
| | General | General | General | General | General | General | General |
| | 66/4,,,S. K. NAGAR,,West Bengal ,Hooghly,Rishra,0 | 1/b/GG1,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 | 1/a/34,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 | 2/64,,,S. S. ROAD EXT,West Bengal ,Hooghly,Rishra,0 | 184,"ADARSA NAGAR"West Bengal ,Hooghly,Rishra,0 | 2/143,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 | 1/27,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 |
| | Uspendra Narayan Jha | Jamuna Singh | Jibanbandhu Saha | Shiumohan Shaw | Goutam Prasad | Mahesh Yadav | Shib Nath Shaw |
| | Slum Asha Chowdhury | Slum Sunaina Devi | Slum Ashutosh Saha | Pramod Kumar Shaw | Slum Rakesh Prasad | Ramnath Yadav | Anil Kumar Shaw |
| | Slum | Slum | Slum | Slum | Slum | Slum | Slum |
| _ | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| | 490 | 491 | 492 | 493 | 494 | 495 | 496 |

nem

| | | | (A) | | | |
|--|--|---|---|---|---|--|
| man Inicipality 9231977126 | 8013023969 | 9088886230 | 8777858913 | 7003673034 | 9883201850 | 9163985504 |
| Chairman Chairman Valighra Municipality 923197712 | Valid | Valid | Valid | Valid | Valid | Valid |
| Male | Female | Male | Male | Male | Male | Maie |
| Hindu | Hindu | Hindu | Hindu | Hindu | Hindu | Hindu |
| General | General | General | General | General | General | General |
| 2/128,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 | 41,,,S. S. ROAD,,West Bengal ,Hooghly,Rishra,0 | 2/25,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 | 2/15,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 | 2/55,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 | 2/25,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 | 2/44,,,S. S. ROAD,,West Bengal ,Hooghly,Rishra,0 |
| Gopal Shaw | Jawahar Lai Poddar | Chhatradhari Prasad | Prem Bahadur Singh | Aniruddha Choubey | Chhatradhari Prasad | Saraju Nath Dubey |
| Slum Manoj Kumar Shaw | Rupa Barman | Ranjeet Prasad | Suneet Kumar Singh | Akhilesh Choubey | Slum Shriram Prasad | Ram Gopal Dubey |
| Slum | Slum | Slum | Slum | Slum | Slum | Slum |
| 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 483 | 484 | 485 | 486 | 487 | 488 | 489 |

| | Alik | |
|---|-------|--------|
| | rmail | in in |
| 1 | Chai | shra M |
| | 1 | R |

| | | | | | | | 00 |
|-------------|--|--|--|--|---|---|---|
| Rishra IVIC | 8981589544 | 8602996942 | 9830639512 | 7278949060 | 8013142216 | 9007811731 | 9062307470 |
| Rish | Valid | Valid | Valid | Valid | Valid | Valid | Valid |
| | Male | Male | Male | Male | Male | Male | Maie |
| | Hindu | Hindu | Hindu | Hindu | Hindu | Hindu | Hindu |
| | General | General | General | General | General | General | General |
| | 41,,,SIMLA SATGHARA ROAD,,West Bengal ,Hooghly,Rishra,0 | 1/B/3,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 | 59/1,,,S. S. ROAD,,West Bengal ,Hooghly,Rishra,0 | 19,,,S. S. ROAD,,West Bengal ,Hooghly,Rishra,0 | 2/10/1,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 | 1,,,S. S. ROAD,,West Bengal ,Hooghly,Rishra,0 | 1/B/26,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 |
| | Hira Lal Poddar | Puna Prasad | Ram Krishna Pandey | Gyananada Ranjan Ghosh | Gopal Shaw | Hari Mistry | Bisun Choudhry |
| | Slum Poddar | Uttam Kumar Prasad | Braj Kumar Pandey | Barun Chandra Ghosh | Saroj Kumar Shaw | Slum Ashok Kumar Ram | Kamalesh Choudhary |
| | Slum | Slum | Slum | Slum | Slum | Slum | Slum |
| | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| | 476 | 477 | 478 | 479 | 480 | 481 | 482 |

| Carlo Maria | | | | | 40 | Co |
|---|---|---|---|---|--|---|
| Rishfa Municipality | 9088723070 | 6290137034 | 8820975582 | 9432310822 | | 9836514188 |
| Rish | Valid | Valid | Valid | Valid | Valid | Valid |
| Female | Male | Male | Male | Male | Female | Male |
| Hindu | Hindu | Hindu | Hindu | Hindu | Hindu | Hindu |
| General | General | General | General | General | General | General |
| 1/B/32,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 | 457/1,,,S. K. NAGAR,,West Bengal ,Hooghly,Rishra,0 | 74S. S. ROAD.,West Bengal ,Hooghly,Rishra,0 | 1/29,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 | 674,,,S. K. NAGAR,, West Bengal ,Hooghly, Rishra,0 | 30,,,S. S. ROAD,,West Bengal ,Hooghly,Rishra,0 | 63/17,,,S. S. ROAD,,West Bengal ,Hooghly,Rishra,0 |
| Suruj Shaw | Bhrigunath Tripathi | Bhuneshwar Tiwari | Tetar Das | Dayanand Jha | Shyambabu Prasad | XXXXXX Pandey |
| Slum Indu Devi | Baleswar Tripathi | Rama Shankar Tiwari | Sarjug Das | Slum Anil Jha | Slum Sangita Prasad | Rajesh Pandey |
| Slum | Slum | Slum | Slum | Slum | Slum | Slum |
| 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 469 | 470 | 471 | 472 | 473 | 474 | 475 |

Chairman Chairman Municipality

| Chairman Rishra Municipality | | | | | 7980675134 | |
|--|---|--|--|---|---|--|
| Rishra | Valid | Valid | Valid | Valid | Valid | Valid |
| Маїе | Male | Female | Female | Male | Female | Male |
| Hindu | Hindu | Hindu | Hindu | Hindu | Hindu | Hindu |
| General | General | General | General | General | General | General |
| 1/A/4,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 | 1/A/36,.,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 | 1/C/8,,,S. S. ROAD EXT.,,West Bengal ,Hooghly,Rishra,0 | 63/A/1,,,S. S. ROAD,,West Bengal ,Hooghly,Rishra,0 | 3,,,S. S. ROAD,,West Bengal ,Hooghly,Rishra,0 | 2,,,S. S. ROAD,,West Bengal ,Hooghly,Rishra,0 | 17,S. K. NAGAR,,West Bengal ,Hooghly,Rishra,0 |
| Ramdeo Tiwari | Deo Sharan Mahato | Sukhraj Kahar | Rameswar Singh | Ram Balak Singh | Asim Chakraborty | Mahatam Singh |
| Pramod Kumar Tiwari | Slum Hari Nath Mahato | Fekni Devi | Gangajal Devi | Santosh Kumar Singh | Slum Munmun Bag | Kanhaiya Singh |
| Slum | Slum | Slum | Slum | Slum | Slum | Slum |
| 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 462 | 463 | 464 | 465 | 466 | 467 | 468 |